

**MASSACHUSETTS CONTINGENCY PLAN
IMMEDIATE RESPONSE ACTION STATUS REPORT
and
LANDFILL MONITORING REPORT**

3RD QUARTER 2015

**TOWN OF EASTHAM LANDFILL
255 OLD ORCHARD ROAD
EASTHAM, MASSACHUSETTS**

DEP RTN 4-24301

September 28, 2015

Prepared for:

Town of Eastham
2500 State Highway
Eastham, MA 02642-2544

Prepared by:

Environmental Strategies & Management, Inc.
273 West Main St
Norton, MA 02766

ES&M Project No. 2015-038

CONTENTS

1.0 INTRODUCTION	1
1.1 <i>Background</i>	1
1.2 <i>Purpose</i>	1
2.0 IMMEDIATE RESPONSE ACTION ACTIVITIES	1
2.1 <i>Private Well Sampling - Status Update</i>	2
2.1.1 <i>Summary of Sampling Activities</i>	2
2.1.2 <i>Sampling Results</i>	2
2.2 <i>Activated Carbon Adsorption Treatment System - Status Update</i>	4
2.3 <i>MCP Notifications for IRA Status Report Submittal</i>	4
3.0 LANDFILL MONITORING PROGRAM ACTIVITIES	4
3.1 <i>Landfill Monitoring Well Sample Collection</i>	5
3.2 <i>Landfill Gas Monitoring</i>	5
3.3 <i>Private Well Sample Collection</i>	5
4.0 FUTURE SCHEDULE OF IRA AND LMP ACTIVITIES	6
4.1 <i>Immediate Response Action</i>	6
4.2 <i>Landfill Monitoring Plan</i>	6
5.0 PUBLIC OUTREACH	6

FIGURES

- 1 Site Map

TABLES

- 1 Affected Properties Eligible for Bottled Water
- 2 Summary of Private Well Sampling Program Analytical Results
- 3 Summary of Landfill Monitoring Plan Requirements
- 4 Summary of Landfill Monitoring Plan Analytical Results

APPENDICES

- A Field Sampling Forms
- B Laboratory Reports
- C Property Owner Sampling Notification Forms
- D Chief Municipal Officer and Board of Health Letter

1.0 INTRODUCTION

This Immediate Response Action (IRA) Status report has been prepared in accordance with the Massachusetts Contingency Plan (MCP) for Massachusetts Department of Environmental Protection (MassDEP) Release Tracking Number (RTN) 4-24301 by Environmental Strategies & Management, Inc. (ES&M) on behalf of the Town of Eastham. This report also satisfies the reporting requirements described in the Town of Eastham's Landfill Monitoring Plan (LMP), approved by MassDEP on August 14, 2012, and modified on September 25, 2014.

1.1 Background

Previous status reports published by ES&M have provided background information regarding the Eastham Landfill and the occurrence of 1,4-dioxane in drinking water wells around the landfill. The most recent report that includes this information is the IRA Status Report for the first quarter of 2014 (submitted to MassDEP by ES&M on March 31, 2014). Since the background information does not change, quarterly status reports focus on activities completed during the specific report period.

During Town Meeting held on Monday, May 4, 2015, voters in Eastham approved funding for a municipal water system that will bring public water to the entire town. This approval supplements the "backbone" water system that was approved in 2014. The municipal water system, once in place and operational, will serve as a permanent solution to mitigate the presence of 1,4-dioxane in private drinking water wells.

1.2 Purpose

This IRA Status and Landfill Monitoring Report documents activities undertaken at and around the Eastham Landfill between June 1, 2015 and August 31, 2015.

2.0 IMMEDIATE RESPONSE ACTION ACTIVITIES

The primary focus of the IRA program has been to identify private drinking water wells that have been impacted by 1,4-dioxane in groundwater emanating from the landfill, and to provide alternative safe drinking water to affected residents. The IRA program has also included evaluation of appropriate and feasible mitigating measures to remove 1,4-dioxane from drinking water. In 2014, IRA measures also included activities to better understand the nature and origin of other sources of 1,4-dioxane in the drinking water aquifer.

The IRA status reports submitted in 2013 provided details of the initial IRA activities. An IRA Plan Modification was submitted on March 6, 2014, to describe implementation of alternate laboratory methods, outline a revised private well sampling protocol, clarify the ongoing monitoring schedule, and summarize future IRA activities. A second IRA

Plan Modification submitted on June 30, 2015 discontinued annual drinking water sample collection and laboratory analysis from wells exhibiting concentrations of 1,4-dioxane above 0.3 µg/L, since residents in this category have been advised to use bottled water for consumptive purposes. The Town offers to provide bottled water to everyone in this category until they are connected to the Town's municipal water system.

The following summarizes the current sampling criteria:

1. Quarterly collection and laboratory analysis of water samples from wells where concentrations of 1,4-dioxane has been detected above the reporting limit of 0.2 µg/L but below the MCP GW-1 Standard and MassDEP Office of Research and Standards Guideline (ORSG) of 0.3 µg/L;
2. Confirmatory collection and laboratory analysis of water samples from wells within the study area that are adjacent to a private well with a concentration of 1,4-dioxane above 0.3 µg/L.
3. Collection and laboratory analysis of water samples from the water system at the Eastham Elementary School on a quarterly basis.
4. When possible, collection of drinking water samples from residential wells within the study area that have not yet been tested for 1,4-dioxane.

In addition to the above criteria, ES&M has collected numerous water samples from private wells outside of the study area (referred to as "background" study). While not part of the MassDEP-approved IRA Plan, the data from this background study has provided valuable information on the occurrence of 1,4-dioxane in groundwater that is not affected by the Eastham Landfill.

2.1 Private Well Sampling - Status Update

2.1.1 Summary of Sampling Activities

Drinking water samples were collected from six properties in the study area during this report period. The sampling event was conducted on August 12, 2015. During this sampling event, a field visit form was completed to document the date and time when the sample was collected, the sample location (e.g. kitchen tap, outside spigot), and the configuration of the water system. Field forms summarizing this information are included in Appendix A. All samples were preserved in the field and submitted to Alpha Analytical Laboratories in Mansfield, Massachusetts, for 1,4-dioxane analysis by EPA Method 8270 SIM.

2.1.2 Sampling Results

All laboratory results were reviewed to determine if 1,4-dioxane was detected above the MCP GW-1 Standard/ORSG and bottled water action limit of 0.3 µg/L. The Town of Eastham continues to provide bottled water to residences where water tests have indicated a concentration of 1,4-dioxane above 0.3 µg/L. During this report period, no

new properties were added to the list of properties eligible for bottled water. The complete list of properties eligible for bottled water through this report period is presented in Table 1. Table 2 summarizes 1,4-dioxane analytical results of samples collected during this report period as well as all previous phases of the private well sampling program¹.

Two of the six properties tested for 1,4-dioxane during this report period had not been tested before. The results from the other properties tested during this report period were generally consistent with previous sampling results. As stated in previous status reports, data collected from the study area properties suggests that wells impacted by 1,4-dioxane emanating from the landfill exhibit relatively consistent concentrations.

The Site Map included as Figure 1 shows the properties within the study area; each parcel is color coded with one of four colors to represent the sampling results:

- Gray = 1,4-dioxane has not been detected in any sample collected from these properties. Well water test results in this category were below the reporting limit for 1,4-dioxane (approximately 0.15 µg/L). Since an estimated concentration (“J” value) was not reported, it is inferred that 1,4-dioxane is not present above the detection limit (approximately 0.04 µg/L).
- Yellow = 1,4-dioxane has been detected in at least one sample collected from these properties, but at a concentration(s) below the MCP GW-1 Standard/ORSG of 0.3 µg/L. Laboratory results that are below 0.3 µg/L but above the laboratory reporting limit are quantified results, while results below the laboratory reporting limit and above the method detection limit of 0.04 µg/L are qualified as estimated values (reported with a “J” qualifier).
- Red = 1,4-dioxane has been detected in at least one sample collected from these properties at or above 0.3 µg/L. All residents in this category have been offered bottled water and have been advised to not use their well water for consumptive purposes.
- White = well water not tested, most likely because homeowners have not been available during scheduled sampling events.
- White with NR = owners of these properties were contacted by certified mail; however, no response was received or access was not granted.
- White/hatched = no well is present on these properties.

Appendix B contains the laboratory reports for samples collected during this report period. ES&M completed a quality assessment/quality control review of each laboratory report and all were deemed usable. ES&M’s review log serves as the cover page for each laboratory report in Appendix B. As required by 310 CMR 40.1403(10) of the MCP, property owners were notified of the laboratory results for samples collected

¹ Results for background samples collected outside of the study area are included at the end of Table 2.

from their properties. Copies of the notification form (BWSC form 123) that were sent are included in Appendix C².

2.2 Activated Carbon Adsorption Treatment System - Status Update

A secondary goal of the IRA program was to evaluate appropriate and feasible mitigating measures to remove 1,4-dioxane from drinking water. As described in previous IRA status reports, an activated carbon system consisting of two carbon vessels and a flow meter was installed at 255 Alston Avenue, and testing of the efficacy of the system was conducted between November 2013 and February 2015. The test results allowed us to determine that for this residence, this system can effectively treat approximately 10,000 to 11,000 gallons of water (about 90 days of treatment).

Since the efficacy of the carbon system has been proven and well documented, the town has decided to conclude activated carbon system testing. The carbon treatment system remains in use at 255 Alston Avenue with scheduled carbon changes to be conducted by ES&M approximately every 90 days.

2.3 MCP Notifications for IRA Status Report Submittal

As required by the MCP, notice of the electronic submittal of this IRA status report to MassDEP is provided to the Town of Eastham Board of Health and Chief Municipal Officer. A copy of the notification letter pertaining to this report is included in Appendix D.

3.0 LANDFILL MONITORING PROGRAM ACTIVITIES

On September 25, 2014, ES&M submitted a letter to MassDEP - Solid Waste Management Section titled "Work Plan for Comprehensive Site Assessment Update". The work plan described installation of temporary groundwater sampling wells (ESMT-1 through ESMT-7, shown on Figure 1), and collection of groundwater samples throughout the study area to better understand the nature and extent of 1,4-dioxane emanating from the landfill. The work also included the collection of water level data in monitoring wells and private wells to better understand horizontal and vertical groundwater flow direction in the study area. Much of the field work described in this work plan was completed in October and November 2014, and a letter report was issued to the Solid Waste Management Section on January 20, 2015 to summarize the findings (see Appendix E of IRA Status Report for Q1 2015). Permanent monitoring wells and additional groundwater sampling and monitoring work will be completed in the fall of 2015, and an updated CSA report will be prepared in the summer of 2016.

The September 25th letter also proposed minor revisions to the August 2012 Landfill Monitoring Plan (LMP). The LMP required the collection of water samples from 19

²Although not included in Appendix C, each homeowner received copies of the laboratory report for samples collected from their well in addition to the BWSC transmittal form 123, and a lab report diagram.

private drinking water wells near the landfill as well as from monitoring wells and a non-potable well on the landfill property. The residential properties were included in the LMP to identify private wells that may be impacted by releases from the landfill. Since some of the residences included in the LMP now receive bottled drinking water from the Town of Eastham, and will continue to receive bottled water until the public drinking water system is installed and operational, continued sampling of these wells under the LMP no longer provides useful information. Residences on the LMP list that are not receiving bottled water from the Town will remain in the LMP (and IRA) sampling programs. A summary of the revised LMP sampling requirements and schedule is shown on Table 3.

3.1 Landfill Monitoring Well Sample Collection

The following section summarizes the landfill monitoring well samples collected during the report period as prescribed by the LMP. The locations of these wells within the limits of the landfill are shown on Figure 1. The following samples were collected by Barnstable County Department of Health and Environment (BCDHE) personnel and submitted to Alpha Analytical for analysis:

- On August 26, 2015, BCDHE personnel collected quarterly groundwater samples from landfill monitoring wells MW-3I and MW-3D for analysis of VOCs, 1,4-dioxane, metals and indicator parameters.

Current and historic laboratory results for LMP samples are summarized on Table 4, which includes applicable regulatory standards and/or guidelines. Field logs are included in Appendix A, and the complete laboratory report is included in Appendix B.

3.2 Landfill Gas Monitoring

Semi-annual landfill gas monitoring was not completed during this quarter. Landfill gas monitoring will be conducted during the next reporting period.

3.3 Private Well Sample Collection

As previously stated, the LMP sampling program was recently revised to include only collection of drinking water samples from eight residences (nine wells) that are not currently receiving bottled water. The 2015 annual drinking water samples were collected from all but three of the residences on this list during previous report periods³. The next round of LMP residential drinking water samples will be collected during the second quarter of 2016.

³ Homeowners from three properties on the LMP list could not be reached to set up sampling appointments.

4.0 FUTURE SCHEDULE OF IRA AND LMP ACTIVITIES

During the next reporting period from June through December 2015, the following IRA and LMP activities are planned:

4.1 *Immediate Response Action*

- Collection of drinking water samples from residences within the study area that have not yet been tested for 1,4-dioxane;
- Continued collection of drinking water samples under the criteria outlined in the IRA Plan Modification;
- Review of laboratory results to determine if any additional residences meet the bottled water action limit of 0.3 ug/L; and
- Preparation of sampling results notification packages for all residents whose drinking water is tested during the report period.

4.2 *Landfill Monitoring Plan*

- Collection of quarterly groundwater samples from wells MW-3I and MW-3D in November 2015 for analysis of indicator parameters, metals and VOCs including 1,4-dioxane.
- Collection of semi-annual groundwater samples from well MW-21S in November 2015 for analysis of VOCs including 1,4-dioxane.
- Collection of annual groundwater samples from wells MW-2S, MW-4S and MW-5S in November 2015 for analysis of indicator parameters, metals and VOCs including 1,4-dioxane.
- Collection of annual groundwater samples from well MW-8 and the DPW Well in November 2015 for analysis of VOCs including 1,4-dioxane.

5.0 PUBLIC OUTREACH

Our communication plan continues to include the following elements to keep the public informed of all aspects of this project:


Availability of Reports

All reports required by MassDEP are available on their website (<http://public.dep.state.ma.us/fileviewer/Rtn.aspx?rtn=4-0024301>). The Town of Eastham's also posts these reports on their website (http://www.eastham-ma.gov/Public_Documents/EasthamMA_Health/LandfillFolder/). Hard copies of reports are available at Town Hall and at the Eastham Public Library.

Direct Communications

Questions on the ongoing work related to this matter may be directed to:

- Jane Crowley, Health Agent, Eastham Board of Health
508-240-5900, x229
jcrowley@eastham-ma.gov
- Doug Heely, Licensed Site Professional, Environmental Strategies & Mgmt.
508-226-1800
dheely@esm-inc.com



LEGEND

- MONITORING WELL
- WATER SUPPLY WELL
- * Drinking water well located at 290 Old Orchard Rd is shared with 250 Old Orchard, 320 Old Orchard, and 167/169 Meetinghouse Rd.
- PIEZOMETER
- TEMPORARY VERTICAL PROFILE WELL
- ELECTRICAL CONDUCTIVITY BORING
- WELL DEPTH BELOW GROUND SURFACE
- VACANT PROPERTY / NO WELL
- 1,4 DIOXANE DETECTED AT OR ABOVE 0.3 ug/L
- 1,4 DIOXANE DETECTED BELOW 0.3 ug/L
- 1,4 DIOXANE NOT DETECTED
- PROPERTY NOT TESTED

The color coding is based on the highest concentration of 1,4 dioxane detected in drinking water samples collected at the property.



		273 West Main Street Norton, MA 02786 (508) 226-1800 (508) 226-1811 fax info@esm-inc.com	
		GAUGING DATE:	DRAWING DATE:
		8/28/15	EASTHAM LANDFILL
SITE MAP			
CLIENT:	TOWN OF EASTHAM		PM:
LOCATION:	OLD ORCHARD ROAD EASTHAM, MASSACHUSETTS		LSP: DH
RTN:	DWG:	PROJECT NO.:	FIGURE:
4-24301	DMR	2015-038	1

TABLE 1
AFFECTED PROPERTIES ELIGIBLE FOR BOTTLED WATER
Eastham Landfill Private Well Sampling Program
Eastham, MA

50 ALSTON AVENUE
225 ALSTON AVENUE
255 ALSTON AVENUE
275 ALSTON AVENUE
285 ALSTON AVENUE
60 CHIPMAN STREET
65 DEEPWOOD DRIVE
85 DEEPWOOD DRIVE
4 ELDIA WAY
9 ELDIA WAY
11 ELDIA WAY
13 ELDIA WAY
25 KNOWLES STREET
30 KNOWLES STREET (A & B)
45 KNOWLES STREET
65 KNOWLES STREET
100 MEETINGHOUSE ROAD (A & B)
155 MEETINGHOUSE ROAD
165 MEETINGHOUSE ROAD
171 MEETINGHOUSE ROAD REAR (A, B & C)
205 MEETINGHOUSE ROAD
350 MEETINGHOUSE ROAD
370 MEETINGHOUSE ROAD
180 OLD ORCHARD ROAD
310 OLD ORCHARD ROAD
325 SCHOOLHOUSE ROAD
600 SCHOOLHOUSE ROAD
35 SHARON CIRCLE
5 STARLIGHT LANE
30 STARLIGHT LANE
35 STARLIGHT LANE
40 STARLIGHT LANE
45 STARLIGHT LANE
3168 STATE HWY
3172 STATE HWY BACKUP WELL
3172 STATE HWY PRIMARY WELL
3200 STATE HWY
8 WHIDAH LANE

**TABLE 2
SUMMARY OF
PRIVATE WELL SAMPLING PROGRAM ANALYTICAL RESULTS
1,4 DIOXANE
Residential Drinking Water Wells
Eastham, MA
(All results in ug/l)**

Property	Date	Duplicate	1,4 Dioxane	
Study Area Samples				
20 ALSTON AVENUE	2/22/2013		0.18J	
50 ALSTON AVENUE	3/2/2015		0.278	
	3/2/2015	Duplicate	0.264	
	4/14/2014		0.218	
	4/14/2014	Duplicate	0.210	
	9/18/2013		0.37	
	7/25/2013		0.18J	
	6/27/2013		0.18J	
	5/29/2013		0.20	
	5/1/2013		0.18J	
	3/14/2013		0.20	
	3/4/2013		0.23	
	3/4/2013		0.23	
	2/14/2013		5.1	
	2/14/2013	Duplicate	5.0	
65 ALSTON AVENUE	3/24/2014		0.0813J	
	2/19/2013		0.099J	
80 ALSTON AVENUE	3/28/2014		<0.150	
	8/27/2013		0.057J	
	2/11/2013		<0.20	
85 ALSTON AVENUE	8/12/2015		0.175	3Q2015
	8/12/2015	Duplicate	0.194	3Q2015
	5/13/2015		0.207	
	5/13/2015	Duplicate	0.196	
	2/13/2015		0.163	
	11/20/2014		0.248	
	11/20/2014	Duplicate	0.236	
	5/5/2014		0.236	
	5/5/2014	Duplicate	0.210	
	2/12/2013		0.20	
100 ALSTON AVENUE	2/11/2013		<0.20	
115 ALSTON AVENUE	7/22/2013		0.12J	
130 ALSTON AVENUE	2/19/2013		<0.20	
135 ALSTON AVENUE	2/11/2013		0.11J	
150 ALSTON AVENUE	2/15/2013		<0.20	
155 ALSTON AVENUE	2/11/2013		<0.20	
185 ALSTON AVENUE	2/14/2013		<0.20	
200 ALSTON AVENUE	5/9/2014		<0.144	
	12/2/2013		0.15J	
	5/1/2013		0.21	
215 ALSTON AVENUE	7/31/2014		<0.144	
	2/12/2013		<0.20	

Notes: NS - Not Sampled
 J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
 B - Analyte detected in Blank and Sample
 L - LCS or LCSD exceeded the control limits. Results may be biased high.
 GW-1 Standard and ORSG for 1,4 dioxane is 0.3 ug/L
Samples collected during this quarter are highlighted in red.



Property	Date	Duplicate	1,4 Dioxane
225 ALSTON AVENUE	5/6/2014		0.350
	5/6/2014	Duplicate	0.365
	4/29/2013		1.2
235 ALSTON AVENUE	8/5/2014		<0.142
	7/31/2013		<0.20
255 ALSTON AVENUE	Inf 2/13/2015		2.14
	Inf 1/23/2015		2.13
	Inf 11/19/2014		2.27
	Inf 8/3/2014		2.03
	Inf 6/19/2014		2.12
	8/27/2013		1.8
	5/6/2013		1.8
	5/6/2013	Duplicate	1.5
	2/14/2013		1.9
	2/14/2013	Duplicate	1.8
265 ALSTON AVENUE	4/1/2015		<0.148
	3/28/2014		<0.139
	12/18/2013		<0.20
	3/14/2013		0.055J
270 ALSTON AVENUE	8/4/2014		<0.142
	2/11/2013		<0.20
275 ALSTON AVENUE	7/17/2014		1.28
	7/17/2014	Duplicate	1.35
	5/16/2013		1.3
280 ALSTON AVENUE	5/16/2013	Duplicate	0.99
	5/13/2015		<0.156
	12/17/2014		<0.142
	12/18/2013		<0.20
285 ALSTON AVENUE	2/22/2013		<0.20
	9/18/2014		0.416
	3/14/2014		0.636
	11/20/2013		0.51
	5/8/2013		0.35
	2/22/2013		0.37
2/22/2013	Duplicate	0.33	
10 ALSTON COURT	2/14/2013		<0.20
ATLANTIC OAKS 'H' WELL	7/25/2013		<0.20
ATLANTIC OAKS NORTH WELL	7/25/2013		<0.20
ATLANTIC OAKS-SOUTH WELL	7/23/2013		<0.20
5 BAYVIEW AVENUE	8/1/2014		<0.147
	2/25/2013		<0.20
20 CANDLEWOOD DRIVE	5/29/2013		0.056J
50 CANDLEWOOD DRIVE	5/3/2013		0.092J
55 CANDLEWOOD DRIVE	7/25/2013		<0.20
70 CANDLEWOOD DRIVE	5/3/2013		0.073J
75 CANDLEWOOD DRIVE	7/17/2014		<0.147
100 CANDLEWOOD DRIVE	5/3/2013		<0.20
145 CANDLEWOOD DRIVE	5/2/2013		<0.20
150 CANDLEWOOD DRIVE	5/2/2013		<0.20
170 CANDLEWOOD DRIVE	7/25/2013		<0.20
200 CANDLEWOOD DRIVE	5/8/2013		<0.20

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
L - LCS or LCSD exceeded the control limits. Results may be biased high.
GW-1 Standard and ORSG for 1,4 dioxane is 0.3 ug/L
Samples collected during this quarter are highlighted in red.

Property	Date	Duplicate	1,4 Dioxane
250 CANDLEWOOD DRIVE	5/7/2013		<0.20
280 CANDLEWOOD DRIVE	5/6/2013		<0.20
310 CANDLEWOOD DRIVE	9/19/2014		<0.15
	4/30/2013		0.060J
10 CESTARO WAY	4/30/2013		0.11J
20 CESTARO WAY	5/2/2013		<0.20
25 CESTARO WAY	12/3/2013		<0.20
35 CESTARO WAY	4/30/2013		<0.20
45 CESTARO WAY	5/2/2013		<0.20
50 CESTARO WAY	5/6/2013		0.077J
55 CESTARO WAY	5/2/2013		<0.20
75 CESTARO WAY	5/6/2013		<0.20
80 CESTARO WAY	2/21/2013		0.061J
85 CESTARO WAY	12/3/2013		<0.20
90 CESTARO WAY	5/2/2013		<0.20
55 CHESTER AVE	1/30/2015		<0.144
20 CHIPMAN STREET	7/25/2013		0.041J
30 CHIPMAN STREET	3/27/2014		0.0969J
	2/11/2013		0.14J
40 CHIPMAN STREET	6/26/2014		<0.139
	7/31/2013		0.046J
60 CHIPMAN STREET	5/8/2014		0.382
	5/8/2014	Duplicate	0.341
	12/6/2013		0.27
	12/6/2013	Duplicate	0.30
	4/30/2013		0.29
80 CHIPMAN STREET	2/15/2013		0.047J
25 CHOKEBERRY DRIVE	12/2/2013		0.15J
30 CHOKEBERRY DRIVE	5/7/2013		0.17J
35 CHOKEBERRY DRIVE	5/3/2013		0.050J
40 CHOKEBERRY DRIVE	5/2/2013		0.069J
45 CHOKEBERRY DRIVE	5/16/2013		0.11J
50 CHOKEBERRY DRIVE	5/10/2013		0.058J
60 CHOKEBERRY DRIVE	4/11/2014		<0.142
10 DEEPWOOD DR	1/30/2015		<0.142
15 DEEPWOOD DRIVE	9/17/2013		0.051J
20 DEEPWOOD DRIVE	5/29/2015		<0.147
25 DEEPWOOD DRIVE	7/30/2013		0.073J
30 DEEPWOOD DRIVE	7/31/2013		0.040J
40 DEEPWOOD DRIVE	7/24/2013		<0.20
45 DEEPWOOD DRIVE	7/24/2013		<0.20
50 DEEPWOOD DRIVE	1/23/2015		<0.150
	12/3/2013		<0.20
55 DEEPWOOD DRIVE	8/25/2014		<0.139
	7/25/2013		<0.20
65 DEEPWOOD DRIVE	3/17/2015		0.481
	3/28/2014		0.297
	3/28/2014	Duplicate	0.336
	7/30/2013		0.29
	7/30/2013	Duplicate	0.24
70 DEEPWOOD DRIVE	7/30/2013		0.073J

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
L - LCS or LCSD exceeded the control limits. Results may be biased high.
GW-1 Standard and ORSG for 1,4 dioxane is 0.3 ug/L
Samples collected during this quarter are highlighted in red.

Property	Date	Duplicate	1,4 Dioxane
75 DEEPWOOD DRIVE	8/1/2014		<0.144
	7/30/2013		<0.20
85 DEEPWOOD DRIVE	9/17/2013		0.63
95 DEEPWOOD DRIVE	3/17/2015		<0.158
	12/3/2013		<0.20
10 DEERFIELD LANE	5/1/2013		0.052J
15 DEERFIELD LANE	4/30/2013		<0.20
20 DEERFIELD LANE	5/8/2013		<0.20
30 DEERFIELD LANE	7/22/2013		<0.20
35 DEERFIELD LANE	2/25/2013		<0.20
40 DEERFIELD LANE	5/1/2013		<0.20
45 DEERFIELD LANE	5/2/2013		<0.20
50 DEERFIELD LANE	5/3/2013		<0.20
55 DEERFIELD LANE	4/29/2013		0.062J
60 DEERFIELD LANE	5/6/2013		<0.20
65 DEERFIELD LANE	5/6/2013		<0.20
70 DEERFIELD LANE	5/8/2013		0.048J
75 DEERFIELD LANE	7/25/2013		<0.20
80 DEERFIELD LANE	5/1/2013		<0.20
105 DEERFIELD LANE	5/8/2013		0.067J
DPW GARAGE	2/7/2014		<0.20
GATEHOUSE AT TRANSFER STATION	2/11/2014		<0.20
DPW NON-POTABLE WELL	2/25/2013		<0.20
20 DUCKMARSH LANE	4/30/2013		<0.20
25 DUCKMARSH LANE	5/2/2013		<0.20
35 DUCK MARSH LANE	12/6/2013		<0.20
2 ELDIA WAY	8/4/2014		<0.142
	8/2/2013		<0.20
3 ELDIA WAY	5/3/2013		<0.20
4 ELDIA WAY	8/4/2014		<0.144
	5/7/2014		0.451
	5/7/2014	Duplicate	0.449
	5/8/2013		0.089J
5 ELDIA WAY	1/23/2015		<0.163
	4/30/2013		<0.20
6 ELDIA WAY	5/9/2014		<0.144
	12/5/2013		0.15J
7 ELDIA WAY	3/24/2014		<0.150
	5/10/2013		0.045J
8 ELDIA WAY	12/5/2013		<0.20
9 ELDIA WAY	5/6/2014		0.309
	5/6/2014	Duplicate	0.284
	12/5/2013		0.31
	12/5/2013	Duplicate	0.27
	5/2/2013		0.25

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
L - LCS or LCSD exceeded the control limits. Results may be biased high.
GW-1 Standard and ORSG for 1,4 dioxane is 0.3 ug/L
Samples collected during this quarter are highlighted in red.

Property	Date	Duplicate	1,4 Dioxane
11 ELDIA WAY	5/7/2014		3.58
	5/7/2014	Duplicate	3.61
	9/17/2013		3.7
	7/25/2013		3.0
	6/27/2013		4.3
	6/27/2013	Duplicate	3.4
	5/29/2013		4.3
	5/29/2013	Duplicate	3.9B
	4/29/2013		4.2
	4/29/2013	Duplicate	3.3
	3/14/2013		2.9
	3/14/2013	Duplicate	3.1
13 ELDIA WAY	5/9/2014		0.660
	5/9/2014	Duplicate	0.659
	7/24/2013		0.33
17 ELDIA WAY	5/6/2013		<0.20
21 ELDIA WAY	12/5/2013		<0.20
3 FAIRVIEW AVENUE	5/10/2013		<0.20
4 FAIRVIEW AVENUE	8/15/2014		<0.147
	4/29/2013		<0.20
5 FAIRVIEW AVENUE	5/8/2014		<0.144
	2/14/2013		0.047J
20 FAIRVIEW AVENUE	5/7/2013		0.093J
25 FAIRVIEW AVENUE	5/7/2013		0.041J
30 FAIRVIEW AVENUE	12/3/2013		0.063J
35 FAIRVIEW AVENUE	5/2/2013		<0.20
40 FAIRVIEW AVENUE	5/16/2013		0.065J
50 FAIRVIEW AVENUE	5/2/2013		<0.20
60 FAIRVIEW AVENUE	5/1/2013		0.041J
115 FAIRVIEW AVENUE	7/22/2013		<0.20
15 GLACIER HILLS ROAD	3/13/2014		<0.139
20 GLACIER HILLS ROAD	5/6/2014		<0.144
	2/22/2013		0.071J
	8/4/2014		<0.142
70 GLACIER HILLS ROAD	7/22/2013		<0.20
	6/17/2014		<0.142
100 GLACIER HILLS ROAD	5/8/2013		0.058J
115 GLACIER HILLS ROAD	4/14/2014		<0.144
130 GLACIER HILLS ROAD	7/23/2013		<0.20
145 GLACIER HILLS ROAD	4/14/2014		<0.144
150 GLACIER HILLS ROAD	7/24/2013		<0.20
165 GLACIER HILLS ROAD	3/13/2014		<0.139
175 GLACIER HILLS ROAD	3/14/2014		<0.139
180 GLACIER HILLS ROAD	8/25/2014		<0.142
	8/2/2013		<0.20
200 GLACIER HILLS ROAD	8/5/2014		<0.144
	7/31/2013		<0.20
205 GLACIER HILLS ROAD	3/14/2014		<0.139
230 GLACIER HILLS ROAD	7/25/2013		<0.20
270 GLACIER HILLS ROAD	3/11/2014		<0.150
300 GLACIER HILLS ROAD	7/31/2013		0.077J
310 GLACIER HILLS ROAD	7/25/2013		<0.20

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
L - LCS or LCSD exceeded the control limits. Results may be biased high.
GW-1 Standard and ORSG for 1,4 dioxane is 0.3 ug/L
Samples collected during this quarter are highlighted in red.

Property	Date	Duplicate	1,4 Dioxane	
20 JASON DRIVE	3/12/2014		<0.150	
25 JASON DRIVE	4/14/2014		<0.147	
30 JASON DRIVE	3/10/2014		<0.147	
15 KNOWLES STREET	5/13/2015		<0.147	
	4/26/2013		0.078J	
25 KNOWLES STREET	5/8/2014		3.72	
	5/8/2014	Duplicate	3.58	
	9/18/2013		4.3	
	8/27/2013		3.2	
	7/25/2013		2.8	
	6/27/2013		2.8	
	6/27/2013	Duplicate	3.0	
	5/29/2013		2.7	
	5/29/2013	Duplicate	2.8B	
	4/26/2013		2.8	
	4/26/2013	Duplicate	2.6	
	2/21/2013		3.1	
	2/21/2013	Duplicate	2.9	
30 KNOWLES STREET	5/6/2014		4.79	
	5/6/2014	Duplicate	4.92	
	9/17/2013		5.4	
	8/28/2013		5.6	
	7/30/2013		5.1	
	7/30/2013	Duplicate	5.1	
	6/27/2013		5.0	
	6/27/2013	Duplicate	5.1	
	5/29/2013		4.9	
	5/29/2013	Duplicate	5.9B	
	4/29/2013		6.0	
	4/29/2013	Duplicate	5.2	
	2/19/2013		6.9	
	2/19/2013	Duplicate	6.4	
45 KNOWLES STREET	5/6/2014		2.22	
	5/6/2014	Duplicate	2.38	
	8/28/2013		2.0	
	5/1/2013		2.3	
	5/1/2013	Duplicate	2.4	
50 KNOWLES STREET	8/12/2015		<0.144	3Q2015
	8/12/2015	Duplicate	<0.144	3Q2015
	2/16/2015		0.195	
	6/19/2014		0.0910J	
	4/14/2014		<0.144	
	2/19/2013		0.26	
	2/19/2013	Duplicate	0.23	
60 KNOWLES STREET	3/2/2015		<0.150	
	3/2/2015	Duplicate	<0.152	
	12/4/2013		0.049J	
	2/21/2013		0.063J	

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
L - LCS or LCSD exceeded the control limits. Results may be biased high.
GW-1 Standard and ORSG for 1,4 dioxane is 0.3 ug/L
Samples collected during this quarter are highlighted in red.

Property	Date	Duplicate	1,4 Dioxane	
65 KNOWLES STREET	10/28/2014		0.102J	
	6/16/2014		0.209	
	6/16/2014	Duplicate	0.217	
	3/27/2014		5.03	
	3/27/2014	Duplicate	5.42	
	7/23/2013		0.11J	
70 KNOWLES STREET	6/16/2014		<0.147	
	2/20/2013		0.057J	
75 KNOWLES STREET	5/8/2014		<0.144	
	4/30/2013		0.075J	
80 KNOWLES STREET	8/12/2015		<0.144	3Q2015
	8/12/2015	Duplicate	<0.144	3Q2015
100 MEETINGHOUSE ROAD	9/19/2014		1.75	
	5/6/2014		1.90	
	3/14/2014		1.73	
	11/20/2013		1.3	
	8/27/2013		1.9	
	5/8/2013		1.8	
	5/8/2013	Duplicate	1.7	
	2/14/2013		1.6	
	2/14/2013	Duplicate	1.5	
	5/8/2013		0.15J	
140 MEETINGHOUSE ROAD	3/24/2014		<0.150	
	5/10/2013		0.11J	
150 MEETINGHOUSE ROAD	2/22/2013		<0.20	
155 MEETINGHOUSE ROAD	8/15/2014		0.379	
	8/15/2014	Duplicate	0.36	
	7/31/2013		0.46	
	7/31/2013	Duplicate	0.35	
160 MEETINGHOUSE ROAD	2/12/2013		<0.20	
165 MEETINGHOUSE ROAD	5/9/2014		0.746	
	5/9/2014	Duplicate	0.748	
	2/15/2013		0.75	
	2/15/2013	Duplicate	0.67	
170 MEETINGHOUSE ROAD	5/13/2015		<0.144	
	8/15/2014		<0.144	
	2/15/2013		<0.20	
171 MEETINGHOUSE ROAD REAR	5/1/2013		0.58	
175 MEETINGHOUSE ROAD	9/19/2014		<0.156	
	5/2/2013		<0.20	
180 MEETINGHOUSE ROAD	5/1/2013		<0.20	
185 MEETINGHOUSE ROAD	3/27/2014		<0.139	
	4/30/2013		0.081J	
	5/9/2014		<0.142	
200 MEETINGHOUSE ROAD	7/23/2014		<0.147	
205 MEETINGHOUSE ROAD	5/3/2013		0.093J	
	5/5/2014		0.310	
	5/5/2014	Duplicate	0.319	
	12/3/2013		0.30	
	12/3/2013	Duplicate	0.26	

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
L - LCS or LCSD exceeded the control limits. Results may be biased high.
GW-1 Standard and ORSG for 1,4 dioxane is 0.3 ug/L
Samples collected during this quarter are highlighted in red.

Property	Date	Duplicate	1,4 Dioxane	
225 MEETINGHOUSE ROAD	5/9/2014		0.196	
	5/9/2014	Duplicate	0.178	
	5/10/2013		0.13J	
255 MEETINGHOUSE ROAD	4/26/2013		0.065J	
270 MEETINGHOUSE ROAD	2/16/2015		<0.146	
275 MEETINGHOUSE ROAD	8/1/2014		<0.144	
	7/23/2013		<0.20	
310 MEETINGHOUSE ROAD	8/12/2015		0.103J	3Q2015
	8/12/2015	Duplicate	0.113J	3Q2015
350 MEETINGHOUSE ROAD	5/5/2014		1.23	
	5/5/2014	Duplicate	1.24	
	7/25/2013		1.3	
	7/25/2013	Duplicate	1.2	
355 MEETINGHOUSE ROAD	12/5/2013		<0.20	
370 MEETINGHOUSE ROAD	5/8/2014		0.339	
	5/8/2014	Duplicate	0.316	
	4/30/2013		0.19J	
375 MEETINGHOUSE ROAD	4/1/2015		0.114J	
	11/20/2014		0.212	
	11/20/2014	Duplicate	0.187	
	3/24/2014		0.175	
	3/24/2014	Duplicate	0.156	
	8/2/2013		0.19J	
385 MEETINGHOUSE ROAD	8/1/2014		<0.142	
	7/24/2013		0.040J	
400 MEETINGHOUSE ROAD	7/24/2013		0.12J	
415 MEETINGHOUSE ROAD	12/3/2013		0.14J	
440 MEETINGHOUSE ROAD	7/31/2013		<0.20	
20 MOLLS POND ROAD	2/19/2013		0.050J	
30 MOLLS POND ROAD	2/15/2013		<0.20	
50 MOLLS POND ROAD	2/11/2013		<0.20	
60 MOLLS POND ROAD	2/11/2013		<0.20	
400 NAUSET ROAD-SALT PND VIS CTR	8/12/2014		<0.144	
	12/2/2013		<0.20	
55 NORTHWOOD ROAD	8/2/2013		0.15J	
25 OLD ORCHARD ROAD	5/6/2013		0.064J	
45 OLD ORCHARD ROAD	3/17/2015		<0.167	
	2/22/2013		<0.20	
75 OLD ORCHARD ROAD	8/15/2014		<0.150	
	2/21/2013		0.17J	
80 OLD ORCHARD ROAD	7/31/2014		<0.144	
	2/12/2013		<0.20	
100 OLD ORCHARD ROAD	7/31/2014		<0.144	
	2/12/2013		<0.20	
130A OLD ORCHARD ROAD	5/29/2015		<0.153	
	12/17/2014		<0.142	
	12/18/2013		<0.20	
	2/25/2013		<0.20	
130B OLD ORCHARD ROAD	5/29/2015		<0.147	
	12/17/2014		<0.142	
	12/18/2013		<0.20	
	2/25/2013		<0.20	

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
L - LCS or LCSD exceeded the control limits. Results may be biased high.
GW-1 Standard and ORSG for 1,4 dioxane is 0.3 ug/L
Samples collected during this quarter are highlighted in red.

Property	Date	Duplicate	1,4 Dioxane	
180 OLD ORCHARD ROAD	9/18/2014		0.137J	
	5/6/2014		0.527	
	3/14/2014		0.0953J	
	11/20/2013		0.17J	
	8/28/2013		0.46	
	6/27/2013		0.45	
	5/8/2013		0.52	
	2/22/2013		0.045J	
210 OLD ORCHARD ROAD	12/18/2013		<0.20	
	2/15/2013		<0.20	
290 OLD ORCHARD ROAD	Effluent 3/2/2015		<0.144	
	Untreated 3/2/2015		<0.156	
	7/23/2014		<0.144	
	5/16/2013		0.068J	
	2/15/2013		<0.20	
310 OLD ORCHARD ROAD	5/6/2014		0.431	
	5/6/2014 Duplicate		0.433	
	4/29/2013		0.41	
350 OLD ORCHARD ROAD	8/1/2014		<0.142	
	5/3/2013		<0.20	
370 OLD ORCHARD ROAD	5/2/2013		<0.20	
390 OLD ORCHARD ROAD	5/7/2013		<0.20	
400 OLD ORCHARD ROAD	5/7/2013		<0.20	
50 PIPER LANE	2/20/2013		<0.20	
65 PIPER LANE	7/31/2013		<0.20	
1 PRESERVATION WAY	8/25/2014		0.174	
	8/25/2014 Duplicate		0.199	
	12/2/2013		0.19J	
	4 PRESERVATION WAY 8/12/2015		0.211	3Q2015
	8/12/2015 Duplicate		0.222	3Q2015
	4/1/2015		0.183	
	4/1/2015 Duplicate		0.207	
	10/28/2014		0.208	
	7/17/2014		0.192	
	7/17/2014 Duplicate		0.217	
	3/25/2014		0.208	
	3/25/2014 Duplicate		0.196	
	12/3/2013		0.18J	
4/30/2013		0.21		
6 PRESERVATION WAY	12/2/2013		0.11J	
8 PRESERVATION WAY	12/2/2013		0.13J	
20 REDBERRY LANE	7/23/2013		0.046J	
35 REDBERRY LANE	12/2/2013		0.070J	
45 REDBERRY LANE	3/28/2014		0.105J	
55 REDBERRY LANE	7/22/2013		0.047J	
49 SALT POND ROAD	3/11/2014		0.177	
	3/11/2014 Duplicate		0.166	
25 SCHOOLHOUSE ROAD	3/10/2014		<0.150	
55 SCHOOLHOUSE ROAD	12/4/2013		0.044J	
85 SCHOOLHOUSE ROAD	12/5/2013		<0.20	
90 SCHOOLHOUSE ROAD	6/23/2014		<0.139	

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
L - LCS or LCSD exceeded the control limits. Results may be biased high.
GW-1 Standard and ORSG for 1,4 dioxane is 0.3 ug/L
Samples collected during this quarter are highlighted in red.

Property	Date	Duplicate	1,4 Dioxane	
180 SCHOOLHOUSE ROAD	7/23/2013		0.093J	
200 SCHOOLHOUSE ROAD	8/12/2015		0.0961J	3Q2015
	8/12/2015	Duplicate	0.106J	3Q2015
	5/13/2015		0.100J	
	2/13/2015		0.0892J	
	11/20/2014		0.0884J	
	11/20/2014	Duplicate	0.0808J	
	8/4/2014		0.0822J	
	PRE (filter) 5/6/2014		0.105J	
	POST (filter) 2/14/2014		0.094J	
	PRE (filter) 2/14/2014		0.083J	
	PRE (filter) 2/14/2014	Duplicate	0.076J	
	POST (filter) 2/11/2014		0.096J	
	PRE (filter) 2/11/2014		0.081J	
	PRE (filter) 2/11/2014	Duplicate	0.086J	
	2/12/2013		<0.20	
210 SCHOOLHOUSE ROAD	5/6/2013		<0.20	
230 SCHOOLHOUSE ROAD	5/8/2013		<0.20	
255 SCHOOLHOUSE ROAD	7/22/2013		0.055J	
265 SCHOOLHOUSE ROAD	7/23/2014		0.0945J	
	2/21/2013		0.053J	
280 SCHOOLHOUSE ROAD	2/22/2013		0.071J	
300 SCHOOLHOUSE ROAD	5/7/2014		0.168	
	5/7/2014	Duplicate	0.177	
	2/19/2013		0.14J	

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
L - LCS or LCSD exceeded the control limits. Results may be biased high.
GW-1 Standard and ORSG for 1,4 dioxane is 0.3 ug/L
Samples collected during this quarter are highlighted in red.

Property		Date	Duplicate	1,4 Dioxane
325 SCHOOLHOUSE ROAD	Untreated	9/19/2013		10
	Effluent	9/19/2013		0.68
	Mid System	9/19/2013		0.095J
	Effluent	8/27/2013		<0.20
	Mid System	8/27/2013		<0.20
	Untreated	8/27/2013		7.7
	Mid System	7/31/2013		<0.20
	Untreated	7/31/2013		9.4
	Effluent	7/31/2013		<0.20
	Untreated	7/31/2013	Duplicate	8.8
	Untreated	6/27/2013		8.2
	Mid System	6/27/2013		0.041J
	Effluent	6/27/2013		<0.20
	Untreated	6/27/2013	Duplicate	8.8
	Untreated	5/29/2013		7.8
	Effluent	5/29/2013		<0.20
	Mid System	5/29/2013		<0.20
	Untreated	5/29/2013	Duplicate	9.8B
	Effluent	4/29/2013		<0.20
	Mid System	4/29/2013		<0.20
	Untreated	4/29/2013		9.8
	Untreated	4/29/2013	Duplicate	8.3
	Mid System	3/21/2013		<0.20
	Effluent	3/21/2013		<0.20
	Effluent	3/14/2013		<0.20
	Mid System	3/14/2013		<0.20
	Effluent	3/8/2013		<0.20
	Mid System	3/8/2013		<0.20
	Effluent	2/25/2013		<0.20
	Mid System	2/25/2013		<0.20
	Untreated	2/22/2013		10
	Untreated	2/22/2013	Duplicate	9.7
345 SCHOOLHOUSE ROAD		5/7/2014		<0.153
		2/12/2013		0.12J
350 SCHOOLHOUSE ROAD		8/2/2013		<0.20
390 SCHOOLHOUSE ROAD		5/7/2013		<0.20
395 SCHOOLHOUSE ROAD		9/19/2013		<0.20
400 SCHOOLHOUSE ROAD		5/16/2013		<0.20
415 SCHOOLHOUSE ROAD		1/23/2015		<0.144
		8/5/2014		0.0895J
		2/25/2013		<0.20
418 SCHOOLHOUSE ROAD		5/2/2013		<0.20
425 SCHOOLHOUSE ROAD		2/25/2013		<0.20
455 SCHOOLHOUSE ROAD		5/6/2013		<0.20
475 SCHOOLHOUSE ROAD		12/6/2013		<0.20
495 SCHOOLHOUSE ROAD		12/6/2013		<0.20
555 SCHOOLHOUSE ROAD		5/29/2013		0.048J
590 SCHOOLHOUSE ROAD		5/13/2015		0.107J

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
L - LCS or LCSD exceeded the control limits. Results may be biased high.
GW-1 Standard and ORSG for 1,4 dioxane is 0.3 ug/L
Samples collected during this quarter are highlighted in red.

Property	Date	Duplicate	1,4 Dioxane
600 SCHOOLHOUSE ROAD	10/28/2014		0.347
	6/26/2014		0.226
	6/26/2014	Duplicate	0.206
690 SCHOOLHOUSE ROAD	3/11/2014		0.105J
725 SCHOOLHOUSE ROAD	2/16/2015		<0.146
3 SELAH CIRCLE	4/30/2013		0.072J
4 SELAH CIRCLE	5/6/2014		<0.143
	9/18/2013		0.065J
3 SHARON CIRCLE	7/31/2013		0.064J
5 SHARON CIRCLE	5/3/2013		<0.20
10 SHARON CIRCLE	5/16/2013		0.088J
20 SHARON CIRCLE	3/24/2014		0.104J
	4/30/2013		0.10J
25 SHARON CIRCLE	9/19/2014		<0.15
	9/19/2013		<0.20
35 SHARON CIRCLE	6/19/2014		0.143
	6/19/2014	Duplicate	0.154
	5/1/2013		0.34
5 STARLIGHT LANE	5/5/2014		0.394
	5/5/2014	Duplicate	0.362
	2/21/2013		0.37
	2/21/2013	Duplicate	0.37
10 STARLIGHT LANE	8/4/2014		<0.144
	5/10/2013		<0.20
13 STARLIGHT LANE	8/1/2014		<0.142
	5/10/2013		<0.20
20 STARLIGHT LANE	1/30/2015		0.164
	1/30/2015	Duplicate	0.171
	5/7/2013		<0.20
30 STARLIGHT LANE	6/26/2014		0.279
	6/26/2014	Duplicate	0.302
	3/25/2014		0.278
	3/25/2014	Duplicate	0.249
	12/4/2013		0.22
	12/4/2013	Duplicate	0.17J
	5/3/2013		0.21
35 STARLIGHT LANE	4/1/2015		0.315
	12/4/2013		0.37
	12/4/2013	Duplicate	0.30
	2/15/2013		0.26
40 STARLIGHT LANE	6/26/2014		0.874
	6/26/2014	Duplicate	0.936
	7/23/2013		0.83
45 STARLIGHT LANE	3/2/2015		1.21
	3/2/2015	Duplicate	1.29
	2/12/2013		1.1
	2/12/2013	Duplicate	0.93
50 STARLIGHT LANE	3/27/2014		<0.139
	7/31/2013		0.13J
3070 STATE HWY	12/6/2013		0.18J
3100 A STATE HWY	10/28/2014		<0.150
	3/13/2014		<0.139

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
L - LCS or LCSD exceeded the control limits. Results may be biased high.
GW-1 Standard and ORSG for 1,4 dioxane is 0.3 ug/L
Samples collected during this quarter are highlighted in red.

Property	Date	Duplicate	1,4 Dioxane
3168 STATE HWY	3/17/2015		0.398
	5/5/2014		0.334
	5/5/2014	Duplicate	0.350
	12/6/2013		0.33
	12/6/2013	Duplicate	0.27
3172 STATE HWY BACKUP WELL	3/25/2014		0.335
	3/25/2014	Duplicate	0.338
3172 STATE HWY PRIMARY WELL	3/17/2015		0.345
	3/25/2014		0.326
	3/25/2014	Duplicate	0.306
	12/6/2013		0.20
3200 STATE HWY	12/6/2013	Duplicate	0.21
	5/8/2014		0.424
	5/8/2014	Duplicate	0.418
3265 STATE HWY	12/6/2013		0.31
	12/6/2013	Duplicate	0.32
	3/10/2014		<0.147
3280 STATE HWY	4/14/2014		0.248
	4/14/2014	Duplicate	0.198
3315 STATE HWY	3/12/2014		0.232
	3/12/2014	Duplicate	0.194
3430 STATE HWY	12/2/2013		<0.20
3440 STATE HWY	4/11/2014		<0.142
3460 STATE HWY	12/6/2013		0.14J
	4/30/2013		0.10J
30 SURREY DRIVE	9/17/2013		0.14J
35 SURREY DRIVE	7/31/2013		0.070J
50 SURREY DRIVE	4/30/2013		0.058J
55 SURREY DRIVE	5/1/2013		<0.20
65 SURREY DRIVE	7/22/2013		0.047J
10 TURTLE POND ROAD	5/10/2013		<0.20
5 WALTERS WAY	4/11/2014		0.147
	4/11/2014	Duplicate	<0.144
1 WHIDAH LANE	7/31/2014		<0.144
	4/29/2013		<0.20
3 WHIDAH LANE	5/5/2014		<0.144
	5/16/2013		0.071J
4 WHIDAH LANE	7/24/2013		<0.20
5 WHIDAH LANE	7/30/2013		<0.20
8 WHIDAH LANE	9/19/2013		0.57
9 WHIDAH LANE	7/31/2014		<0.144
	5/7/2013		<0.20
30 WILD GOOSE LANE	6/23/2014		0.109J
35 WILD GOOSE LANE	12/6/2013		0.081J
45 WILD GOOSE LANE	12/3/2013		0.058J
50 WILD GOOSE LANE	12/4/2013		<0.20

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
L - LCS or LCSD exceeded the control limits. Results may be biased high.
GW-1 Standard and ORSG for 1,4 dioxane is 0.3 ug/L
Samples collected during this quarter are highlighted in red.

Property	Date	Duplicate	1,4 Dioxane
Background Samples			
5 ACORN ROAD	5/3/2013		0.042J
10 BALLWIC ROAD	3/13/2014		<0.139
215 BAYSIDE DRIVE	6/19/2014		<0.142
60 BISHOP ROAD	3/11/2014		<0.147
550 BRACKET ROAD	9/19/2014		0.119J
1825 BRIDGE ROAD	3/11/2014		<0.150
60 BRIGGS FIELD ROAD	5/1/2013		<0.20
395 CANDLEWOOD DRIVE	5/8/2013		<0.20
CCNS Stevens House 105 Brownell Rd.	8/13/2014		<0.147
CCNS Delfino House 880 Cable Rd.	8/13/2014		<0.144
CCNS Coast Guard Beach Doane Rd. Rear	8/12/2014		<0.144
CCNS Doane Rock Picnic Area Doane Rd.	8/12/2014		0.116J
CCNS Young House 585 Doane Rd. Rear	8/13/2014		<0.147
CCNS Humphrey House 25 MacPherson Wy.	8/12/2014		<0.144
CCNS Nauset Light Beach Ocean View Dr.	8/12/2014		<0.144
CCNS Nauset Ranger Station 1050 Nauset Rd.	8/12/2014		<0.147
CCNS Sparrow House 600 Nauset Rd.	8/12/2014		<0.147
CCNS Withus House 850 Nauset Rd.	8/12/2014		<0.147
CCNS Bartett House 40 Ocean View Dr.	8/13/2014		<0.15
CCNS Deane House 22 Tomahawk Trail	8/13/2014		<0.15
CCNS Lyman House 28 Tomahawk Trail	8/13/2014		<0.147
CCNS Benz House 30 Tomahawk Trail	8/13/2014		<0.144
20 CEDAR LANE	5/7/2014		<0.144
25 CEDAR LANE	5/7/2014		<0.144
30 CEDAR LANE	3/25/2014		0.289
	3/25/2014	Duplicate	0.285
35 CEDAR LANE	5/7/2014		<0.142
52 DYER PRINCE ROAD	7/17/2014		<0.144
235 ELDREDGE DRIVE	7/17/2014		<0.144
20 GUERRA WAY #42	4/29/2013		<0.20
20 GUERRA WAY #59	4/29/2013		0.15J
65 KETTLE HOLE ROAD	4/26/2013		<0.20
80 KETTLE HOLE ROAD	5/1/2013		<0.20
115 KINGSBURY BEACH ROAD	3/12/2014		<0.150
155 MARY CHASE ROAD	4/14/2014		<0.145
295 MASSASOIT ROAD	3/10/2014		<0.144
130 MASSASOIT TRAIL	6/26/2014		0.156
	6/26/2014	Duplicate	0.151
155 MEADOW DRIVE	3/13/2014		<0.139
1525 NAUSET ROAD	3/10/2014		<0.153
265 NORTH SUNKEN MEADOW ROAD	3/13/2014		<0.139
40 ROGERS LANE	6/23/2014		<0.139
190 SAMOSET ROAD	12/6/2013		0.048J
1000 SCHOOLHOUSE ROAD	7/23/2014		<0.144
20 SEASHELL LANE	6/23/2014		<0.139
10 SPINNAKER WAY	8/25/2014		<0.142
44 SQUIRREL RUN	7/17/2014		<0.142

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
L - LCS or LCSD exceeded the control limits. Results may be biased high.
GW-1 Standard and ORSG for 1,4 dioxane is 0.3 ug/L
Samples collected during this quarter are highlighted in red.

TABLE 3
SUMMARY OF
EASTHAM LANDFILL MONITORING PLAN REQUIREMENTS

Monitoring Type	RES #	Bottled Water List	Continue LMP Sampling	Frequency	Time Frame	VOCs & 1,4- Dioxane	Inorganics	Indicators	Methane, VOCs, O2 & H2S
Monitoring Wells									
MW-3I/3D			Yes	Quarterly	Feb/May/Aug/Nov	x	x	x	
MW-21S			Yes	Semi-Annually	May/Nov	x			
MW-2S, 4S & 5S			Yes	Annually	November	x	x	x	
MW-8, DPW Well			Yes	Annually	November	x			
Landfill Gas Wells									
GMW-1, 2, 2A, 2B, 3 & 4			Yes	Semi-Annually	May/Nov				x
Residential Wells									
265 Alston	RES-18	No	Yes	Annually	2nd Quarter	x	x		
280 Alston	RES-16	No	Yes	Annually	2nd Quarter	x	x		
125 Meetinghouse	RES-7	No	Yes	Annually	2nd Quarter	x	x		
170 Meetinghouse	RES-33	No	Yes	Annually	2nd Quarter	x			
75 Old Orchard	RES-13	No	Yes	Annually	2nd Quarter	x	x		
130 Old Orchard	RES-9	No	Yes	Annually	2nd Quarter	x	x		
210 Old Orchard	RES-3	No	Yes	Annually	2nd Quarter	x	x		
290 Old Orchard	RES-2	No	Yes	Annually	2nd Quarter	x	x		

3rd Quarter - June - August

TABLE 4.1
SECTION 1
SUMMARY OF LANDFILL MONITORING PLAN
GROUNDWATER ANALYTICAL RESULTS
Volatile Organic Compounds
Eastham Landfill Monitoring Wells and Private Drinking Wells
Eastham, MA
(All results in ug/l)

Property	LMP Sample Frequency	Date	1,4-Dioxane	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene
Standards										
ORSG			0.3	NA	NA	NA	NA	70	NA	NA
MMCL			NA	NA	200	NA	5	NA	7	NA
GW1	Method 1 Std	GW-1	0.3	5	200	2	5	70	7	NA
GW3	Method 1 Std	GW-3	50000	50000	20000	50000	50000	20000	30000	NA
Results										
DPW Garage Well	Annual	2/7/2014	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
DPW WELL	Annual	12/16/2014	0.0793J	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0
Landfill Non-potable Well		2/25/2013	<0.20	NS	NS	NS	NS	NS	NS	NS
		12/7/2012	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Gatehouse Well	Annual	2/11/2014	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW 10		10/27/2014	0.186	NS	NS	NS	NS	NS	NS	NS
MW 21D		10/27/2014	0.215	NS	NS	NS	NS	NS	NS	NS
		2/25/2013	<50	<1.0	<1.0	<0.50	<1.0	<1.0	<1.0	<1.0
MW 21S	Semi-Annual	5/13/2015	3.19	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0
		10/27/2014	2.93	NS	NS	NS	NS	NS	NS	NS
		5/16/2013	<50	<1.0	<1.0	<0.50	<1.0	<1.0	<1.0	<1.0
		12/7/2012	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 2D		2/14/2013	0.14 J	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 2S	Annual	12/16/2014	0.337	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0
		12/18/2013	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	0.47	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<500	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.

Property	LMP Sample Frequency	Date	1,4-Dioxane	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,1,2,2-Tetrachloroethane	1,1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene
MW 3D	Quarterly	8/26/2015	8.94	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0
		5/13/2015	11	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0
		11/10/2014	<2.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		11/10/2014	Duplicate	<2.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		10/27/2014	12.8	NS	NS	NS	NS	NS	NS	NS
		9/3/2014	<500	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		5/19/2014	13	<1.0	<1.0	<0.50	<1.0	<1.0	<1.0	<1.0
		2/27/2014	12	<1.0	<1.0	<0.50	<1.0	<1.0	<1.0	<1.0
		11/25/2013	16	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		9/5/2013	<500	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		5/8/2013	17	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	<500	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		12/6/2012	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		10/9/2012	18	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<500	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		3/20/2012	<500	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		MW 3I	Quarterly	8/26/2015	<0.147	<1.0	<1.0	<1.0	<1.0	<1.0
5/13/2015	<0.147			<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0
12/16/2014	<0.142			NS	NS	NS	NS	NS	NS	NS
11/10/2014	<2.5			<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
9/3/2014	<500			<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
5/19/2014	<1.0			<1.0	<1.0	<0.50	<1.0	<1.0	<1.0	<1.0
2/27/2014	<1.0			<1.0	<1.0	<0.50	<1.0	<1.0	<1.0	<1.0
11/25/2013	<2.5			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
9/5/2013	<500			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
5/8/2013	<2.5			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
2/14/2013	<0.20			NS	NS	NS	NS	NS	NS	NS
2/14/2013	<500			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
12/6/2012	<2.5			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
10/9/2012	<2.5			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
7/10/2012	<500	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
3/20/2012	<500	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
MW 3S		2/14/2013	<0.20	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 4D		10/27/2014	<0.150	NS	NS	NS	NS	NS	NS	

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.

9/9/2015 Page 2 of 4
Report: GW VOC 1
Database: Eastham Landfill Monitoring



Property	LMP Sample Frequency	Date	1,4-Dioxane	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,1,2,2-Tetrachloroethane	1,1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene
MW 4D		2/14/2013	<0.20	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 4S	Annual	12/16/2014	<250	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0
		10/27/2014	0.652	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	1.5	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<500	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 5D		10/27/2014	<0.153	NS	NS	NS	NS	NS	NS	NS
		2/14/2013	<0.20	NS	NS	NS	NS	NS	NS	NS
		12/5/2012	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 5S	Annual	12/16/2014	<250	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0
		10/27/2014	1.65	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	1.2	NS	NS	NS	NS	NS	NS	NS
		12/5/2012	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<500	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 7		10/27/2014	<0.150	NS	NS	NS	NS	NS	NS	
MW 8	Annual	12/16/2014	0.283	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0
		12/18/2013	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		3/14/2013	0.33	NS	NS	NS	NS	NS	NS	NS
		12/7/2012	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
265 ALSTON AVENUE		4/1/2015	<0.148	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0
	Annual	3/28/2014	<0.139	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		3/14/2013	0.055J	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
280 ALSTON AVENUE	Annual	5/13/2015	<0.156	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0
		12/17/2014	<0.142	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/22/2013	<0.20	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.



Property	LMP Sample Frequency	Date	1,4-Dioxane	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	
125 MEETINGHOUSE ROAD	Annual	5/8/2013	0.15J	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
		6/21/2012	NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
170 MEETINGHOUSE ROAD	Annual	5/13/2015	<0.144	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0	
		8/15/2014	<0.144	NS	NS	NS	NS	NS	NS	NS	
		2/15/2013	<0.20	NS	NS	NS	NS	NS	NS	NS	
		12/8/2012	<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
75 OLD ORCHARD ROAD	Annual	8/15/2014	<0.150	NS	NS	NS	NS	NS	NS	NS	
		2/21/2013	0.17J	NS	NS	NS	NS	NS	NS	NS	
		12/6/2012	<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
		6/21/2012	NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
130 OLD ORCHARD ROAD	Annual	12/6/2012	<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
		6/21/2012	NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
130A OLD ORCHARD ROAD	Annual	5/29/2015	<0.153	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0	
		12/17/2014	<0.142	NS	NS	NS	NS	NS	NS	NS	
		12/18/2013	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
		2/25/2013	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
130B OLD ORCHARD ROAD	Annual	5/29/2015	<0.147	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0	
		12/17/2014	<0.142	NS	NS	NS	NS	NS	NS	NS	
		12/18/2013	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
		2/25/2013	<0.20	NS	NS	NS	NS	NS	NS	NS	
210 OLD ORCHARD ROAD	Annual	12/18/2013	<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
		2/15/2013	<0.20	NS	NS	NS	NS	NS	NS	NS	
		12/6/2012	<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
		6/21/2012	NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
290 OLD ORCHARD ROAD	Annual	3/2/2015	Inf.	<0.156	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0	
		3/2/2015	Eff.	<0.144	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0	
		7/23/2014		<0.144	NS	NS	NS	NS	NS	NS	
		5/16/2013		0.068J	NS	NS	NS	NS	NS	NS	
		5/9/2013		NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/15/2013		<0.20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012		NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.



TABLE 4.1
SECTION 2
SUMMARY OF LANDFILL MONITORING PLAN
GROUNDWATER ANALYTICAL RESULTS
Volatile Organic Compounds
Eastham Landfill Monitoring Wells and Private Drinking Wells
Eastham, MA
(All results in ug/l)

Property	LMP Sample Frequency	Date	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzen	1,2-Dibromo-3-Chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane
Standards										
ORSG			NA	NA	NA	NA	NA	NA	NA	NA
MMCL			NA	NA	70	NA	0.2	600	5	5
GW1	Method 1 Std	GW-1	NA	NA	70	NA	NA	600	5	5
GW3	Method 1 Std	GW-3	NA	NA	50000	NA	NA	2000	20000	50000
Results										
DPW Garage Well	Annual	2/7/2014	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
DPW WELL	Annual	12/16/2014	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0
Landfill Non-potable Well		2/25/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/7/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Gatehouse Well	Annual	2/11/2014	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW 10		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
MW 21D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		2/25/2013	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0
MW 21S	Semi-Annual	5/13/2015	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		5/16/2013	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0
		12/7/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 2D		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 2S	Annual	12/16/2014	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Notes: NS - Not Sampled
 J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
 B - Analyte detected in Blank and Sample
 * Residential samples will be tested for all VOCs during 2nd quarter of the year.

Property	LMP Sample Frequency	Date	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzen	1,2-Dibromo-3-Chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	
MW 3D	Quarterly	8/26/2015	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0	
		5/13/2015	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0	
		11/10/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
		11/10/2014	Duplicate	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	
		9/3/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
		5/19/2014	<1.0	<1.0	<1.0	<1.0	<0.50	<1.0	<1.0	<1.0	
		2/27/2014	<1.0	<1.0	<1.0	<1.0	<0.50	<1.0	<1.0	<1.0	
		11/25/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		9/5/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		5/8/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		2/14/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		10/9/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		3/20/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW 3I	Quarterly	8/26/2015	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0	
		5/13/2015	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0	
		12/16/2014	NS	NS	NS	NS	NS	NS	NS	NS	
		11/10/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
		9/3/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
		5/19/2014	<1.0	<1.0	<1.0	<1.0	<0.50	<1.0	<1.0	<1.0	
		2/27/2014	<1.0	<1.0	<1.0	<1.0	<0.50	<1.0	<1.0	<1.0	
		11/25/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		9/5/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		5/8/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	
		2/14/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		10/9/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5			
3/20/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5			
MW 3S		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW 4D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.

Property	LMP Sample Frequency	Date	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzen	1,2-Dibromo-3-Chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane
MW 4D		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 4S	Annual	12/16/2014	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 5D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/5/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 5S	Annual	12/16/2014	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/5/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 7		10/27/2014	NS	NS	NS	NS	NS	NS	NS	
MW 8	Annual	12/16/2014	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		3/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/7/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
265 ALSTON AVENUE		4/1/2015	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0
	Annual	3/28/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		3/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
280 ALSTON AVENUE	Annual	5/13/2015	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/22/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.

9/9/2015 Page 3 of 4
Report: GW VOC 2
Database: Eastham Landfill Monitoring



Property	LMP Sample Frequency	Date	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzen	1,2-Dibromo-3-Chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane
125 MEETINGHOUSE ROAD	Annual	5/8/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
170 MEETINGHOUSE ROAD	Annual	5/13/2015	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0
		8/15/2014	NS	NS	NS	NS	NS	NS	NS	NS
		2/15/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/8/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
75 OLD ORCHARD ROAD	Annual	8/15/2014	NS	NS	NS	NS	NS	NS	NS	NS
		2/21/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
130 OLD ORCHARD ROAD	Annual	12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
130A OLD ORCHARD ROAD	Annual	5/29/2015	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/25/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
130B OLD ORCHARD ROAD	Annual	5/29/2015	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/25/2013	NS	NS	NS	NS	NS	NS	NS	NS
210 OLD ORCHARD ROAD	Annual	12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/15/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
290 OLD ORCHARD ROAD	Annual	3/2/2015 Inf.	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0
		3/2/2015 Eff.	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	<1.0	<1.0
		7/23/2014	NS	NS	NS	NS	NS	NS	NS	NS
		5/16/2013	NS	NS	NS	NS	NS	NS	NS	NS
		5/9/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/15/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.



TABLE 4.1
SECTION 3
SUMMARY OF LANDFILL MONITORING PLAN
GROUNDWATER ANALYTICAL RESULTS
Volatile Organic Compounds
Eastham Landfill Monitoring Wells and Private Drinking Wells
Eastham, MA
(All results in ug/l)

Property	LMP Sample Frequency	Date	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (MEK)	2-Chlorotoluene	4-Chlorotoluene
Standards										
ORSG			NA	NA	NA	NA	NA	4000	NA	NA
MMCL			NA	NA	NA	5	NA	NA	NA	NA
GW1	Method 1 Std	GW-1	NA	100	NA	5	NA	4000		NA
GW3	Method 1 Std	GW-3	NA	50000	NA	8000	NA	50000		NA
Results										
DPW Garage Well	Annual	2/7/2014	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.50
DPW WELL	Annual	12/16/2014	<2.0	<1.0	<2.0	<1.0	<2.0	<5.0	<2.0	<2.0
Landfill Non-potable Well		2/25/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/7/2012	<0.5	<0.5	<0.5	<0.5	<0.5	NS	<0.5	<0.5
Gatehouse Well	Annual	2/11/2014	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.50
MW 10		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
MW 21D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		2/25/2013	<1.0	<1.0	<1.0	<1.0	<1.0	2.1J *	<1.0	<1.0
MW 21S	Semi-Annual	5/13/2015	<2.0	<1.0	<2.0	<1.0	<2.0		<2.0	<2.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		5/16/2013	<1.0	<1.0	<1.0	<1.0	<1.0	<10	<1.0	<1.0
		12/7/2012	<0.5	<0.5	<0.5	<0.5	<0.5	NS	<0.5	<0.5
MW 2D		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
MW 2S	Annual	12/16/2014	<2.0	<1.0	<2.0	<1.0	<2.0	<5.0	<2.0	<2.0
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.



Property	LMP Sample Frequency	Date	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (MEK)	2-Chlorotoluene	4-Chlorotoluene	
MW 3D	Quarterly	8/26/2015	<2.0	<1.0	<2.0	0.28 J	<2.0	<5.0	<2.0	<2.0	
		5/13/2015	<2.0	<1.0	<2.0	0.33J	<2.0	<5.0	<2.0	<2.0	
		11/10/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
		11/10/2014	Duplicate	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		9/3/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		5/19/2014	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0
		2/27/2014	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0
		11/25/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		9/5/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		5/8/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		2/14/2013	<0.5	<0.5	<0.5	<0.5	0.51	<0.5	<5.0	<0.5	<0.5
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		10/9/2012	<0.5	<0.5	<0.5	<0.5	0.55	<0.5	<5.0	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		3/20/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
MW 3I	Quarterly	8/26/2015	<2.0	<1.0	<2.0	<1.0	<2.0	<5.0	<2.0	<2.0	
		5/13/2015	<2.0	<1.0	<2.0	<1.0	<2.0	<5.0	<2.0	<2.0	
		12/16/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		11/10/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		9/3/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		5/19/2014	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0
		2/27/2014	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0
		11/25/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		9/5/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		5/8/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		2/14/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		10/9/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		3/20/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
MW 3S		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5	
MW 4D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.

Property	LMP Sample Frequency	Date	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (MEK)	2-Chlorotoluene	4-Chlorotoluene
MW 4D		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
MW 4S	Annual	12/16/2014	<2.0	<1.0	<2.0	<1.0	<2.0	<5.0	<2.0	<2.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
MW 5D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/5/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
MW 5S	Annual	12/16/2014	<2.0	<1.0	<2.0	<1.0	<2.0	<5.0	<2.0	<2.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/5/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
MW 7		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
MW 8	Annual	12/16/2014	<2.0	<1.0	<2.0	<1.0	<2.0	<5.0	<2.0	<2.0
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
		3/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/7/2012	<0.5	<0.5	<0.5	<0.5	<0.5	NS	<0.5	<0.5
265 ALSTON AVENUE		4/1/2015	<2.0	<1.0	<2.0	<1.0	<2.0	<5.0	<2.0	<2.0
	Annual	3/28/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.50
		3/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50		<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	NS	<0.50	<0.50
280 ALSTON AVENUE	Annual	5/13/2015	<2.0	<1.0	<2.0	<1.0	<2.0	NS	<2.0	<2.0
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.50
		2/22/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	NS	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	NS	<0.50	<0.50

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.



Property	LMP Sample Frequency	Date	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (MEK)	2-Chlorotoluene	4-Chlorotoluene
125 MEETINGHOUSE ROAD	Annual	5/8/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	NS	<0.50	<0.50
170 MEETINGHOUSE ROAD	Annual	5/13/2015	<2.0	<1.0	<2.0	<1.0	<2.0	NS	<2.0	<2.0
		8/15/2014	NS	NS	NS	NS	NS	NS	NS	NS
		2/15/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/8/2012	<0.50	<0.50	<0.50	<0.50	<0.50	NS	<0.50	<0.50
75 OLD ORCHARD ROAD	Annual	8/15/2014	NS	NS	NS	NS	NS	NS	NS	NS
		2/21/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50		<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	NS	<0.50	<0.50
130 OLD ORCHARD ROAD	Annual	12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50		<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	NS	<0.50	<0.50
130A OLD ORCHARD ROAD	Annual	5/29/2015	<2.0	<1.0	<2.0	<1.0	<2.0	<5.0	<2.0	<2.0
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.50
		2/25/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.50
130B OLD ORCHARD ROAD	Annual	5/29/2015	<2.0	<1.0	<2.0	<1.0	<2.0	<5.0	<2.0	<2.0
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.50
		2/25/2013	NS	NS	NS	NS	NS	NS	NS	NS
210 OLD ORCHARD ROAD	Annual	12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.50
		2/15/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50		<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	NS	<0.50	<0.50
290 OLD ORCHARD ROAD	Annual	3/2/2015 Inf.	<2.0	<1.0	<2.0	<1.0	<2.0	<5.0	<2.0	<2.0
		3/2/2015 Eff.	<2.0	<1.0	<2.0	<1.0	<2.0	<5.0	<2.0	<2.0
		7/23/2014	NS	NS	NS	NS	NS	NS	NS	NS
		5/16/2013	NS	NS	NS	NS	NS	NS	NS	NS
		5/9/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.50
		2/15/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<0.50	<0.50
6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	NS	<0.50	<0.50	

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.



TABLE 4.1
SECTION 4
SUMMARY OF LANDFILL MONITORING PLAN
GROUNDWATER ANALYTICAL RESULTS
Volatile Organic Compounds
Eastham Landfill Monitoring Wells and Private Drinking Wells
Eastham, MA
(All results in ug/l)

Property	LMP Sample Frequency	Date	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon tetrachloride
Standards											
ORSG			NA	350	6300	NA	NA	NA	NA	10	NA
MMCL			NA	NA	NA	5	NA	NA	NA	NA	5
GW1	Method 1 Std	GW-1	NA	350	6300	5	NA	NA	4	10	5
GW3	Method 1 Std	GW-3	NA	50000	50000	10000	NA	NA	50000	800	5000
Results											
DPW Garage Well	Annual	2/7/2014	<0.50	<2.5	0.63 J	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
DPW WELL	Annual	12/16/2014	<2.0	<5.0	<5.0	<0.5	<2.0	<2.0	<2.0	<2.0	<1.0
Landfill Non-potable Well		2/25/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/7/2012	<0.5	NS	NS	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Gatehouse Well	Annual	2/11/2014	<0.50	<2.5	0.58	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW 10		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW 21D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		2/25/2013	<1.0	<10	14J	<1.0	<1.0	<1.0	<1.0	<2.0	<1.0
MW 21S	Semi-Annual	5/13/2015	<2.0	<5.0	<5.0	0.33J	<2.0	<2.0	<2.0	<2.0	<1.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		5/16/2013	<1.0	<10	< 50	<1.0	<1.0	<1.0	<1.0	<2.0	<1.0
		12/7/2012	<0.5	NS	NS	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 2D		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 2S	Annual	12/16/2014	<2.0	<5.0	<5.0	<0.5	<2.0	<2.0	<2.0	<2.0	<1.0
		12/18/2013	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Notes: NS - Not Sampled
 J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
 B - Analyte detected in Blank and Sample
 * Residential samples will be tested for all VOCs during 2nd quarter of the year.

9/9/2015 Page 1 of 4
 Report: GW VOC 4
 Database: Eastham Landfill Monitoring



Property	LMP Sample Frequency	Date	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon tetrachloride	
MW 3D	Quarterly	8/26/2015	<2.0	<5.0	<5.0	0.76	<2.0	<2.0	<2.0	0.30 J	<1.0	
		5/13/2015	<2.0	<5.0	<5.0	0.81	<2.0	<2.0	<2.0	<2.0	<1.0	
		11/10/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
		11/10/2014	Duplicate	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		9/3/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
		5/19/2014	<1.0	<5.0	<5.0	0.79	<1.0	<1.0	<1.0	<1.0	<1.0	
		2/27/2014	<1.0	<5.0	<10	1.2	<1.0	<1.0	<1.0	<1.0	<1.0	
		11/25/2013	<0.5	<5.0	<5.0	0.96	<0.5	<0.5	<0.5	<0.5	<0.5	
		9/5/2013	<0.5	<5.0	<5.0	1.0	<0.5	<0.5	<0.5	<0.5	<0.5	
		5/8/2013	<0.5	<5.0	<5.0	0.91	<0.5	<0.5	<0.5	<0.5	<0.5	
		2/14/2013	<0.5	<5.0	<5.0	1.0	<0.5	<0.5	<0.5	<0.5	<0.5	
		12/6/2012	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		10/9/2012	<0.5	<5.0	<5.0	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	
		7/10/2012	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
3/20/2012	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5			
MW 3I	Quarterly	8/26/2015	<2.0	<5.0	<5.0	<0.5	<2.0	<2.0	<2.0	0.35 J	<1.0	
		5/13/2015	<2.0	<5.0	<5.0	<0.5	<2.0	<2.0	<2.0	<2.0	<1.0	
		12/16/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		11/10/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
		9/3/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
		5/19/2014	<1.0	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
		2/27/2014	<1.0	<5.0	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
		11/25/2013	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		9/5/2013	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		5/8/2013	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		2/14/2013	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		12/6/2012	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		10/9/2012	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		7/10/2012	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
3/20/2012	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5			
MW 3S		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		12/6/2012	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW 4D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS		

Notes: NS - Not Sampled

J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

B - Analyte detected in Blank and Sample

* Residential samples will be tested for all VOCs during 2nd quarter of the year.

9/9/2015 Page 2 of 4

Report: GW VOC 4

Datebase: Eastham Landfill Monitoring



Property	LMP Sample Frequency	Date	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon tetrachloride
MW 4D		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<5.0	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 4S	Annual	12/16/2014	<2.0	<5.0	<5.0	<0.5	<2.0	<2.0	<2.0	<2.0	<1.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 5D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/5/2012	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 5S	Annual	12/16/2014	<2.0	<5.0	<5.0	0.20J	<2.0	<2.0	<2.0	<2.0	<1.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/5/2012	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 7		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	
MW 8	Annual	12/16/2014	<2.0	<5.0	<5.0	<0.5	<2.0	<2.0	<2.0	<2.0	<1.0
		12/18/2013	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		3/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/7/2012	<0.5	NS	NS	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
265 ALSTON AVENUE		4/1/2015	<2.0	<5.0	<5.0	<0.50	<2.0	<2.0	<2.0	<2.0	<1.0
	Annual	3/28/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<2.5	0.75J	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		3/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	NS	NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
280 ALSTON AVENUE	Annual	5/13/2015	<2.0	<5.0	<5.0	<0.50	<2.0	<2.0	<2.0	<2.0	<1.0
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<2.5	<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/22/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	NS	NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	NS	NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.



Property	LMP Sample Frequency	Date	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon tetrachloride
125 MEETINGHOUSE ROAD	Annual	5/8/2013	<0.50	<2.5	<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	NS	NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
170 MEETINGHOUSE ROAD	Annual	5/13/2015	<2.0	<5.0	<5.0	<0.50	<2.0	<2.0	<2.0	<2.0	<1.0
		8/15/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		2/15/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/8/2012	<0.50	NS	NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
75 OLD ORCHARD ROAD	Annual	8/15/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		2/21/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	NS	NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
130 OLD ORCHARD ROAD	Annual	12/6/2012	<0.50			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	NS	NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
130A OLD ORCHARD ROAD	Annual	5/29/2015	<2.0	<5.0	<5.0	<0.5	<2.0	<2.0	<2.0	<2.0	<1.0
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<2.5	1.9J	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/25/2013	<0.50	<2.5	<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
130B OLD ORCHARD ROAD	Annual	5/29/2015	<2.0	<5.0	<5.0	<0.5	<2.0	<2.0	<2.0	<2.0	<1.0
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<2.5	<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/25/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
210 OLD ORCHARD ROAD	Annual	12/18/2013	<0.50	<2.5	<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/15/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	NS	NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
290 OLD ORCHARD ROAD	Annual	3/2/2015 Inf.	<2.0	<5.0	<5.0	<0.50	<2.0	<2.0	<2.0	<2.0	<1.0
		3/2/2015 Eff.	<2.0	<5.0	<5.0	<0.50	<2.0	<2.0	<2.0	<2.0	<1.0
		7/23/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		5/16/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		5/9/2013	<0.50	<2.5	<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/15/2013	<0.50	<2.5	<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	NS	NS	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.

TABLE 4.1
SECTION 5
SUMMARY OF LANDFILL MONITORING PLAN
GROUNDWATER ANALYTICAL RESULTS
Volatile Organic Compounds
Eastham Landfill Monitoring Wells and Private Drinking Wells
Eastham, MA
(All results in ug/l)

Property	LMP Sample Frequency	Date	Chlorobenzene	Chlorodibromomethane	Chloroethane	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane
Standards										
ORSG			NA	NA	NA	70	NA	NA	NA	NA
MMCL			100	NA	NA	NA	NA	70	NA	NA
GW1	Method 1 Std	GW-1	100	2	NA	70	NA	70	NA	NA
GW3	Method 1 Std	GW-3	1000	50000	NA	20000	NA	50000	NA	NA
Results										
DPW Garage Well	Annual	2/7/2014	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
DPW WELL	Annual	12/16/2014	<1.0	<1.0	<2.0	<1.0	<2.0	<1.0	<0.5	<2.0
Landfill Non-potable Well		2/25/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/7/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Gatehouse Well	Annual	2/11/2014	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW 10		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
MW 21D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		2/25/2013	<1.0	<0.50	<2.0	<1.0	<2.0	<1.0	< 0.40	<1.0
MW 21S	Semi-Annual	5/13/2015	<1.0	<1.0	<2.0	<1.0	<2.0	0.37J	<0.50	<2.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		5/16/2013	<1.0	<0.50	<2.0	<1.0	<2.0	<1.0	< 0.40	<1.0
		12/7/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 2D		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 2S	Annual	12/16/2014	<1.0	<1.0	<2.0	<1.0	<2.0	0.20J	<0.5	<2.0
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.



Property	LMP Sample Frequency	Date	Chlorobenzene	Chlorodibromomethane	Chloroethane	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane
MW 3D	Quarterly	8/26/2015	0.93 J	<1.0	<2.0	<1.0	<2.0	1.4	<0.5	<2.0
		5/13/2015	1.0	<1.0	0.38J	<1.0	<2.0	1.4	<0.5	<2.0
		11/10/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		11/10/2014	Duplicate	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		9/3/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		5/19/2014	1.3	<5.0	<1.0	<1.0	<1.0	1.1	<0.50	<1.0
		2/27/2014	1.6	<5.0	<1.0	<1.0	<1.0	2.0	<0.50	<1.0
		11/25/2013	<0.5	<0.5	1.3	<0.5	1.4	<0.5	<0.5	<0.5
		9/5/2013	1.6	<0.5	<0.5	<0.5	<0.5	1.6	<0.5	<0.5
		5/8/2013	1.4	<0.5	<0.5	<0.5	<0.5	1.1	<0.5	<0.5
		2/14/2013	1.6	<0.5	<0.5	<0.5	<0.5	1.5	<0.5	<0.5
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		10/9/2012	1.9	<0.5	0.58	<0.5	<0.5	1.3	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		3/20/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 3I	Quarterly	8/26/2015	0.32 J	<1.0	<2.0	<1.0	<2.0	0.30 J	<0.5	<2.0
		5/13/2015	0.30J	<1.0	<2.0	<1.0	<2.0	0.28J	<0.5	<2.0
		12/16/2014	NS	NS	NS	NS	NS	NS	NS	NS
		11/10/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		9/3/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		5/19/2014	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<0.50	<1.0
		2/27/2014	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<0.50	<1.0
		11/25/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		9/5/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		5/8/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		2/14/2013	<0.5	<0.5	<0.5	<0.5	<0.5	0.84	<0.5	<0.5
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		10/9/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
3/20/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
MW 3S		2/14/2013	NS	NS	NS	NS	NS	NS	NS	
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW 4D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	

Notes: NS - Not Sampled

J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

B - Analyte detected in Blank and Sample

* Residential samples will be tested for all VOCs during 2nd quarter of the year.

9/9/2015 Page 2 of 4

Report: GW VOC 5

Datebase: Eastham Landfill Monitoring



Property	LMP Sample Frequency	Date	Chlorobenzene	Chlorodibromomethane	Chloroethane	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane
MW 4D		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 4S	Annual	12/16/2014	0.41J	<1.0	0.26J	<1.0	<2.0	0.28J	<0.5	<2.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 5D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/5/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 5S	Annual	12/16/2014	0.29J	<1.0	<2.0	<1.0	<2.0	0.50J	<0.5	<2.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	0.51	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/5/2012	<0.5	<0.5	<0.5	<0.5	<0.5	0.51	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 7		10/27/2014	NS	NS	NS	NS	NS	NS	NS	
MW 8	Annual	12/16/2014	<1.0	<1.0	<2.0	0.22J	<2.0	<1.0	<0.5	<2.0
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		3/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/7/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
265 ALSTON AVENUE		4/1/2015	<1.0	<1.0	<2.0	0.17J	<2.0	<1.0	<0.50	<2.0
	Annual	3/28/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	0.18J	<0.50	<0.50	<0.50	<0.50
		3/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
280 ALSTON AVENUE	Annual	5/13/2015	<1.0	<1.0	<2.0	<1.0	<2.0	<1.0	<0.50	<2.0
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/22/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.



Property	LMP Sample Frequency	Date	Chlorobenzene	Chlorodibromomethane	Chloroethane	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane
125 MEETINGHOUSE ROAD	Annual	5/8/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
170 MEETINGHOUSE ROAD	Annual	5/13/2015	<1.0	<1.0	<2.0	0.36J	<2.0	<1.0	<0.50	<2.0
		8/15/2014	NS	NS	NS	NS	NS	NS	NS	NS
		2/15/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/8/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
75 OLD ORCHARD ROAD	Annual	8/15/2014	NS	NS	NS	NS	NS	NS	NS	NS
		2/21/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
130 OLD ORCHARD ROAD	Annual	12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
130A OLD ORCHARD ROAD	Annual	5/29/2015	<1.0	<1.0	<2.0	<1.0	<2.0	<1.0	<0.5	<2.0
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/25/2013	<0.50	<0.50	<0.50	<0.50	0.13J	<0.50	<0.50	<0.50
130B OLD ORCHARD ROAD	Annual	5/29/2015	<1.0	<1.0	<2.0	<1.0	<2.0	<1.0	<0.5	<2.0
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/25/2013	NS	NS	NS	NS	NS	NS	NS	NS
210 OLD ORCHARD ROAD	Annual	12/18/2013	<0.50	<0.50	<0.50	0.19J	<0.50	<0.50	<0.50	<0.50
		2/15/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
290 OLD ORCHARD ROAD	Annual	3/2/2015 Inf.	<1.0	<1.0	<2.0	0.46J	<2.0	<1.0	<0.50	<2.0
		3/2/2015 Eff.	<1.0	<1.0	<2.0	0.18J	<2.0	<1.0	<0.50	<2.0
		7/23/2014	NS	NS	NS	NS	NS	NS	NS	NS
		5/16/2013	NS	NS	NS	NS	NS	NS	NS	NS
		5/9/2013	<0.50	<0.50	<0.50	0.25J	<0.50	<0.50	<0.50	<0.50
		2/15/2013	<0.50	<0.50	<0.50	0.38J	0.099J	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.



TABLE 4.1
SECTION 6
SUMMARY OF LANDFILL MONITORING PLAN
GROUNDWATER ANALYTICAL RESULTS
Volatile Organic Compounds
Eastham Landfill Monitoring Wells and Private Drinking Wells
Eastham, MA
(All results in ug/l)

Property	LMP Sample Frequency	Date	Dichlorobromomethane	Dichlorodifluoromethane	Ethylbenzene	Hexachlorobutadiene	Isopropylbenzene	Methyl tert-butyl ether	Methylene Chloride	Naphthalene
Standards										
ORSG			NA	1400	NA	NA	NA	70	NA	140
MMCL			NA	NA	700	NA	NA	NA	5	NA
GW1	Method 1 Std	GW-1	3	NA	700	0.6	NA	70	5	140
GW3	Method 1 Std	GW-3	50000	NA	5000	3000	NA	50000	50000	20000
Results										
DPW Garage Well	Annual	2/7/2014	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
DPW WELL	Annual	12/16/2014	<1.0	<2.0	<1.0	< 0.6	<2.0	<2.0	<2.0	<2.0
Landfill Non-potable Well		2/25/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/7/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Gatehouse Well	Annual	2/11/2014	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW 10		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
MW 21D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		2/25/2013	<0.50	<1.0	<1.0	< 0.40	<1.0	0.20J	<1.0	<5.0
MW 21S	Semi-Annual	5/13/2015	<1.0	<2.0	<1.0	<0.60	<2.0	0.68J	<2.0	<2.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS
		5/16/2013	<0.50	<1.0	<1.0	< 0.40	<1.0	0.16J	<1.0	<5.0
		12/7/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 2D		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 2S	Annual	12/16/2014	<1.0	<2.0	<1.0	< 0.6	<2.0	<2.0	<2.0	<2.0
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.

9/9/2015 Page 1 of 4
Report: GW VOC 6
Datebase: Eastham Landfill Monitoring



Property	LMP Sample Frequency	Date	Dichlorobromomethane	Dichlorodifluoromethane	Ethylbenzene	Hexachlorobutadiene	Isopropylbenzene	Methyl tert-butyl ether	Methylene Chloride	Naphthalene	
MW 3D	Quarterly	8/26/2015	<1.0	<2.0	<1.0	<0.6	<2.0	0.89 J	<2.0	<2.0	
		5/13/2015	<1.0	<2.0	<1.0	<0.6	<2.0	0.63J	<2.0	<2.0	
		11/10/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
		11/10/2014	Duplicate	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		9/3/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		5/19/2014	<1.0	<1.0	<1.0	<0.50	<1.0	0.95	<5.0	<1.0	
		2/27/2014	<1.0	<1.0	<1.0	<0.50	<1.0	1.2	<5.0	<1.0	
		11/25/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.92	<0.5	
		9/5/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.95	<0.5	<0.5
		5/8/2013	<0.5	0.60	<0.5	<0.5	<0.5	<0.5	1.1	<0.5	<0.5
		2/14/2013	<0.5	0.51	<0.5	<0.5	<0.5	<0.5	1.2	<0.5	<0.5
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		10/9/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.6	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
3/20/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
MW 3I	Quarterly	8/26/2015	<1.0	<2.0	<1.0	<0.6	<2.0	<2.0	<2.0	<2.0	
		5/13/2015	<1.0	<2.0	<1.0	<0.6	<2.0	<2.0	<2.0	<2.0	
		12/16/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		11/10/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
		9/3/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
		5/19/2014	<1.0	<1.0	<1.0	<0.50	<1.0	<1.0	<5.0	<1.0	
		2/27/2014	<1.0	<1.0	<1.0	<0.50	<1.0	<1.0	<5.0	<1.0	
		11/25/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		9/5/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		5/8/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		2/14/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		10/9/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
3/20/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
MW 3S		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW 4D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.

9/9/2015 Page 2 of 4
Report: GW VOC 6
Database: Eastham Landfill Monitoring



Property	LMP Sample Frequency	Date	Dichlorobromomethane	Dichlorodifluoromethane	Ethylbenzene	Hexachlorobutadiene	Isopropylbenzene	Methyl tert-butyl ether	Methylene Chloride	Naphthalene	
MW 4D		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW 4S	Annual	12/16/2014	<1.0	<2.0	<1.0	< 0.6	<2.0	0.31J	<2.0	<2.0	
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW 5D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	
		12/5/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW 5S	Annual	12/16/2014	<1.0	<2.0	<1.0	< 0.6	<2.0	0.32J	<2.0	<2.0	
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	
		12/5/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW 7		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	
MW 8	Annual	12/16/2014	<1.0	<2.0	<1.0	< 0.6	<2.0	<2.0	<2.0	<2.0	
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		3/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	
		12/7/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
265 ALSTON AVENUE		4/1/2015	<1.0	<2.0	<1.0	<0.60	<2.0	0.54J	<2.0	<2.0	
	Annual	3/28/2014	NS	NS	NS	NS	NS	NS	NS	NS	
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.26J	<0.50	<0.50
		3/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
280 ALSTON AVENUE	Annual	5/13/2015	<1.0	<2.0	<1.0	<0.60	<2.0	<2.0	<2.0	<2.0	
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS	
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
		2/22/2013	NS	NS	NS	NS	NS	NS	NS	NS	
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.



Property	LMP Sample Frequency	Date	Dichlorobromomethane	Dichlorodifluoromethane	Ethylbenzene	Hexachlorobutadiene	Isopropylbenzene	Methyl tert-butyl ether	Methylene Chloride	Naphthalene
125 MEETINGHOUSE ROAD	Annual	5/8/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
170 MEETINGHOUSE ROAD	Annual	5/13/2015	<1.0	<2.0	<1.0	<0.60	<2.0	0.21J	<2.0	<2.0
		8/15/2014	NS	NS	NS	NS	NS	NS	NS	NS
		2/15/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/8/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
75 OLD ORCHARD ROAD	Annual	8/15/2014	NS	NS	NS	NS	NS	NS	NS	NS
		2/21/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
130 OLD ORCHARD ROAD	Annual	12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
130A OLD ORCHARD ROAD	Annual	5/29/2015	<1.0	<2.0	<1.0	<0.6	<2.0	<2.0	<2.0	<2.0
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/25/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
130B OLD ORCHARD ROAD	Annual	5/29/2015	<1.0	<2.0	<1.0	<0.6	<2.0	<2.0	<2.0	<2.0
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/25/2013	NS	NS	NS	NS	NS	NS	NS	NS
210 OLD ORCHARD ROAD	Annual	12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	1.1	<0.50	<0.50
		2/15/2013	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
290 OLD ORCHARD ROAD	Annual	3/2/2015 Inf.	<1.0	<2.0	<1.0	<0.60	<2.0	<2.0	<2.0	<2.0
		3/2/2015 Eff.	<1.0	<2.0	<1.0	<0.60	<2.0	<2.0	<2.0	<2.0
		7/23/2014	NS	NS	NS	NS	NS	NS	NS	NS
		5/16/2013	NS	NS	NS	NS	NS	NS	NS	NS
		5/9/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/15/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50		

Notes: NS - Not Sampled
 J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
 B - Analyte detected in Blank and Sample
 * Residential samples will be tested for all VOCs during 2nd quarter of the year.

9/9/2015 Page 4 of 4
 Report: GW VOC 6
 Database: Eastham Landfill Monitoring



TABLE 4.1
SECTION 7
SUMMARY OF LANDFILL MONITORING PLAN
GROUNDWATER ANALYTICAL RESULTS
Volatile Organic Compounds
Eastham Landfill Monitoring Wells and Private Drinking Wells
Eastham, MA
(All results in ug/l)

Property	LMP Sample Frequency	Date	n-Butylbenzene	N-Propylbenzene	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene
Standards											
ORSG			NA	NA	NA	NA	NA	NA	NA	NA	NA
MMCL			NA	NA	NA	100	NA	5	1000	100	NA
GW1	Method 1 Std	GW-1	NA	NA	NA	100	NA	5	1000	100	NA
GW3	Method 1 Std	GW-3	NA	NA	NA	6000	NA	30000	40000	50000	NA
Results											
DPW Garage Well	Annual	2/7/2014	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
DPW WELL	Annual	12/16/2014	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.5
Landfill Non-potable Well		2/25/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/7/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Gatehouse Well	Annual	2/11/2014	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW 10		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW 21D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		2/25/2013	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	< 0.40
MW 21S	Semi-Annual	5/13/2015	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.50
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		5/16/2013	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	< 0.40
		12/7/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 2D		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 2S	Annual	12/16/2014	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.5
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Notes: NS - Not Sampled
 J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
 B - Analyte detected in Blank and Sample
 * Residential samples will be tested for all VOCs during 2nd quarter of the year.



Property	LMP Sample Frequency	Date	n-Butylbenzene	N-Propylbenzene	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	
MW 3D	Quarterly	8/26/2015	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.5	
		5/13/2015	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.5	
		11/10/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
		11/10/2014	Duplicate	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		9/3/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
		5/19/2014	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.50
		2/27/2014	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.50
		11/25/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		9/5/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		5/8/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		10/9/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
3/20/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
MW 3I	Quarterly	8/26/2015	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.5	
		5/13/2015	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.5	
		12/16/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		11/10/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
		9/3/2014	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
		5/19/2014	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.50	
		2/27/2014	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.50	
		11/25/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		9/5/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		5/8/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		2/14/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		10/9/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
3/20/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5			
MW 3S		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW 4D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS		

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.

Property	LMP Sample Frequency	Date	n-Butylbenzene	N-Propylbenzene	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene
MW 4D		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 4S	Annual	12/16/2014	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.5
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 5D		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/5/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 5S	Annual	12/16/2014	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.5
		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/5/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW 7		10/27/2014	NS	NS	NS	NS	NS	NS	NS	NS	
MW 8	Annual	12/16/2014	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.5
		12/18/2013	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		3/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/7/2012	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
265 ALSTON AVENUE		4/1/2015	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.50
	Annual	3/28/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		3/14/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
280 ALSTON AVENUE	Annual	5/13/2015	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.50
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/22/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50

Notes: NS - Not Sampled
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B - Analyte detected in Blank and Sample
* Residential samples will be tested for all VOCs during 2nd quarter of the year.



Property	LMP Sample Frequency	Date	n-Butylbenzene	N-Propylbenzene	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene
125 MEETINGHOUSE ROAD	Annual	5/8/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
170 MEETINGHOUSE ROAD	Annual	5/13/2015	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.50
		8/15/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		2/15/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/8/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
75 OLD ORCHARD ROAD	Annual	8/15/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		2/21/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
130 OLD ORCHARD ROAD	Annual	12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
130A OLD ORCHARD ROAD	Annual	5/29/2015	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.5
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/25/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
130B OLD ORCHARD ROAD	Annual	5/29/2015	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.5
		12/17/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/25/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
210 OLD ORCHARD ROAD	Annual	12/18/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/15/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
290 OLD ORCHARD ROAD	Annual	3/2/2015 Inf.	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.50
		3/2/2015 Eff.	<2.0	<2.0	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<0.50
		7/23/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS
		5/16/2013	NS	NS	NS	NS	NS	NS	NS	NS	NS
		5/9/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
		2/15/2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
6/21/2012	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50		

Notes: NS - Not Sampled
 J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
 B - Analyte detected in Blank and Sample
 * Residential samples will be tested for all VOCs during 2nd quarter of the year.



TABLE 4.1
SECTION 8
SUMMARY OF LANDFILL MONITORING PLAN
GROUNDWATER ANALYTICAL RESULTS
Volatile Organic Compounds
Eastham Landfill Monitoring Wells and Private Drinking Wells
Eastham, MA
(All results in ug/l)

Property	LMP Sample Frequency	Date	Trichloroethene	Trichlorofluoromethane	Vinyl chloride	Total Xylenes
Standards						
ORSG			NA	NA	NA	NA
MMCL			5	NA	2	10000
GW1	Method 1 Std	GW-1	5	NA	2	10000
GW3	Method 1 Std	GW-3	5000	NA	50000	5000
Results						
DPW Garage Well	Annual	2/7/2014	<0.50	<0.50	<0.50	<1.0
DPW WELL	Annual	12/16/2014	<1.0	<2.0	<1.0	<1.0
Landfill Non-potable Well		2/25/2013	NS	NS	NS	NS
		12/7/2012	<0.5	<0.5	<0.5	<0.5
Gatehouse Well	Annual	2/11/2014	<0.50	<0.50	<0.50	<1.0
MW 10		10/27/2014	NS	NS	NS	NS
MW 21D		10/27/2014	NS	NS	NS	NS
		2/25/2013	<1.0	<1.0	<0.50	<2.0
MW 21S	Semi-Annual	5/13/2015	<1.0	<2.0	<1.0	<1.0
		10/27/2014	NS	NS	NS	NS
		5/16/2013	<1.0	<1.0	<1.0	<2.0
		12/7/2012	<0.5	<0.5	<0.5	<0.5
MW 2D		2/14/2013	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5
MW 2S	Annual	12/16/2014	<1.0	<2.0	<1.0	<1.0
		12/18/2013	<0.5	<0.5	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5

Notes: NS - Not Sampled
 J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
 B - Analyte detected in Blank and Sample
 * Residential samples will be tested for all VOCs during 2nd quarter of the year.

9/9/2015 Page 1 of 4
 Report: GW VOC 8
 Database: Eastham Landfill Monitoring



Property	LMP Sample Frequency	Date	Trichloroethene	Trichlorofluoromethane	Vinyl chloride	Total Xylenes	
MW 3D	Quarterly	8/26/2015	<1.0	<2.0	0.28 J	<1.0	
		5/13/2015	<1.0	<2.0	0.37J	<1.0	
		11/10/2014	<5.0	<5.0	<5.0	<5.0	
		11/10/2014	Duplicate	<5.0	<5.0	<5.0	<5.0
		10/27/2014	NS	NS	NS	NS	
		9/3/2014	<5.0	<5.0	<5.0	<5.0	
		5/19/2014	<1.0	<1.0	<1.0	<1.0	
		2/27/2014	<1.0	<1.0	<1.0	<1.0	
		11/25/2013	<0.5	<0.5	<0.5	<0.5	
		9/5/2013	<0.5	<0.5	<0.5	<0.5	
		5/8/2013	<0.5	<0.5	<0.5	<0.5	
		2/14/2013	<0.5	<0.5	<0.5	<0.5	
		12/6/2012	<0.5	<0.5	<0.5	<0.5	
		10/9/2012	<0.5	<0.5	0.58	<0.5	
		7/10/2012	<0.5	<0.5	<0.5	<0.5	
		3/20/2012	<0.5	<0.5	<0.5	<0.5	
MW 3I	Quarterly	8/26/2015	<1.0	<2.0	<1.0	<1.0	
		5/13/2015	<1.0	<2.0	<1.0	<1.0	
		12/16/2014	NS	NS	NS	NS	
		11/10/2014	<5.0	<5.0	<5.0	<5.0	
		9/3/2014	<5.0	<5.0	<5.0	<5.0	
		5/19/2014	<1.0	<1.0	<1.0	<1.0	
		2/27/2014	<1.0	<1.0	<1.0	<1.0	
		11/25/2013	<0.5	<0.5	<0.5	<0.5	
		9/5/2013	<0.5	<0.5	<0.5	<0.5	
		5/8/2013	<0.5	<0.5	<0.5	<0.5	
		2/14/2013	NS	NS	NS	NS	
		2/14/2013	<0.5	<0.5	<0.5	<0.5	
		12/6/2012	<0.5	<0.5	<0.5	<0.5	
		10/9/2012	<0.5	<0.5	<0.5	<0.5	
		7/10/2012	<0.5	<0.5	<0.5	<0.5	
		3/20/2012	<0.5	<0.5	<0.5	<0.5	
MW 3S		2/14/2013	NS	NS	NS	NS	
		12/6/2012	<0.5	<0.5	<0.5	<0.5	
MW 4D		10/27/2014	NS	NS	NS	NS	

Notes: NS - Not Sampled
 J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
 B - Analyte detected in Blank and Sample
 * Residential samples will be tested for all VOCs during 2nd quarter of the year.

9/9/2015 Page 2 of 4
 Report: GW VOC 8
 Database: Eastham Landfill Monitoring



Property	LMP Sample Frequency	Date	Trichloroethene	Trichlorofluoromethane	Vinyl chloride	Total Xylenes
MW 4D		2/14/2013	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5
MW 4S	Annual	12/16/2014	<1.0	<2.0	<1.0	<1.0
		10/27/2014	NS	NS	NS	NS
		12/18/2013	<0.5	<0.5	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS
		12/6/2012	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5
MW 5D		10/27/2014	NS	NS	NS	NS
		2/14/2013	NS	NS	NS	NS
		12/5/2012	<0.5	<0.5	<0.5	<0.5
MW 5S	Annual	12/16/2014	<1.0	<2.0	<1.0	<1.0
		10/27/2014	NS	NS	NS	NS
		12/18/2013	<0.5	<0.5	<0.5	<0.5
		2/14/2013	NS	NS	NS	NS
		12/5/2012	<0.5	<0.5	<0.5	<0.5
		7/10/2012	<0.5	<0.5	<0.5	<0.5
MW 7		10/27/2014	NS	NS	NS	NS
MW 8	Annual	12/16/2014	<1.0	<2.0	<1.0	<1.0
		12/18/2013	<0.5	<0.5	<0.5	<0.5
		3/14/2013	NS	NS	NS	NS
		12/7/2012	<0.5	<0.5	<0.5	<0.5
265 ALSTON AVENUE		4/1/2015	<1.0	<2.0	<1.0	<1.0
	Annual	3/28/2014	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<1.0
		3/14/2013	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50
280 ALSTON AVENUE	Annual	5/13/2015	<1.0	<2.0	<1.0	<1.0
		12/17/2014	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<1.0
		2/22/2013	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50

Notes: NS - Not Sampled
 J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
 B - Analyte detected in Blank and Sample
 * Residential samples will be tested for all VOCs during 2nd quarter of the year.



Property	LMP Sample Frequency	Date	Trichloroethene	Trichlorofluoromethane	Vinyl chloride	Total Xylenes
125 MEETINGHOUSE ROAD	Annual	5/8/2013	<0.50	<0.50	<0.50	<1.0
		6/21/2012	<0.50	<0.50	<0.50	<0.50
170 MEETINGHOUSE ROAD	Annual	5/13/2015	<1.0	<2.0	<1.0	<1.0
		8/15/2014	NS	NS	NS	NS
		2/15/2013	NS	NS	NS	NS
		12/8/2012	<0.50	<0.50	<0.50	<0.50
75 OLD ORCHARD ROAD	Annual	8/15/2014	NS	NS	NS	NS
		2/21/2013	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50
130 OLD ORCHARD ROAD	Annual	12/6/2012	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50
130A OLD ORCHARD ROAD	Annual	5/29/2015	<1.0	<2.0	<1.0	<1.0
		12/17/2014	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<1.0
		2/25/2013	<0.50	<0.50	<0.50	<1.0
130B OLD ORCHARD ROAD	Annual	5/29/2015	<1.0	<2.0	<1.0	<1.0
		12/17/2014	NS	NS	NS	NS
		12/18/2013	<0.50	<0.50	<0.50	<1.0
		2/25/2013	NS	NS	NS	NS
210 OLD ORCHARD ROAD	Annual	12/18/2013	<0.50	<0.50	<0.50	<1.0
		2/15/2013	NS	NS	NS	NS
		12/6/2012	<0.50	<0.50	<0.50	<0.50
		6/21/2012	<0.50	<0.50	<0.50	<0.50
290 OLD ORCHARD ROAD	Annual	3/2/2015 Inf.	<1.0	<2.0	<1.0	<1.0
		3/2/2015 Eff.	<1.0	<2.0	<1.0	<1.0
		7/23/2014	NS	NS	NS	NS
		5/16/2013	NS	NS	NS	NS
		5/9/2013	<0.50	<0.50	<0.50	<1.0
		2/15/2013	<0.50	<0.50	<0.50	<1.0
		6/21/2012	<0.50	<0.50	<0.50	<0.50

Notes: NS - Not Sampled
 J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
 B - Analyte detected in Blank and Sample
 * Residential samples will be tested for all VOCs during 2nd quarter of the year.



TABLE 4.2
SUMMARY OF LANDFILL MONITORING PLAN
GROUNDWATER ANALYTICAL RESULTS
Metals
Eastham Landfill
Eastham, MA
(All results in ug/l)

Property	Sample Frequency	Date	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Manganese	Mercury	Selenium	Silver	Zinc	
Standards															
GW-1			10	2000	5	100	NA	NA	15	NA	2.0	50	100	5000	
GW-3			900	50000	4	300	NA	NA	10	NA	20	100	7	900	
MMCL			10	2000	5	100	NA	NA	15	NA	2.0	50	NA	NA	
SMCL			NA	NA	NA	NA	1000	300	NA	50	NA	NA	100	5000	
Results															
MW 2D		12/6/2012	<3.0	3.2	<3.0	<3.0	<3.0	<100	<3.0	51	<0.5	<15	<2.0	<60	
MW 2S	Annual	12/16/2014	4.7 J	9.0 J	<4.0	<10	<10	430	<10	311	<0.2	<10	<7.0	<50	
		12/18/2013	<3.0	10	<3.0	<3.0	<3.0	500	<3.0	410	<0.3	<15	<3.0	<60	
		12/6/2012	<3.0	13	<3.0	<3.0	<3.0	680	<3.0	430	<0.5	<15	<2.0	<60	
		7/10/2012	<3.0	13	<3.0	<3.0	<3.0	580	<3.0	390	<0.5	<15	<2.0	<100	
MW 3D	Quarterly	8/26/2015	66	71	<4.0	<10	<10	30000	<10	1220	<1.0	<10	<7.0	60	
		5/13/2015	70	74	<4.0	<10	<10	30000	<10	1220	<0.2	6.0 J	<7.0	<50	
		11/10/2014	70	81	<3.0	5	<3.0	33000	<3.0	1400	<0.3	<15	<2.0	<60	
		11/10/2014	Duplicate	71	82	<3.0	5.2	<3.0	32000	<3.0	1400	<0.3	<15	<2.0	<60
		9/3/2014		73	86	<3.0	6.0	<3.0	35000	<3.0	1400	<0.3	<15	<2.0	<60
		5/19/2014		66	82	<3.0	<3.0	<3.0	31000	<3.0	1300	82	<15	<2.0	<60
		2/27/2014		54	77	<1.0	<2.0	<3.0	42000	<6.0	1800	<0.5	<6.0	<2.0	12
		11/25/2013		68	88	<3.0	3.3	<3.0	30000	<3.0	1400	NS	<15	<3.0	<60
		9/5/2013		64	89	<3.0	4.7	<3.0	36000	<3.0	1300	<0.3	<15	<3.0	<60
		5/8/2013		74	96	<3.0	6.3	<3.0	40000	<3.0	1300	<0.5	<15	<3.0	<60
		2/14/2013		68	96	<3.0	5.9	<3.0	40000	<3.0	1700	<0.5	<15	<2.0	<60
		12/6/2012		62	97	<3.0	<3.0	<3.0	40000	<3.0	1800	<0.5	<15	<2.0	<60
		10/9/2012		65	90	<3.0	3.0	<3.0	39000	<3.0	1400	<0.5	<15	<2.0	<100
		7/10/2012		66	99	<3.0	<3.0	<3.0	38000	<3.0	1400	<0.5	<15	<2.0	<100
		3/20/2012		69	100	<3.0	<3.0	<3.0	40000	<3.0	1700	<0.5	<15	<2.0	<60
		MW 3I	Quarterly	8/26/2015	44	10	<4.0	<10	<10	61000	<10	1190	<1.0	<10	<7.0
5/13/2015	42			9.0 J	<4.0	<10	<10	52000	<10	996	<0.2	<10	<7.0	<50	
11/10/2014	44			11	<3.0	<3.0	<3.0	64000	<3.0	1100	<0.3	<15	<2.0	<60	
9/3/2014	43			10	<3.0	<3.0	<3.0	69000	<3.0	1100	<0.3	<15	<2.0	<60	
5/19/2014	41			11	<3.0	<3.0	<3.0	64000	<3.0	1100	<0.3	<15	<2.0	<60	
2/27/2014	23			10	5.0	<2.0	<3.0	78000	<6.0	1400	<0.5	<6.0	<2.0	16	
11/25/2013	<3.0			7.1	<3.0	<3.0	<3.0	33000	<3.0	1100	NS	<15	<3.0	<60	
9/5/2013	38			10	<3.0	<3.0	<3.0	68000	<3.0	1100	<0.3	<15	<3.0	<60	
5/8/2013	37			9	<3.0	<3.0	<3.0	64000	<3.0	980	<0.5	<15	<3.0	<60	
2/14/2013	41			12	<3.0	<3.0	<3.0	69000	<3.0	1100	<0.5	<15	<2.0	<60	

Notes: NS - Not Sampled

J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

B - Analyte detected in Blank and Sample

* Residential samples will be tested for metals during 2nd quarter of the year.

Property	Sample Frequency	Date	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Manganese	Mercury	Selenium	Silver	Zinc	
MW 3I	Quarterly	12/6/2012	39	11	<3.0	<3.0	<3.0	72000	<3.0	1100	<0.5	<15	<2.0	<60	
		10/9/2012	40	11	<3.0	<3.0	<3.0	65000	<3.0	1000	<0.5	<15	<2.0	<100	
		7/10/2012	42	<3.0	<3.0	<3.0	<3.0	68000	<3.0	1100	<0.5	<15	<2.0	<100	
		3/20/2012	44	11	<3.0	<3.0	<3.0	65000	<3.0	1400	<0.5	<15	<2.0	<60	
MW 3S		12/6/2012	<3.0	30	<3.0	<3.0	<3.0	250	<3.0	280	<0.5	<15	<2.0	<60	
MW 4D		12/6/2012	<3.0	28	<3.0	<3.0	<3.0	<100	<3.0	160	<0.5	<15	<2.0	<60	
MW 4S	Annual	12/16/2014	6.0	35	<4.0	<10	<10	8700	<10	2690	<0.2	<10	<7.0	<50	
		12/18/2013	<3.0	24	<3.0	<3.0	<3.0	2100	<3.0	4200	<0.3	<15	<3.0	<60	
		12/6/2012	3.4	28	<3.0	<3.0	<3.0	2400	<3.0	5100	<0.5	<15	<2.0	<60	
		7/10/2012	<3.0	31	<3.0	<3.0	<3.0	2400	<3.0	4400	<0.5	<15	<2.0	<100	
MW 5D		12/5/2012	<3.0	64	<3.0	<3.0	<3.0	<150	<3.0	51	<0.5	<15	<2.0	<60	
MW 5S	Annual	12/16/2014	<5.0	22	<4.0	<10	<10	2000	2.0 J	4530	<0.2	<10	<7.0	<50	
		12/18/2013	<3.0	37	<3.0	<3.0	<3.0	8600	<3.0	3200	<0.3	<15	<3.0	<60	
		12/5/2012	<3.0	44	<3.0	<3.0	<3.0	5500	<3.0	3600	<0.5	<15	<2.0	<60	
		7/10/2012	<3.0	47	<3.0	<3.0	<3.0	8500	<3.0	3200	<0.5	<15	<2.0	<100	
MW 8	Annual	12/18/2013	<3.0	35	<3.0	<3.0	<3.0	<100	<3.0	300	<0.3	<15	<3.0	<60	
265 ALSTON AVENUE	Annual	4/1/2015	<0.5	13.4	<0.2	<0.5	15.1	<50	<0.5	3.3	<0.2	<1.0	<0.5	8.3	
		4/1/2015	Duplicate	NS	12.5	NS	NS	21.9	NS	NS	3.4	NS	NS	NS	6.7
		12/18/2013		0.11J	13B	<0.50	0.43J	220B	NS	1.2	NS	<0.20	<1.0	<0.50	39B
		12/6/2012		<3.0	13	<3.0	<3.0	27	NS	3.3	NS	<0.5	<15	<3.0	<60
		6/21/2012		<10	10	<1.0	<2.0	<100	<100	<6.0	<100	<0.5	<6.0	<2.0	<100
280 ALSTON AVENUE	Annual	5/13/2015	<0.5	24.7	<0.2	<0.5	35.5	64	0.6	20.3	<0.2	<1.0	<0.5	60.7	
		5/13/2015	Duplicate	NS	21.2	NS	NS	52.7	62	<0.5	19.7	NS	NS	NS	69.9
		12/18/2013		0.26J	22B	<0.50	0.29J	840B	NS	1.9	NS	<0.20	<1.0	0.025J	1200B
		12/6/2012		<3.0	19	<3.0	<3.0	1300	NS	5.1	NS	<0.5	<15	<3.0	350
		6/21/2012		<10	14	<1.0	<2.0	<100	<100	<6.0	<100	<0.5	<6.0	<2.0	<100
125 MEETINGHOUSE ROAD	Annual	5/8/2013	<3.0	42	<3.0	<3.0	25	NS	<3.0	NS	<0.3	<15	<3.0	<60	
		6/21/2012	<10	42	<1.0	<2.0	<100	<100	<6.0	430	<0.5	<6.0	<2.0	<100	
75 OLD ORCHARD ROAD	Annual	12/6/2012	<3.0	9	<3.0	<3.0	79	NS	<3.0	NS	<0.5	<15	<3.0	<60	
		6/21/2012	<10	6	<1.0	<2.0	<100	<100	<6.0	<100	<0.5	<6.0	<2.0	<100	
130 OLD ORCHARD ROAD		12/6/2012	<3.0	16	<3.0	<3.0	18	NS	<3.0	NS	<0.5	<15	<3.0	<60	
		6/21/2012	<10	12	<1.0	<2.0	<100	<100	<6.0	<100	<0.5	<6.0	<2.0	<100	
130A OLD ORCHARD ROAD	Annual	5/29/2015	<0.5	11.4	<0.2	<3.0	107.4	<50	1.0	4.2	<0.2	<1.0	<0.5	6.9	
		5/29/2015	Duplicate	NS	11.7	NS	NS	111.7	NS	0.8	4.1	NS	NS	NS	6.7
		12/18/2013		<1.0	16B	<0.50	0.21J	180B	NS	0.91J	NS	<0.20	<1.0	0.037J	13B
130B OLD ORCHARD ROAD	Annual	5/29/2015	<0.5	11.0	<0.2	<3.0	27.9	<50	0.8	<1.0	<0.2	<1.0	<0.5	9.6	
		5/29/2015	Duplicate	NS	11.3	NS	NS	102.2	NS	<0.5	NS	NS	NS	NS	15.4
		12/18/2013		<1.0	13B	<0.50	0.074J	92B	NS	0.63J	NS	<0.20	<1.0	<0.50	16B
210 OLD ORCHARD ROAD	Annual	12/18/2013	<1.0	59B	<0.50	<1.5	50B	NS	4.1	NS	<0.20	<1.0	<0.50	89B	
		12/6/2012	<3.0	55	<3.0	<3.0	18	NS	<3.0	NS	<0.5	<15	<3.0	<60	
		6/21/2012	<10	54	<1.0	<2.0	<100	<100	<6.0	540	<0.5	<6.0	<2.0	<100	
290 OLD ORCHARD ROAD	Annual	4/1/2015	<0.5	38.8	<0.2	<0.5	64.9	<50	<0.5	78.1	<0.2	<1.0	<0.5	23.9	
		4/1/2015	Duplicate	NS	39.3	NS	NS	65.4	NS	NS	77.7	NS	NS	NS	21.2
		6/21/2012	<10	25	<1.0	<2.0	160	<100	<6.0	<100	<0.5	<6.0	<2.0	<100	

Notes: NS - Not Sampled

J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

B - Analyte detected in Blank and Sample

* Residential samples will be tested for metals during 2nd quarter of the year.

TABLE 4.3
SUMMARY OF LANDFILL MONITORING PLAN
GROUNDWATER ANALYTICAL RESULTS
Inorganic Indicator Parameters

Eastham Landfill
Eastham, MA

Property	Sample Frequency	Date	Alkalinity mg/L as CaCO	Chloride mg/L	COD mg/L	Total Cyanide mg/L	Nitrate mg/L	Sulfate mg/L	Total Dissolved Solids mg/L
Standards									
MMCL						0.2	10		
SMCL				250				250	500
Results									
MW 2D		12/6/2012	23	22	<3.0	NS	0.6	6.7	81
MW 2S	Annual	12/16/2014	126	24	5.2 J	<0.005	<0.100	22	160
		12/18/2013	140	26	<5.0	<0.010	<0.05	24	310
		12/6/2012	150	27	<3.0	NS	0.45	40	280
		7/10/2012	150	28	10	<0.010	0.27	36	300
MW 3D	Quarterly	8/26/2015	673	70	48	<0.005	<0.100	46	600
		5/13/2015	669	74	77	<0.005	<0.500	59	630
		11/10/2014	680	91	56	<0.010	1.7	58	1,200
		11/10/2014	670	91	54	<0.010	1.7	57	1,200
		9/3/2014	780	85	50	<0.010	<0.10	54	1,200
		5/19/2014	830	80	27	<0.010	<0.10	51	1,300
		2/27/2014	720	86	62	<0.010	8.0	35	1,200
		11/25/2013	840	100	50	<0.010	3.1	58	1,200
		9/5/2013	870	96	56	<0.010	<0.10	66	2,500
		5/8/2013	870	100	63	<0.010	0.87	68	1,400
		2/14/2013	920	120	70	<0.010	<0.10	68	1,600
		12/6/2012	960	91	63	NS	1.4	73	1,700
		10/9/2012	960	130	5.8	<0.010	6.2	70	1,500
		7/10/2012	970	100	71	<0.010	0.72	67	1,700
		3/20/2012	1,000	240	62	<0.010	1.7	68	1,500
MW 3I	Quarterly	8/26/2015	162	13	12.J	<0.005	<0.100	27	200
		5/13/2015	149	13	<20	<0.005	<1.0	29	200
		11/10/2014	110	23	15	<0.010	1.1	25	260
		9/3/2014	200	20	16	<0.010	<0.10	30	300
		5/19/2014	200	19	20	<0.010	<0.10	29	300
		2/27/2014	110	17	22	<0.010	0.60	36	300
		11/25/2013	200	16	9.0	<0.010	1.4	46	260
		9/5/2013	190	12	13	<0.010	<0.10	39	240
		5/8/2013	160	13	7.0	<0.010	0.32	49	260
		2/14/2013	180	14	15	<0.010	0.14	70	250
		12/6/2012	190	10	17	NS	0.35	81	290
		10/9/2012	180	12	<3.0	<0.010	<0.10	79	270
		7/10/2012	180	19	18	<0.010	0.19	66	320
		3/20/2012	180	19	15	<0.010	0.42	63	290

Notes:

Property	Sample Frequency	Date	Alkalinity mg/L as CaCO	Chloride mg/L	COD mg/L	Total Cyanide mg/L	Nitrate mg/L	Sulfate mg/L	Total Dissolved Solids mg/L
MW 3S		12/6/2012	16	10	<3.0	NS	3.0	10	61
MW 4D		12/6/2012	16	50	<3.0	NS	2.3	18	140
MW 4S	Annual	12/16/2014	166	21	12 J	<0.005	<0.500	14	190
		12/18/2013	170	20	6.0	<0.010	<0.05	14	300
		12/6/2012	180	21	14	NS	<0.10	22	240
		7/10/2012	180	26	13	<0.010	0.18	20	300
MW 5D		12/5/2012	23	77	<3.0	NS	2.3	25	230
MW 5S	Annual	12/16/2014	198	18	26	<0.005	<0.500	20	220
		12/18/2013	210	28	11	<0.010	0.40	22	370
		12/5/2012	200	34	8.0	NS	0.45	29	320
		7/10/2012	220	33	12	<0.010	0.28	29	380
MW 8	Annual	12/18/2013	110	34	<2.0	<0.010	1.6	16	280
265 ALSTON AVENUE	Annual	6/21/2012	8.6	27	<3.0	<0.010	2.2	16	100
280 ALSTON AVENUE	Annual	6/21/2012	23	66	<3.0	<0.010	2.7	7.3	200
125 MEETINGHOUSE ROA	Annual	6/21/2012	80	21	<3.0	<0.010	0.9	23	160
75 OLD ORCHARD ROAD	Annual	6/21/2012	26	25	<3.0	<0.010	1.0	7.8	96
130 OLD ORCHARD ROAD		6/21/2012	37	69	<3.0	<0.010	3.5	8.6	220
210 OLD ORCHARD ROAD	Annual	6/21/2012	42	42	<3.0	<0.010	2.4	23	170
290 OLD ORCHARD ROAD	Annual	6/21/2012	17	32	<3.0	<0.010	3.3	14	130

Notes:

Scac



Site Visit Form

PROJECT Eastham Landfill DATE 8/12/15

PERSONNEL E. Cucé OTHER PERSONNEL _____

ARRIVAL TIME 08:45 DEPARTURE TIME 14:30

WEATHER CONDITIONS 80's, clear, 5-10 mph wind

Check all that apply for this site visit:

- Samples taken (include location description and copy of COC)
- Rental equipment used (include rental form for ES&M rentals)
- Materials purchased

Description of activities and observations:

SOW: Drinking water sampling
Collect DW samples for 1,4-Dioxane from 310 Meetinghouse, 50 Knowles, 80 Knowles, 4 Preservation, 200 Schoolhouse, and 85 Alston.
Appointment at 85 Alston was scheduled for 13:00, but nobody was home. No treatment or filtration on water system and sample is typically collected from kitchen sink. Wait for about 10 minutes, then collect sample from outdoor spigot.
Gauge well depth at 310 Meetinghouse
Deliver samples to Alpha

Work Completed By: E. Cucé

Eastham Landfill
Private Well Sampling Log

Date: 8/12/15
Sampler: E. Cuce
Weather Conditions: clear, 5-10 mph wind
Temperature: 80°F

Location: 85 Alston Ave
Property Owner: William + Linda Burt
Property Contact: _____
Phone: 508-255-1385
Email: _____
Contact Log Attached: Yes: _____ No: _____

Analysis Required: 1,4-Dioxane (8270 SIM)
Analytical Lab: Alpha
Sample Location: ~~Kitchen sink~~ outside spigot
Describe water system including treatment: No treatment or filtration
Water meter reading: _____

Purge Process - purge well minimum 20 gallons, then wait for stabilized parameters

Purge Time: Start: 13:10 Finish: 13:20

Volume Purged: 30 gallons

Equipment Utilized: _____

Attach Equipment Calibration Log: _____

Eastham Landfill
Private Well Sampling Log

Well Depth: Measured or Provided?

Summary of Sampling and Monitoring Activities: Appointment set for 13:00 but nobody home. Wait 10 minutes, then decide to collect sample from outside spigot. Water system contains no treatment or filtration, and sample is typically collected from kitchen sink.

Complete sketch of treatment system, if applicable:

Complete sketch below of property including location of house and well. Also include diagram of treatment system, if applicable:

Eastham Landfill
Private Well Sampling Log

Date: 8/12/15
Sampler: E. Cucé
Weather Conditions: Clear, 5-10 mph wind
Temperature: 80° F

Location: 4 Preservation Way
Property Owner: Stephen Montanez
Property Contact: _____
Phone: 774-368-0850
Email: _____
Contact Log Attached: Yes: _____ No: _____

Analysis Required: 1,4-Dioxane (8270 SIM)
Analytical Lab: Alpha
Sample Location: Pressure tank, pre-treatment
Describe water system water softener
including treatment: _____
Water meter reading: _____

Purge Process - purge well minimum 20 gallons, then wait for stabilized parameters

Purge Time: Start: 11:25 Finish: 11:45

Volume Purged: 27 gallons
Equipment Utilized: _____
Attach Equipment Calibration Log: _____

Eastham Landfill
Private Well Sampling Log

Well Depth: Measured or Provided? Previously gauged

Summary of Sampling and Monitoring Activities: Purge from kitchen sink for approx. 20 minutes. Collect sample from valve on pressure tank prior to water softener.

Complete sketch of treatment system, if applicable:

Complete sketch below of property including location of house and well. Also include diagram of treatment system, if applicable:

Eastham Landfill
Private Well Sampling Log

Date: 8/12/15
Sampler: E. CULÉ
Weather Conditions: Partly cloudy, 5-10 mph wind
Temperature: 70° F

Location: 310 Meetinghouse Rd.
Property Owner: James + Cheryl Felitte
Property Contact: _____
Phone: 518-598-6936
Email: _____
Contact Log Attached: Yes: _____ No: _____

Analysis Required: 1,4-Dioxane (8270 SIM)
Analytical Lab: Alpha
Sample Location: Kitchen sink
Describe water system No treatment or filtration
including treatment: _____
Water meter reading: _____

Purge Process - purge well minimum 20 gallons, then wait for stabilized parameters

Purge Time: Start: 09:05 Finish: 09:30

Volume Purged: 25 gallons

Equipment Utilized: _____

Attach Equipment Calibration Log: _____

Well Depth: Measured or Provided?



Depth: 53'

DTW: 46'

Summary of Sampling and Monitoring Activities: Purge water from kitchen sink for approx. 25 minutes, then collect sample. Gauge well w/ homeowner's permission

Complete sketch of treatment system, if applicable:

Complete sketch below of property including location of house and well. Also include diagram of treatment system, if applicable:



Meetinghouse Rd.

Eastham Landfill
Private Well Sampling Log

Date: 8/12/15
Sampler: E. CULÉ
Weather Conditions: Clear, 5-10 mph wind
Temperature: 75° F

Location: 50 Knowles St.
Property Owner: Michele Burnett + Less Milas
Property Contact: _____
Phone: 860-841-6237
Email: _____
Contact Log Attached: Yes: _____ No: _____

Analysis Required: 1,4-Dioxane (8270 SIM)
Analytical Lab: Alpha
Sample Location: Pressure tank, pre-treatment
Describe water system Water softener
including treatment: _____
Water meter reading: _____

Purge Process - purge well minimum 20 gallons, then wait for stabilized parameters

Purge Time: Start: 10:05 Finish: 10:30

Volume Purged: 22 gallons
Equipment Utilized: _____
Attach Equipment Calibration Log: _____

Eastham Landfill
Private Well Sampling Log

Well Depth: Measured or Provided?

Summary of Sampling and Monitoring Activities: Purge from kitchen sink, collect sample from valve on bottom of pressure tank, prior to going through treatment.

Complete sketch of treatment system, if applicable:

Complete sketch below of property including location of house and well. Also include diagram of treatment system, if applicable:

Eastham Landfill
Private Well Sampling Log

Date: 8/12/15
Sampler: EC
Weather Conditions: Clear, 5-10 mph wind
Temperature: 80°F

Location: 80 Knowles St.
Property Owner: Jenny Foster + Evan Phillips
Property Contact: _____
Phone: 774-216-0553
Email: _____
Contact Log Attached: Yes: _____ No: _____

Analysis Required: 1,4-Dioxane (8270 SIM)
Analytical Lab: Alpha
Sample Location: Kitchen sink
Describe water system including treatment: No treatment or filtration
Water meter reading: _____

Purge Process - purge well minimum 20 gallons, then wait for stabilized parameters
Purge Time: Start: 13:50 Finish: 14:10

Volume Purged: 22 gallons
Equipment Utilized: _____
Attach Equipment Calibration Log: _____

Eastham Landfill
Private Well Sampling Log

Well Depth: Measured or Provided? CNL

Summary of Sampling and Monitoring Activities: Purge from kitchen sink for approx. 20 min then collect sample. System contains no treatment or filtration.

Complete sketch of treatment system, if applicable:

Complete sketch below of property including location of house and well. Also include diagram of treatment system, if applicable:



**BARNSTABLE COUNTY
DEPARTMENT OF HEALTH AND ENVIRONMENT**

BARNSTABLE COUNTY COMPLEX
3195 MAIN STREET / PO BOX 427
BARNSTABLE, MASSACHUSETTS 02630

Phone: (508) 375-6613
FAX (508) 362-2603
TDD (508) 362-5885

WATER SAMPLING LOG: EASTHAM LANDFILL

WELL NUMBER: mw 3D DATE: 8/26/15
WEATHER: sunny 80 TIME: 900

EVACUATION DATA

DESCRIPTION OF MEASURING POINT: Top of Casing
DEPTH TO BOTTOM OF WELL: 73.45 DIAMETER OF CASING: 2"
DEPTH TO WATER IN WELL: 19.53 MATERIAL OF WELL: PVC
FEET OF WATER IN WELL: 53.92 GALLONS PER FOOT: 0.16
GALLONS OF WATER IN WELL: 8.63 AMOUNT TO PURGE: 55 gal

EVACUATION METHOD: DC Purgible Pump/dedicated bailer/dedicated watterra

SAMPLING DATA/FIELD PARAMETERS

COLOR: clear ODOR: - APPEARANCE: -
PH: in lab TEMP: 12.88 COND: 1260 DO: 1.96
OTHER: _____

SAMPLING METHOD AND MATERIAL: dedicated bailer/dedicated watterra

All bottles supplied and samples picked up by Alpha Lab. Results sent directly to Environmental Strategies and Management.

REMARKS: * Field Filtered

SAMPLING PERSONNEL: Lynn K. Mulkeen-BCDHE

WELL CASING VOLUMES:

1 1/4"=0.06 1 1/2"=0.09 2"=0.16 2 1/2"=0.26 3"=0.37 3 1/2"=0.50
4"=0.65 6"=1.47



**BARNSTABLE COUNTY
DEPARTMENT OF HEALTH AND ENVIRONMENT**

BARNSTABLE COUNTY COMPLEX
3195 MAIN STREET / PO BOX 427
BARNSTABLE, MASSACHUSETTS 02630

Phone: (508) 375-6613
FAX (508) 362-2603
TDD (508) 362-5885

WATER SAMPLING LOG: EASTHAM LANDFILL

WELL NUMBER: mw 3I DATE: 8/26/15
WEATHER: sunny 80 TIME: 9:00

EVACUATION DATA

DESCRIPTION OF MEASURING POINT: Top of Casing
DEPTH TO BOTTOM OF WELL: 52.36 DIAMETER OF CASING: 2"
DEPTH TO WATER IN WELL: 19.75 MATERIAL OF WELL: PVC
FEET OF WATER IN WELL: 32.61 GALLONS PER FOOT: 0.16
GALLONS OF WATER IN WELL: 5.22 AMOUNT TO PURGE: 30gal

EVACUATION METHOD: DC Purgible Pump/dedicated bailer/dedicated watterra

SAMPLING DATA/FIELD PARAMETERS

COLOR: clear ODOR: - APPEARANCE: -
PH: in lab TEMP: 12.45 COND: 339 DO: 1.66
OTHER: _____

SAMPLING METHOD AND MATERIAL: dedicated bailer/dedicated watterra

All bottles supplied and samples picked up by Alpha Lab. Results sent directly to Environmental Strategies and Management.

REMARKS: * Field Filtered

SAMPLING PERSONNEL: Lynn K. Mulkeen-BCDHE

WELL CASING VOLUMES:

1 1/4"=0.06 1 1/2"=0.09 2"=0.16 2 1/2"=0.26 3"=0.37 3 1/2"=0.50
4"=0.65 6"=1.47

ES&M QAQC Review Log

Lab	Project Number	Sample Date	Matrix	CAM Form Included?	Lab Presumptive Certainty?	QC Performance Standards Met?	Reporting Limits Achieved?	All Analytes Reported?	Data Usability Status
Alpha	L1519367	8/12/2015	DW	Yes	Yes	Yes	Yes	No	Usable - CAM Compliant

Sample ID	Date	Lab ID	Matrix	Analysis	Sample ID	Date	Lab ID	Matrix	Analysis
Meetinghouse Rd_310	8/12/2015	L1519367-1	DW	8270	Preservation Way_004	8/12/2015	L1519367-7	DW	8270
Meetinghouse Rd_310 Dup	8/12/2015	L1519367-2	DW	8270	Preservation Way_004 Dup	8/12/2015	L1519367-8	DW	8270
Knowles St_050	8/12/2015	L1519367-3	DW	8270	Schoolhouse Rd_200	8/12/2015	L1519367-9	DW	8270
Knowles St_050 Dup	8/12/2015	L1519367-4	DW	8270	Schoolhouse Rd_200 Dup	8/12/2015	L1519367-10	DW	8270
Knowles St_080	8/12/2015	L1519367-5	DW	8270	Alston Ave_085	8/12/2015	L1519367-11	DW	8270
Knowles St_080 Dup	8/12/2015	L1519367-6	DW	8270	Alston Ave_085 Dup	8/12/2015	L1519367-12	DW	8270

All QAQC data, including surrogate, method blank, laboratory control sample (LCS), and LCS duplicate results were reviewed. This report was deemed usable by Angela Boyd on 9/4/15.



ANALYTICAL REPORT

Lab Number:	L1519367
Client:	Environmental Strategies & Mgmt. 273 West Main Street Norton, MA 02766
ATTN:	Lisa Flynn
Phone:	(508) 226-1800
Project Name:	EASTHAM DW
Project Number:	2013-027
Report Date:	08/19/15

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: NY (11627), CT (PH-0141), NH (2206), NJ NELAP (MA015), RI (LAO00299), ME (MA00030), PA (68-02089), VA (460194), LA NELAP (03090), FL (E87814), TX (T104704419), WA (C954), USFWS (Permit #LE2069641), USDA (Permit #P330-11-00109), US Army Corps of Engineers.

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Project Name: EASTHAM DW

Project Number: 2013-027

Lab Number: L1519367

Report Date: 08/19/15

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1519367-01	MEETINGHOUSE RD_310	WATER	EASTHAM, MA	08/12/15 09:30	08/13/15
L1519367-02	MEETINGHOUSE RD_310 DUP	WATER	EASTHAM, MA	08/12/15 09:35	08/13/15
L1519367-03	KNOWLES ST_50	WATER	EASTHAM, MA	08/12/15 10:30	08/13/15
L1519367-04	KNOWLES ST_50 DUP	WATER	EASTHAM, MA	08/12/15 10:35	08/13/15
L1519367-05	KNOWLES ST_80	WATER	EASTHAM, MA	08/12/15 14:10	08/13/15
L1519367-06	KNOWLES ST_80 DUP	WATER	EASTHAM, MA	08/12/15 14:15	08/13/15
L1519367-07	PRESERVATION WAY_004	WATER	EASTHAM, MA	08/12/15 11:45	08/13/15
L1519367-08	PRESERVATION WAY_004 DUP	WATER	EASTHAM, MA	08/12/15 11:50	08/13/15
L1519367-09	SCHOOLHOUSE RD_200	WATER	EASTHAM, MA	08/12/15 12:30	08/13/15
L1519367-10	SCHOOLHOUSE RD_200 DUP	WATER	EASTHAM, MA	08/12/15 12:35	08/13/15
L1519367-11	ALSTON AVE_085	WATER	EASTHAM, MA	08/12/15 13:20	08/13/15
L1519367-12	ALSTON AVE_085 DUP	WATER	EASTHAM, MA	08/12/15 13:25	08/13/15

Project Name: EASTHAM DW

Lab Number: L1519367

Project Number: 2013-027

Report Date: 08/19/15

MADEP MCP Response Action Analytical Report Certification

This form provides certifications for all samples performed by MCP methods. Please refer to the Sample Results and Container Information sections of this report for specification of MCP methods used for each analysis. The following questions pertain only to MCP Analytical Methods.

An affirmative response to questions A through F is required for "Presumptive Certainty" status		
A	Were all samples received in a condition consistent with those described on the Chain-of-Custody, properly preserved (including temperature) in the field or laboratory, and prepared/analyzed within method holding times?	YES
B	Were the analytical method(s) and all associated QC requirements specified in the selected CAM protocol(s) followed?	YES
C	Were all required corrective actions and analytical response actions specified in the selected CAM protocol(s) implemented for all identified performance standard non-conformances?	YES
D	Does the laboratory report comply with all the reporting requirements specified in CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data?"	YES
E a.	VPH, EPH, and APH Methods only: Was each method conducted without significant modification(s)? (Refer to the individual method(s) for a list of significant modifications).	N/A
E b.	APH and TO-15 Methods only: Was the complete analyte list reported for each method?	N/A
F	Were all applicable CAM protocol QC and performance standard non-conformances identified and evaluated in a laboratory narrative (including all "No" responses to Questions A through E)?	YES
A response to questions G, H and I is required for "Presumptive Certainty" status		
G	Were the reporting limits at or below all CAM reporting limits specified in the selected CAM protocol(s)?	YES
H	Were all QC performance standards specified in the CAM protocol(s) achieved?	YES
I	Were results reported for the complete analyte list specified in the selected CAM protocol(s)?	NO
For any questions answered "No", please refer to the case narrative section on the following page(s).		

Please note that sample matrix information is located in the Sample Results section of this report.



Project Name: EASTHAM DW
Project Number: 2013-027

Lab Number: L1519367
Report Date: 08/19/15

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet all of the requirements of NELAC, for all NELAC accredited parameters. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: EASTHAM DW
Project Number: 2013-027

Lab Number: L1519367
Report Date: 08/19/15

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

MCP Related Narratives

Semi-Volatile Organics

In reference to question I:

All samples were analyzed for a subset of MCP analytes per the Chain of Custody.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Cynthia McQueen

Title: Technical Director/Representative

Date: 08/19/15

ORGANICS

SEMIVOLATILES

Project Name: EASTHAM DW**Lab Number:** L1519367**Project Number:** 2013-027**Report Date:** 08/19/15**SAMPLE RESULTS**

Lab ID: L1519367-01
Client ID: MEETINGHOUSE RD_310
Sample Location: EASTHAM, MA
Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/17/15 10:11
Analyst: SF

Date Collected: 08/12/15 09:30
Date Received: 08/13/15
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/14/15 16:53

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab						
--	--	--	--	--	--	--

1,4-Dioxane	0.103	J	ug/l	0.144	0.0721	1
-------------	-------	---	------	-------	--------	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	32		15-110

Project Name: EASTHAM DW**Lab Number:** L1519367**Project Number:** 2013-027**Report Date:** 08/19/15**SAMPLE RESULTS**

Lab ID: L1519367-02
Client ID: MEETINGHOUSE RD_310 DUP
Sample Location: EASTHAM, MA
Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/17/15 10:56
Analyst: SF

Date Collected: 08/12/15 09:35
Date Received: 08/13/15
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/14/15 16:53

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab						
--	--	--	--	--	--	--

1,4-Dioxane	0.113	J	ug/l	0.144	0.0721	1
-------------	-------	---	------	-------	--------	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	33		15-110

Project Name: EASTHAM DW**Lab Number:** L1519367**Project Number:** 2013-027**Report Date:** 08/19/15**SAMPLE RESULTS**

Lab ID: L1519367-03
Client ID: KNOWLES ST_50
Sample Location: EASTHAM, MA
Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/17/15 11:41
Analyst: SF

Date Collected: 08/12/15 10:30
Date Received: 08/13/15
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/14/15 16:53

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab						
--	--	--	--	--	--	--

1,4-Dioxane	ND		ug/l	0.144	0.0721	1
-------------	----	--	------	-------	--------	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	29		15-110

Project Name: EASTHAM DW**Lab Number:** L1519367**Project Number:** 2013-027**Report Date:** 08/19/15**SAMPLE RESULTS**

Lab ID: L1519367-04
Client ID: KNOWLES ST_50 DUP
Sample Location: EASTHAM, MA
Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/17/15 12:26
Analyst: SF

Date Collected: 08/12/15 10:35
Date Received: 08/13/15
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/14/15 16:53

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab						
--	--	--	--	--	--	--

1,4-Dioxane	ND		ug/l	0.144	0.0721	1
-------------	----	--	------	-------	--------	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	22		15-110

Project Name: EASTHAM DW**Lab Number:** L1519367**Project Number:** 2013-027**Report Date:** 08/19/15**SAMPLE RESULTS**

Lab ID: L1519367-05
Client ID: KNOWLES ST_80
Sample Location: EASTHAM, MA
Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/17/15 13:11
Analyst: SF

Date Collected: 08/12/15 14:10
Date Received: 08/13/15
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/14/15 16:53

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab						
--	--	--	--	--	--	--

1,4-Dioxane	ND		ug/l	0.144	0.0721	1
-------------	----	--	------	-------	--------	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	25		15-110

Project Name: EASTHAM DW**Lab Number:** L1519367**Project Number:** 2013-027**Report Date:** 08/19/15**SAMPLE RESULTS**

Lab ID: L1519367-06
Client ID: KNOWLES ST_80 DUP
Sample Location: EASTHAM, MA
Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/17/15 13:57
Analyst: SF

Date Collected: 08/12/15 14:15
Date Received: 08/13/15
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/14/15 16:53

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab						
--	--	--	--	--	--	--

1,4-Dioxane	ND		ug/l	0.144	0.0721	1
-------------	----	--	------	-------	--------	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	30		15-110

Project Name: EASTHAM DW**Lab Number:** L1519367**Project Number:** 2013-027**Report Date:** 08/19/15**SAMPLE RESULTS**

Lab ID: L1519367-07
Client ID: PRESERVATION WAY_004
Sample Location: EASTHAM, MA
Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/17/15 14:41
Analyst: SF

Date Collected: 08/12/15 11:45
Date Received: 08/13/15
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/14/15 16:53

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	0.211		ug/l	0.144	0.0721	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	30		15-110

Project Name: EASTHAM DW**Lab Number:** L1519367**Project Number:** 2013-027**Report Date:** 08/19/15**SAMPLE RESULTS**

Lab ID: L1519367-08
Client ID: PRESERVATION WAY_004 DUP
Sample Location: EASTHAM, MA
Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/17/15 15:25
Analyst: SF

Date Collected: 08/12/15 11:50
Date Received: 08/13/15
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/14/15 16:53

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab						
--	--	--	--	--	--	--

1,4-Dioxane	0.222		ug/l	0.144	0.0721	1
-------------	-------	--	------	-------	--------	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	28		15-110

Project Name: EASTHAM DW
Project Number: 2013-027

Lab Number: L1519367
Report Date: 08/19/15

SAMPLE RESULTS

Lab ID: L1519367-09
Client ID: SCHOOLHOUSE RD_200
Sample Location: EASTHAM, MA
Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/17/15 16:10
Analyst: SF

Date Collected: 08/12/15 12:30
Date Received: 08/13/15
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/14/15 16:53

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	0.0961	J	ug/l	0.144	0.0721	1
-------------	--------	---	------	-------	--------	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	30		15-110

Project Name: EASTHAM DW**Lab Number:** L1519367**Project Number:** 2013-027**Report Date:** 08/19/15**SAMPLE RESULTS**

Lab ID: L1519367-10
Client ID: SCHOOLHOUSE RD_200 DUP
Sample Location: EASTHAM, MA
Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/17/15 18:18
Analyst: SF

Date Collected: 08/12/15 12:35
Date Received: 08/13/15
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/14/15 16:53

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	0.106	J	ug/l	0.144	0.0721	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	25		15-110

Project Name: EASTHAM DW**Lab Number:** L1519367**Project Number:** 2013-027**Report Date:** 08/19/15**SAMPLE RESULTS**

Lab ID: L1519367-11
Client ID: ALSTON AVE_085
Sample Location: EASTHAM, MA
Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/17/15 19:02
Analyst: SF

Date Collected: 08/12/15 13:20
Date Received: 08/13/15
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/14/15 16:53

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	0.175		ug/l	0.150	0.0750	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	29		15-110

Project Name: EASTHAM DW**Lab Number:** L1519367**Project Number:** 2013-027**Report Date:** 08/19/15**SAMPLE RESULTS**

Lab ID: L1519367-12
Client ID: ALSTON AVE_085 DUP
Sample Location: EASTHAM, MA
Matrix: Water
Analytical Method: 97,8270D-SIM
Analytical Date: 08/17/15 19:47
Analyst: SF

Date Collected: 08/12/15 13:25
Date Received: 08/13/15
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 08/14/15 16:53

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	0.194		ug/l	0.156	0.0781	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	22		15-110

Project Name: EASTHAM DW

Lab Number: L1519367

Project Number: 2013-027

Report Date: 08/19/15

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8270D-SIM

Extraction Method: EPA 3510C

Analytical Date: 08/14/15 18:27

Extraction Date: 08/14/15 16:53

Analyst: SF

Parameter	Result	Qualifier	Units	RL	MDL
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab for sample(s): 01-12 Batch: WG812284-1					
1,4-Dioxane	ND		ug/l	0.150	0.0750

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	44		15-110

Lab Control Sample Analysis Batch Quality Control

Project Name: EASTHAM DW
Project Number: 2013-027

Lab Number: L1519367
Report Date: 08/19/15

Parameter	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>%Recovery</i> Limits	<i>RPD</i>	<i>Qual</i>	<i>RPD</i> Limits
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab Associated sample(s): 01-12 Batch: WG812284-2 WG812284-3								
1,4-Dioxane	104		103		40-140	1		20

<i>Surrogate</i>	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>Acceptance</i> <i>Criteria</i>
1,4-Dioxane-d8	40		40		15-110

Project Name: EASTHAM DW

Lab Number: L1519367

Project Number: 2013-027

Report Date: 08/19/15

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Reagent H2O Preserved Vials Frozen on: NA

Cooler Information Custody Seal

Cooler

A Absent

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1519367-01A	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-01B	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-02A	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-02B	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-03A	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-03B	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-04A	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-04B	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-05A	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-05B	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-06A	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-06B	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-07A	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-07B	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-08A	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-08B	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-09A	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-09B	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-10A	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-10B	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-11A	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-11B	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-12A	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1519367-12B	Amber 500ml unpreserved	A	7	4.2	Y	Absent	A2-MCP-14DX-SIM-PPB(7)

*Values in parentheses indicate holding time in days



Project Name: EASTHAM DW
Project Number: 2013-027

Lab Number: L1519367
Report Date: 08/19/15

GLOSSARY

Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.

Report Format: DU Report with 'J' Qualifiers



Project Name: EASTHAM DW
Project Number: 2013-027

Lab Number: L1519367
Report Date: 08/19/15

Data Qualifiers

- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e., co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Project Name: EASTHAM DW
Project Number: 2013-027

Lab Number: L1519367
Report Date: 08/19/15

REFERENCES

- 97 EPA Test Methods (SW-846) with QC Requirements & Performance Standards for the Analysis of EPA SW-846 Methods under the Massachusetts Contingency Plan, WSC-CAM-IIA, IIB, IIIA, IIIB, IIIC, IIID, VA, VB, VC, VIA, VIB, VIIIA and VIIIB, July 2010.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

Last revised December 16, 2014

The following analytes are not included in our NELAP Scope of Accreditation:

Westborough Facility

EPA 524.2: Acetone, 2-Butanone (Methyl ethyl ketone (MEK)), Tert-butyl alcohol, 2-Hexanone, Tetrahydrofuran, 1,3,5-Trichlorobenzene, 4-Methyl-2-pentanone (MIBK), Carbon disulfide, Diethyl ether.

EPA 8260C: 1,2,4,5-Tetramethylbenzene, 4-Ethyltoluene, Iodomethane (methyl iodide), Methyl methacrylate, Azobenzene.

EPA 8270D: 1-Methylnaphthalene, Dimethylnaphthalene, 1,4-Diphenylhydrazine.

EPA 625: 4-Chloroaniline, 4-Methylphenol.

SM4500: Soil: Total Phosphorus, TKN, NO₂, NO₃.

EPA 9071: Total Petroleum Hydrocarbons, Oil & Grease.

Mansfield Facility

EPA 8270D: Biphenyl.

EPA 2540D: TSS

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

The following analytes are included in our Massachusetts DEP Scope of Accreditation, Westborough Facility:

Drinking Water

EPA 200.8: Sb,As,Ba,Be,Cd,Cr,Cu,Pb,Ni,Se,Tl; **EPA 200.7:** Ba,Be,Ca,Cd,Cr,Cu,Na; **EPA 245.1:** Mercury;

EPA 300.0: Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

EPA 332: Perchlorate.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, Enterolert-QT.**

Non-Potable Water

EPA 200.8: Al,Sb,As,Be,Cd,Cr,Cu,Pb,Mn,Ni,Se,Ag,Tl,Zn;

EPA 200.7: Al,Sb,As,Be,Cd,Ca,Cr,Co,Cu,Fe,Pb,Mg,Mn,Mo,Ni,K,Se,Ag,Na,Sr,Ti,Tl,V,Zn;

EPA 245.1, SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2340B, SM2320B, SM4500CL-E, SM4500F-BC, SM426C, SM4500NH3-BH, EPA 350.1: Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, SM4500P-B, E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, SM14 510AC, EPA 420.1, SM4500-CN-CE, SM2540D.**

EPA 624: Volatile Halocarbons & Aromatics,

EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9222D-MF.**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

ES&M QAQC Review Log

Lab	Project Number	Sample Date	Matrix	CAM Form Included?	Lab Presumptive Certainty?	QC Performance Standards Met?	Reporting Limits Achieved?	All Analytes Reported?	Data Usability Status
Alpha	L1520709	8/26/2015	GW	Yes	Yes	No	Yes	No	Usable - CAM Compliant

Sample ID	Date	Lab ID	Matrix	Analysis
MW-3I	8/26/2015	L1520709-1	GW	8270, 8260, metals, nitrate, alkalinity, chloride, sulfate, TDS, COD, cyanide
MW-3D	8/26/2015	L1520709-2	GW	8270, 8260, metals, nitrate, chloride, TDS, COD, cyanide
tripblank	8/26/2015	L1520709-3	GW	8260, 8270

L1520709-01 and -02: The sample was received above the appropriate pH for the Metals analysis. The laboratory added additional HNO₃ to a pH <2.

The initial calibration, associated with L1520709-01 through -03, did not meet the method required minimum response factor on the lowest calibration standard for 4-methyl-2-pentanone (0.06505), 1,4-dioxane (0.00247), as well as the average response factor for 2-butanone, 4-methyl-2-pentanone, and 1,4-dioxane. The continuing calibration standard, associated with L1520709-01 through -03, is outside the acceptance criteria for several compounds; however, it is within overall method allowances. A copy of the continuing calibration standard is included as an addendum to this report.

All QAQC data, including surrogate, trip blank, method blank, laboratory control sample (LCS), LCS duplicate, lab duplicate, and matrix spike results were reviewed. This report was deemed usable by Angela Boyd on 9/11/15.



ANALYTICAL REPORT

Lab Number:	L1520709
Client:	Environmental Strategies & Mgmt. 273 West Main Street Norton, MA 02766
ATTN:	Lisa Flynn
Phone:	(508) 226-1800
Project Name:	EASTHAM LANDFILL
Project Number:	2013-027
Report Date:	09/04/15

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NY (11148), CT (PH-0574), NH (2003), NJ NELAP (MA935), RI (LAO00065), ME (MA00086), PA (68-03671), VA (460195), MD (348), IL (200077), NC (666), TX (T104704476), DOD (L2217), USDA (Permit #P-330-11-00240).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1520709-01	MW-3I	WATER	EASTHAM, MA	08/26/15 09:00	08/26/15
L1520709-02	MW-3D	WATER	EASTHAM, MA	08/26/15 09:00	08/26/15
L1520709-03	TRIP BLANK	WATER	EASTHAM, MA	08/26/15 00:00	08/26/15

Project Name: EASTHAM LANDFILL

Lab Number: L1520709

Project Number: 2013-027

Report Date: 09/04/15

MADEP MCP Response Action Analytical Report Certification

This form provides certifications for all samples performed by MCP methods. Please refer to the Sample Results and Container Information sections of this report for specification of MCP methods used for each analysis. The following questions pertain only to MCP Analytical Methods.

An affirmative response to questions A through F is required for "Presumptive Certainty" status		
A	Were all samples received in a condition consistent with those described on the Chain-of-Custody, properly preserved (including temperature) in the field or laboratory, and prepared/analyzed within method holding times?	YES
B	Were the analytical method(s) and all associated QC requirements specified in the selected CAM protocol(s) followed?	YES
C	Were all required corrective actions and analytical response actions specified in the selected CAM protocol(s) implemented for all identified performance standard non-conformances?	YES
D	Does the laboratory report comply with all the reporting requirements specified in CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data?"	YES
E a.	VPH, EPH, and APH Methods only: Was each method conducted without significant modification(s)? (Refer to the individual method(s) for a list of significant modifications).	N/A
E b.	APH and TO-15 Methods only: Was the complete analyte list reported for each method?	N/A
F	Were all applicable CAM protocol QC and performance standard non-conformances identified and evaluated in a laboratory narrative (including all "No" responses to Questions A through E)?	YES
A response to questions G, H and I is required for "Presumptive Certainty" status		
G	Were the reporting limits at or below all CAM reporting limits specified in the selected CAM protocol(s)?	YES
H	Were all QC performance standards specified in the CAM protocol(s) achieved?	NO
I	Were results reported for the complete analyte list specified in the selected CAM protocol(s)?	NO
For any questions answered "No", please refer to the case narrative section on the following page(s).		

Please note that sample matrix information is located in the Sample Results section of this report.



Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet all of the requirements of NELAC, for all NELAC accredited parameters. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Sample Receipt

L1520709-01 and -02: The sample was received above the appropriate pH for the Metals analysis. The laboratory added additional HNO₃ to a pH <2.

Volatile Organics

In reference to question H:

The initial calibration, associated with L1520709-01 through -03, did not meet the method required minimum response factor on the lowest calibration standard for 4-methyl-2-pentanone (0.06505), 1,4-dioxane (0.00247), as well as the average response factor for 2-butanone, 4-methyl-2-pentanone, and 1,4-dioxane. The continuing calibration standard, associated with L1520709-01 through -03, is outside the acceptance criteria for several compounds; however, it is within overall method allowances. A copy of the continuing calibration standard is included as an addendum to this report.

1,4-Dioxane by SIM

In reference to question I:

All samples were analyzed for a subset of MCP analytes per the Chain of Custody.

Dissolved Metals

L1520709-01 and -02 have elevated detection limits for mercury, due to the prep dilution required by matrix interferences encountered during analysis.

In reference to question I:

All samples were analyzed for a subset of MCP analytes per the Chain of Custody.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Lisa Westerlind

Title: Technical Director/Representative

Date: 09/04/15

ORGANICS

VOLATILES

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

SAMPLE RESULTS

Lab ID: L1520709-01
 Client ID: MW-3I
 Sample Location: EASTHAM, MA
 Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 09/02/15 13:38
 Analyst: MM

Date Collected: 08/26/15 09:00
 Date Received: 08/26/15
 Field Prep: Field Filtered (Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	0.29	1
1,1-Dichloroethane	ND		ug/l	1.0	0.21	1
Chloroform	ND		ug/l	1.0	0.16	1
Carbon tetrachloride	ND		ug/l	1.0	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.13	1
Dibromochloromethane	ND		ug/l	1.0	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.0	0.14	1
Tetrachloroethene	ND		ug/l	1.0	0.18	1
Chlorobenzene	0.32	J	ug/l	1.0	0.18	1
Trichlorofluoromethane	ND		ug/l	2.0	0.16	1
1,2-Dichloroethane	ND		ug/l	1.0	0.13	1
1,1,1-Trichloroethane	ND		ug/l	1.0	0.16	1
Bromodichloromethane	ND		ug/l	1.0	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.0	0.17	1
Bromoform	ND		ug/l	2.0	0.25	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.14	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	1.0	0.16	1
Ethylbenzene	ND		ug/l	1.0	0.17	1
Chloromethane	ND		ug/l	2.0	0.18	1
Bromomethane	0.35	J	ug/l	2.0	0.26	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.0	0.13	1
1,1-Dichloroethene	ND		ug/l	1.0	0.14	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	0.16	1
Trichloroethene	ND		ug/l	1.0	0.18	1
1,2-Dichlorobenzene	ND		ug/l	1.0	0.18	1

Project Name: EASTHAM LANDFILL

Lab Number: L1520709

Project Number: 2013-027

Report Date: 09/04/15

SAMPLE RESULTS

Lab ID: L1520709-01
 Client ID: MW-3I
 Sample Location: EASTHAM, MA

Date Collected: 08/26/15 09:00
 Date Received: 08/26/15
 Field Prep: Field Filtered (Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	1.0	0.19	1
1,4-Dichlorobenzene	ND		ug/l	1.0	0.19	1
Methyl tert butyl ether	ND		ug/l	2.0	0.16	1
p/m-Xylene	ND		ug/l	2.0	0.33	1
o-Xylene	ND		ug/l	1.0	0.33	1
Xylene (Total)	ND		ug/l	1.0	0.33	1
cis-1,2-Dichloroethene	0.30	J	ug/l	1.0	0.19	1
1,2-Dichloroethene (total)	0.30	J	ug/l	1.0	0.16	1
Dibromomethane	ND		ug/l	2.0	0.36	1
1,2,3-Trichloropropane	ND		ug/l	2.0	0.18	1
Styrene	ND		ug/l	1.0	0.36	1
Dichlorodifluoromethane	ND		ug/l	2.0	0.24	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	2.0	0.30	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	0.42	1
2-Hexanone	ND		ug/l	5.0	0.52	1
Bromochloromethane	ND		ug/l	2.0	0.14	1
Tetrahydrofuran	ND		ug/l	2.0	0.52	1
2,2-Dichloropropane	ND		ug/l	2.0	0.20	1
1,2-Dibromoethane	ND		ug/l	2.0	0.19	1
1,3-Dichloropropane	ND		ug/l	2.0	0.21	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	0.16	1
Bromobenzene	ND		ug/l	2.0	0.15	1
n-Butylbenzene	ND		ug/l	2.0	0.19	1
sec-Butylbenzene	ND		ug/l	2.0	0.18	1
tert-Butylbenzene	ND		ug/l	2.0	0.18	1
o-Chlorotoluene	ND		ug/l	2.0	0.17	1
p-Chlorotoluene	ND		ug/l	2.0	0.18	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	0.33	1
Hexachlorobutadiene	ND		ug/l	0.60	0.22	1
Isopropylbenzene	ND		ug/l	2.0	0.19	1
p-Isopropyltoluene	ND		ug/l	2.0	0.19	1
Naphthalene	ND		ug/l	2.0	0.22	1
n-Propylbenzene	ND		ug/l	2.0	0.17	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	0.23	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	0.22	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	0.17	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	0.19	1

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

SAMPLE RESULTS

Lab ID: L1520709-01
 Client ID: MW-3I
 Sample Location: EASTHAM, MA

Date Collected: 08/26/15 09:00
 Date Received: 08/26/15
 Field Prep: Field Filtered (Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Ethyl ether	0.24	J	ug/l	2.0	0.15	1
Isopropyl Ether	ND		ug/l	2.0	0.42	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	0.18	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	0.28	1
1,4-Dioxane	ND		ug/l	250	41.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	119		70-130
Dibromofluoromethane	101		70-130

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

SAMPLE RESULTS

Lab ID: L1520709-02
 Client ID: MW-3D
 Sample Location: EASTHAM, MA
 Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 09/02/15 14:10
 Analyst: MM

Date Collected: 08/26/15 09:00
 Date Received: 08/26/15
 Field Prep: Field Filtered (Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	0.29	1
1,1-Dichloroethane	ND		ug/l	1.0	0.21	1
Chloroform	ND		ug/l	1.0	0.16	1
Carbon tetrachloride	ND		ug/l	1.0	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.13	1
Dibromochloromethane	ND		ug/l	1.0	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.0	0.14	1
Tetrachloroethene	ND		ug/l	1.0	0.18	1
Chlorobenzene	0.93	J	ug/l	1.0	0.18	1
Trichlorofluoromethane	ND		ug/l	2.0	0.16	1
1,2-Dichloroethane	ND		ug/l	1.0	0.13	1
1,1,1-Trichloroethane	ND		ug/l	1.0	0.16	1
Bromodichloromethane	ND		ug/l	1.0	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.0	0.17	1
Bromoform	ND		ug/l	2.0	0.25	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.14	1
Benzene	0.76		ug/l	0.50	0.16	1
Toluene	ND		ug/l	1.0	0.16	1
Ethylbenzene	ND		ug/l	1.0	0.17	1
Chloromethane	ND		ug/l	2.0	0.18	1
Bromomethane	0.30	J	ug/l	2.0	0.26	1
Vinyl chloride	0.28	J	ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.0	0.13	1
1,1-Dichloroethene	ND		ug/l	1.0	0.14	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	0.16	1
Trichloroethene	ND		ug/l	1.0	0.18	1
1,2-Dichlorobenzene	ND		ug/l	1.0	0.18	1

Project Name: EASTHAM LANDFILL

Lab Number: L1520709

Project Number: 2013-027

Report Date: 09/04/15

SAMPLE RESULTS

Lab ID: L1520709-02
 Client ID: MW-3D
 Sample Location: EASTHAM, MA

Date Collected: 08/26/15 09:00
 Date Received: 08/26/15
 Field Prep: Field Filtered (Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	1.0	0.19	1
1,4-Dichlorobenzene	0.28	J	ug/l	1.0	0.19	1
Methyl tert butyl ether	0.89	J	ug/l	2.0	0.16	1
p/m-Xylene	ND		ug/l	2.0	0.33	1
o-Xylene	ND		ug/l	1.0	0.33	1
Xylene (Total)	ND		ug/l	1.0	0.33	1
cis-1,2-Dichloroethene	1.4		ug/l	1.0	0.19	1
1,2-Dichloroethene (total)	1.4		ug/l	1.0	0.16	1
Dibromomethane	ND		ug/l	2.0	0.36	1
1,2,3-Trichloropropane	ND		ug/l	2.0	0.18	1
Styrene	ND		ug/l	1.0	0.36	1
Dichlorodifluoromethane	ND		ug/l	2.0	0.24	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	2.0	0.30	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	0.42	1
2-Hexanone	ND		ug/l	5.0	0.52	1
Bromochloromethane	ND		ug/l	2.0	0.14	1
Tetrahydrofuran	1.1	J	ug/l	2.0	0.52	1
2,2-Dichloropropane	ND		ug/l	2.0	0.20	1
1,2-Dibromoethane	ND		ug/l	2.0	0.19	1
1,3-Dichloropropane	ND		ug/l	2.0	0.21	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	0.16	1
Bromobenzene	ND		ug/l	2.0	0.15	1
n-Butylbenzene	ND		ug/l	2.0	0.19	1
sec-Butylbenzene	ND		ug/l	2.0	0.18	1
tert-Butylbenzene	ND		ug/l	2.0	0.18	1
o-Chlorotoluene	ND		ug/l	2.0	0.17	1
p-Chlorotoluene	ND		ug/l	2.0	0.18	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	0.33	1
Hexachlorobutadiene	ND		ug/l	0.60	0.22	1
Isopropylbenzene	ND		ug/l	2.0	0.19	1
p-Isopropyltoluene	ND		ug/l	2.0	0.19	1
Naphthalene	ND		ug/l	2.0	0.22	1
n-Propylbenzene	ND		ug/l	2.0	0.17	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	0.23	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	0.22	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	0.17	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	0.19	1

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

SAMPLE RESULTS

Lab ID: L1520709-02
 Client ID: MW-3D
 Sample Location: EASTHAM, MA

Date Collected: 08/26/15 09:00
 Date Received: 08/26/15
 Field Prep: Field Filtered (Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Ethyl ether	24		ug/l	2.0	0.15	1
Isopropyl Ether	ND		ug/l	2.0	0.42	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	0.18	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	0.28	1
1,4-Dioxane	ND		ug/l	250	41.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	116		70-130
Dibromofluoromethane	101		70-130

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

SAMPLE RESULTS

Lab ID: L1520709-03
 Client ID: TRIP BLANK
 Sample Location: EASTHAM, MA
 Matrix: Water
 Analytical Method: 97,8260C
 Analytical Date: 09/02/15 06:47
 Analyst: MM

Date Collected: 08/26/15 00:00
 Date Received: 08/26/15
 Field Prep: Field Filtered (Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methylene chloride	ND		ug/l	2.0	0.29	1
1,1-Dichloroethane	ND		ug/l	1.0	0.21	1
Chloroform	ND		ug/l	1.0	0.16	1
Carbon tetrachloride	ND		ug/l	1.0	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.13	1
Dibromochloromethane	ND		ug/l	1.0	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.0	0.14	1
Tetrachloroethene	ND		ug/l	1.0	0.18	1
Chlorobenzene	ND		ug/l	1.0	0.18	1
Trichlorofluoromethane	ND		ug/l	2.0	0.16	1
1,2-Dichloroethane	ND		ug/l	1.0	0.13	1
1,1,1-Trichloroethane	ND		ug/l	1.0	0.16	1
Bromodichloromethane	ND		ug/l	1.0	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.0	0.17	1
Bromoform	ND		ug/l	2.0	0.25	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.14	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	1.0	0.16	1
Ethylbenzene	ND		ug/l	1.0	0.17	1
Chloromethane	ND		ug/l	2.0	0.18	1
Bromomethane	0.66	J	ug/l	2.0	0.26	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.0	0.13	1
1,1-Dichloroethene	ND		ug/l	1.0	0.14	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	0.16	1
Trichloroethene	ND		ug/l	1.0	0.18	1
1,2-Dichlorobenzene	ND		ug/l	1.0	0.18	1

Project Name: EASTHAM LANDFILL

Lab Number: L1520709

Project Number: 2013-027

Report Date: 09/04/15

SAMPLE RESULTS

Lab ID: L1520709-03
 Client ID: TRIP BLANK
 Sample Location: EASTHAM, MA

Date Collected: 08/26/15 00:00
 Date Received: 08/26/15
 Field Prep: Field Filtered (Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	1.0	0.19	1
1,4-Dichlorobenzene	ND		ug/l	1.0	0.19	1
Methyl tert butyl ether	ND		ug/l	2.0	0.16	1
p/m-Xylene	ND		ug/l	2.0	0.33	1
o-Xylene	ND		ug/l	1.0	0.33	1
Xylene (Total)	ND		ug/l	1.0	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.19	1
1,2-Dichloroethene (total)	ND		ug/l	1.0	0.16	1
Dibromomethane	ND		ug/l	2.0	0.36	1
1,2,3-Trichloropropane	ND		ug/l	2.0	0.18	1
Styrene	ND		ug/l	1.0	0.36	1
Dichlorodifluoromethane	ND		ug/l	2.0	0.24	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	2.0	0.30	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	0.42	1
2-Hexanone	ND		ug/l	5.0	0.52	1
Bromochloromethane	ND		ug/l	2.0	0.14	1
Tetrahydrofuran	ND		ug/l	2.0	0.52	1
2,2-Dichloropropane	ND		ug/l	2.0	0.20	1
1,2-Dibromoethane	ND		ug/l	2.0	0.19	1
1,3-Dichloropropane	ND		ug/l	2.0	0.21	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	0.16	1
Bromobenzene	ND		ug/l	2.0	0.15	1
n-Butylbenzene	ND		ug/l	2.0	0.19	1
sec-Butylbenzene	ND		ug/l	2.0	0.18	1
tert-Butylbenzene	ND		ug/l	2.0	0.18	1
o-Chlorotoluene	ND		ug/l	2.0	0.17	1
p-Chlorotoluene	ND		ug/l	2.0	0.18	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	0.33	1
Hexachlorobutadiene	ND		ug/l	0.60	0.22	1
Isopropylbenzene	ND		ug/l	2.0	0.19	1
p-Isopropyltoluene	ND		ug/l	2.0	0.19	1
Naphthalene	ND		ug/l	2.0	0.22	1
n-Propylbenzene	ND		ug/l	2.0	0.17	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	0.23	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	0.22	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	0.17	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	0.19	1

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

SAMPLE RESULTS

Lab ID: L1520709-03
 Client ID: TRIP BLANK
 Sample Location: EASTHAM, MA

Date Collected: 08/26/15 00:00
 Date Received: 08/26/15
 Field Prep: Field Filtered (Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Ethyl ether	ND		ug/l	2.0	0.15	1
Isopropyl Ether	ND		ug/l	2.0	0.42	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	0.18	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	0.28	1
1,4-Dioxane	ND		ug/l	250	41.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	121		70-130
Dibromofluoromethane	100		70-130

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8260C
Analytical Date: 09/02/15 06:16
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-03 Batch: WG817803-3					
Methylene chloride	ND		ug/l	2.0	0.29
1,1-Dichloroethane	ND		ug/l	1.0	0.21
Chloroform	ND		ug/l	1.0	0.16
Carbon tetrachloride	ND		ug/l	1.0	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.13
Dibromochloromethane	ND		ug/l	1.0	0.15
1,1,2-Trichloroethane	ND		ug/l	1.0	0.14
Tetrachloroethene	ND		ug/l	1.0	0.18
Chlorobenzene	ND		ug/l	1.0	0.18
Trichlorofluoromethane	ND		ug/l	2.0	0.16
1,2-Dichloroethane	ND		ug/l	1.0	0.13
1,1,1-Trichloroethane	ND		ug/l	1.0	0.16
Bromodichloromethane	ND		ug/l	1.0	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14
1,1-Dichloropropene	ND		ug/l	2.0	0.17
Bromoform	ND		ug/l	2.0	0.25
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.14
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	1.0	0.16
Ethylbenzene	ND		ug/l	1.0	0.17
Chloromethane	ND		ug/l	2.0	0.18
Bromomethane	0.74	J	ug/l	2.0	0.26
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.0	0.13
1,1-Dichloroethene	ND		ug/l	1.0	0.14
trans-1,2-Dichloroethene	ND		ug/l	1.0	0.16
Trichloroethene	ND		ug/l	1.0	0.18

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

Method Blank Analysis
Batch Quality Control

Analytical Method: 97,8260C
Analytical Date: 09/02/15 06:16
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-03 Batch: WG817803-3					
1,2-Dichlorobenzene	ND		ug/l	1.0	0.18
1,3-Dichlorobenzene	ND		ug/l	1.0	0.19
1,4-Dichlorobenzene	ND		ug/l	1.0	0.19
Methyl tert butyl ether	ND		ug/l	2.0	0.16
p/m-Xylene	ND		ug/l	2.0	0.33
o-Xylene	ND		ug/l	1.0	0.33
Xylene (Total)	ND		ug/l	1.0	0.33
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.19
1,2-Dichloroethene (total)	ND		ug/l	1.0	0.16
Dibromomethane	ND		ug/l	2.0	0.36
1,2,3-Trichloropropane	ND		ug/l	2.0	0.18
Styrene	ND		ug/l	1.0	0.36
Dichlorodifluoromethane	ND		ug/l	2.0	0.24
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	2.0	0.30
2-Butanone	ND		ug/l	5.0	1.9
4-Methyl-2-pentanone	ND		ug/l	5.0	0.42
2-Hexanone	ND		ug/l	5.0	0.52
Bromochloromethane	ND		ug/l	2.0	0.14
Tetrahydrofuran	ND		ug/l	2.0	0.52
2,2-Dichloropropane	ND		ug/l	2.0	0.20
1,2-Dibromoethane	ND		ug/l	2.0	0.19
1,3-Dichloropropane	ND		ug/l	2.0	0.21
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	0.16
Bromobenzene	ND		ug/l	2.0	0.15
n-Butylbenzene	ND		ug/l	2.0	0.19
sec-Butylbenzene	ND		ug/l	2.0	0.18
tert-Butylbenzene	ND		ug/l	2.0	0.18
o-Chlorotoluene	ND		ug/l	2.0	0.17

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8260C
Analytical Date: 09/02/15 06:16
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-03 Batch: WG817803-3					
p-Chlorotoluene	ND		ug/l	2.0	0.18
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	0.33
Hexachlorobutadiene	ND		ug/l	0.60	0.22
Isopropylbenzene	ND		ug/l	2.0	0.19
p-Isopropyltoluene	ND		ug/l	2.0	0.19
Naphthalene	ND		ug/l	2.0	0.22
n-Propylbenzene	ND		ug/l	2.0	0.17
1,2,3-Trichlorobenzene	ND		ug/l	2.0	0.23
1,2,4-Trichlorobenzene	ND		ug/l	2.0	0.22
1,3,5-Trimethylbenzene	ND		ug/l	2.0	0.17
1,2,4-Trimethylbenzene	ND		ug/l	2.0	0.19
Ethyl ether	ND		ug/l	2.0	0.15
Isopropyl Ether	ND		ug/l	2.0	0.42
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	0.18
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	0.28
1,4-Dioxane	ND		ug/l	250	41.

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	120		70-130
Dibromofluoromethane	99		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: EASTHAM LANDFILL

Lab Number: L1520709

Project Number: 2013-027

Report Date: 09/04/15

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-03 Batch: WG817803-1 WG817803-2								
Methylene chloride	98		100		70-130	2		20
1,1-Dichloroethane	107		109		70-130	2		20
Chloroform	103		104		70-130	1		20
Carbon tetrachloride	80		85		70-130	6		20
1,2-Dichloropropane	101		103		70-130	2		20
Dibromochloromethane	88		91		70-130	3		20
1,1,2-Trichloroethane	98		100		70-130	2		20
Tetrachloroethene	99		101		70-130	2		20
Chlorobenzene	100		102		70-130	2		20
Trichlorofluoromethane	105		106		70-130	1		20
1,2-Dichloroethane	102		104		70-130	2		20
1,1,1-Trichloroethane	103		106		70-130	3		20
Bromodichloromethane	97		99		70-130	2		20
trans-1,3-Dichloropropene	83		86		70-130	4		20
cis-1,3-Dichloropropene	89		93		70-130	4		20
1,1-Dichloropropene	104		105		70-130	1		20
Bromoform	79		81		70-130	3		20
1,1,2,2-Tetrachloroethane	94		96		70-130	2		20
Benzene	103		105		70-130	2		20
Toluene	102		103		70-130	1		20
Ethylbenzene	105		107		70-130	2		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: EASTHAM LANDFILL

Project Number: 2013-027

Lab Number: L1520709

Report Date: 09/04/15

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-03 Batch: WG817803-1 WG817803-2								
Chloromethane	95		95		70-130	0		20
Bromomethane	80		80		70-130	0		20
Vinyl chloride	108		109		70-130	1		20
Chloroethane	113		112		70-130	1		20
1,1-Dichloroethene	100		103		70-130	3		20
trans-1,2-Dichloroethene	101		102		70-130	1		20
Trichloroethene	104		104		70-130	0		20
1,2-Dichlorobenzene	98		100		70-130	2		20
1,3-Dichlorobenzene	100		100		70-130	0		20
1,4-Dichlorobenzene	98		98		70-130	0		20
Methyl tert butyl ether	104		108		70-130	4		20
p/m-Xylene	106		108		70-130	2		20
o-Xylene	106		108		70-130	2		20
cis-1,2-Dichloroethene	101		102		70-130	1		20
Dibromomethane	100		103		70-130	3		20
1,2,3-Trichloropropane	97		99		70-130	2		20
Styrene	106		107		70-130	1		20
Dichlorodifluoromethane	103		104		70-130	1		20
Acetone	96		100		70-130	4		20
Carbon disulfide	101		103		70-130	2		20
2-Butanone	93		94		70-130	1		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: EASTHAM LANDFILL

Lab Number: L1520709

Project Number: 2013-027

Report Date: 09/04/15

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-03 Batch: WG817803-1 WG817803-2								
4-Methyl-2-pentanone	92		94		70-130	2		20
2-Hexanone	92		96		70-130	4		20
Bromochloromethane	97		100		70-130	3		20
Tetrahydrofuran	92		94		70-130	2		20
2,2-Dichloropropane	129		136	Q	70-130	5		20
1,2-Dibromoethane	104		106		70-130	2		20
1,3-Dichloropropane	101		103		70-130	2		20
1,1,1,2-Tetrachloroethane	91		94		70-130	3		20
Bromobenzene	99		99		70-130	0		20
n-Butylbenzene	103		102		70-130	1		20
sec-Butylbenzene	106		105		70-130	1		20
tert-Butylbenzene	105		104		70-130	1		20
o-Chlorotoluene	109		110		70-130	1		20
p-Chlorotoluene	105		105		70-130	0		20
1,2-Dibromo-3-chloropropane	80		82		70-130	2		20
Hexachlorobutadiene	92		94		70-130	2		20
Isopropylbenzene	104		106		70-130	2		20
p-Isopropyltoluene	103		103		70-130	0		20
Naphthalene	79		80		70-130	1		20
n-Propylbenzene	109		110		70-130	1		20
1,2,3-Trichlorobenzene	80		79		70-130	1		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: EASTHAM LANDFILL

Lab Number: L1520709

Project Number: 2013-027

Report Date: 09/04/15

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-03 Batch: WG817803-1 WG817803-2								
1,2,4-Trichlorobenzene	85		84		70-130	1		20
1,3,5-Trimethylbenzene	108		108		70-130	0		20
1,2,4-Trimethylbenzene	105		104		70-130	1		20
Ethyl ether	96		98		70-130	2		20
Isopropyl Ether	106		108		70-130	2		20
Ethyl-Tert-Butyl-Ether	108		112		70-130	4		20
Tertiary-Amyl Methyl Ether	101		104		70-130	3		20
1,4-Dioxane	59	Q	61	Q	70-130	3		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	102		102		70-130
Toluene-d8	102		102		70-130
4-Bromofluorobenzene	105		104		70-130
Dibromofluoromethane	102		101		70-130

SEMIVOLATILES

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

SAMPLE RESULTS

Lab ID: L1520709-01
 Client ID: MW-3I
 Sample Location: EASTHAM, MA
 Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 09/02/15 18:54
 Analyst: SF

Date Collected: 08/26/15 09:00
 Date Received: 08/26/15
 Field Prep: Field Filtered (Metals)
 Extraction Method: EPA 3510C
 Extraction Date: 09/01/15 16:06

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	ND		ug/l	0.147	0.0735	1
-------------	----	--	------	-------	--------	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	21		15-110

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

SAMPLE RESULTS

Lab ID: L1520709-02
 Client ID: MW-3D
 Sample Location: EASTHAM, MA
 Matrix: Water
 Analytical Method: 97,8270D-SIM
 Analytical Date: 09/02/15 19:39
 Analyst: SF

Date Collected: 08/26/15 09:00
 Date Received: 08/26/15
 Field Prep: Field Filtered (Metals)
 Extraction Method: EPA 3510C
 Extraction Date: 09/01/15 16:06

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab

1,4-Dioxane	8.94		ug/l	0.147	0.0735	1
-------------	------	--	------	-------	--------	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	20		15-110

Project Name: EASTHAM LANDFILL

Lab Number: L1520709

Project Number: 2013-027

Report Date: 09/04/15

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 97,8270D-SIM

Extraction Method: EPA 3510C

Analytical Date: 09/02/15 16:37

Extraction Date: 09/01/15 16:06

Analyst: SF

Parameter	Result	Qualifier	Units	RL	MDL
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab for sample(s): 01-02 Batch: WG817561-1					
1,4-Dioxane	ND		ug/l	0.150	0.0750

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	28		15-110

Lab Control Sample Analysis Batch Quality Control

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

Parameter	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>%Recovery</i> Limits	<i>RPD</i>	<i>Qual</i>	<i>RPD</i> Limits
MCP 1,4 Dioxane by 8270D-SIM - Mansfield Lab Associated sample(s): 01-02 Batch: WG817561-2 WG817561-3								
1,4-Dioxane	103		105		40-140	2		20

<i>Surrogate</i>	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>Acceptance</i> <i>Criteria</i>
1,4-Dioxane-d8	33		33		15-110

METALS

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

SAMPLE RESULTS

Lab ID: L1520709-01
 Client ID: MW-3I
 Sample Location: EASTHAM, MA
 Matrix: Water

Date Collected: 08/26/15 09:00
 Date Received: 08/26/15
 Field Prep: Field Filtered
 (Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Dissolved Metals - Westborough Lab											
Arsenic, Dissolved	0.044		mg/l	0.005	0.002	1	08/27/15 09:33	08/27/15 16:07	EPA 3005A	97,6010C	JH
Barium, Dissolved	0.010		mg/l	0.010	0.003	1	08/27/15 09:33	08/27/15 16:07	EPA 3005A	97,6010C	JH
Cadmium, Dissolved	ND		mg/l	0.004	0.001	1	08/27/15 09:33	08/27/15 16:07	EPA 3005A	97,6010C	JH
Chromium, Dissolved	ND		mg/l	0.01	0.002	1	08/27/15 09:33	08/27/15 16:07	EPA 3005A	97,6010C	JH
Copper, Dissolved	ND		mg/l	0.010	0.002	1	08/27/15 09:33	08/27/15 16:07	EPA 3005A	97,6010C	JH
Iron, Dissolved	61		mg/l	0.05	0.02	1	08/27/15 09:33	08/27/15 16:07	EPA 3005A	97,6010C	JH
Lead, Dissolved	ND		mg/l	0.010	0.002	1	08/27/15 09:33	08/27/15 16:07	EPA 3005A	97,6010C	JH
Manganese, Dissolved	1.19		mg/l	0.010	0.002	1	08/27/15 09:33	08/27/15 16:07	EPA 3005A	97,6010C	JH
Mercury, Dissolved	ND		mg/l	0.0010	0.0010	1	08/27/15 15:36	08/27/15 19:14	EPA 7470A	97,7470A	DB
Selenium, Dissolved	ND		mg/l	0.010	0.003	1	08/27/15 09:33	08/27/15 16:07	EPA 3005A	97,6010C	JH
Silver, Dissolved	ND		mg/l	0.007	0.002	1	08/27/15 09:33	08/27/15 16:07	EPA 3005A	97,6010C	JH
Zinc, Dissolved	0.046	J	mg/l	0.050	0.007	1	08/27/15 09:33	08/27/15 16:07	EPA 3005A	97,6010C	JH



Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

SAMPLE RESULTS

Lab ID: L1520709-02
 Client ID: MW-3D
 Sample Location: EASTHAM, MA
 Matrix: Water

Date Collected: 08/26/15 09:00
 Date Received: 08/26/15
 Field Prep: Field Filtered
 (Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
MCP Dissolved Metals - Westborough Lab											
Arsenic, Dissolved	0.066		mg/l	0.005	0.002	1	08/27/15 09:33	08/27/15 16:11	EPA 3005A	97,6010C	JH
Barium, Dissolved	0.071		mg/l	0.010	0.003	1	08/27/15 09:33	08/27/15 16:11	EPA 3005A	97,6010C	JH
Cadmium, Dissolved	ND		mg/l	0.004	0.001	1	08/27/15 09:33	08/27/15 16:11	EPA 3005A	97,6010C	JH
Chromium, Dissolved	ND		mg/l	0.01	0.002	1	08/27/15 09:33	08/27/15 16:11	EPA 3005A	97,6010C	JH
Copper, Dissolved	ND		mg/l	0.010	0.002	1	08/27/15 09:33	08/27/15 16:11	EPA 3005A	97,6010C	JH
Iron, Dissolved	30		mg/l	0.05	0.02	1	08/27/15 09:33	08/27/15 16:11	EPA 3005A	97,6010C	JH
Lead, Dissolved	ND		mg/l	0.010	0.002	1	08/27/15 09:33	08/27/15 16:11	EPA 3005A	97,6010C	JH
Manganese, Dissolved	1.22		mg/l	0.010	0.002	1	08/27/15 09:33	08/27/15 16:11	EPA 3005A	97,6010C	JH
Mercury, Dissolved	ND		mg/l	0.0010	0.0010	1	08/27/15 15:36	08/27/15 19:16	EPA 7470A	97,7470A	DB
Selenium, Dissolved	ND		mg/l	0.010	0.003	1	08/27/15 09:33	08/27/15 16:11	EPA 3005A	97,6010C	JH
Silver, Dissolved	ND		mg/l	0.007	0.002	1	08/27/15 09:33	08/27/15 16:11	EPA 3005A	97,6010C	JH
Zinc, Dissolved	0.060		mg/l	0.050	0.007	1	08/27/15 09:33	08/27/15 16:11	EPA 3005A	97,6010C	JH



Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
MCP Dissolved Metals - Westborough Lab for sample(s): 01-02 Batch: WG816074-1									
Arsenic, Dissolved	ND	mg/l	0.005	0.002	1	08/27/15 09:33	08/27/15 15:14	97,6010C	JH
Barium, Dissolved	ND	mg/l	0.010	0.003	1	08/27/15 09:33	08/27/15 15:14	97,6010C	JH
Cadmium, Dissolved	ND	mg/l	0.004	0.001	1	08/27/15 09:33	08/27/15 15:14	97,6010C	JH
Chromium, Dissolved	ND	mg/l	0.01	0.002	1	08/27/15 09:33	08/27/15 15:14	97,6010C	JH
Copper, Dissolved	ND	mg/l	0.010	0.002	1	08/27/15 09:33	08/27/15 15:14	97,6010C	JH
Iron, Dissolved	ND	mg/l	0.05	0.02	1	08/27/15 09:33	08/27/15 15:14	97,6010C	JH
Lead, Dissolved	ND	mg/l	0.010	0.002	1	08/27/15 09:33	08/27/15 15:14	97,6010C	JH
Manganese, Dissolved	ND	mg/l	0.010	0.002	1	08/27/15 09:33	08/27/15 15:14	97,6010C	JH
Selenium, Dissolved	ND	mg/l	0.010	0.003	1	08/27/15 09:33	08/27/15 15:14	97,6010C	JH
Silver, Dissolved	ND	mg/l	0.007	0.002	1	08/27/15 09:33	08/27/15 15:14	97,6010C	JH
Zinc, Dissolved	ND	mg/l	0.050	0.007	1	08/27/15 09:33	08/27/15 15:14	97,6010C	JH

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
MCP Dissolved Metals - Westborough Lab for sample(s): 01-02 Batch: WG816245-1									
Mercury, Dissolved	ND	mg/l	0.0002	0.0002	1	08/27/15 15:36	08/27/15 19:08	97,7470A	DB

Prep Information

Digestion Method: EPA 7470A

Lab Control Sample Analysis

Batch Quality Control

Project Name: EASTHAM LANDFILL

Project Number: 2013-027

Lab Number: L1520709

Report Date: 09/04/15

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Dissolved Metals - Westborough Lab Associated sample(s): 01-02 Batch: WG816074-2 WG816074-3								
Arsenic, Dissolved	113		111		80-120	2		20
Barium, Dissolved	103		102		80-120	1		20
Cadmium, Dissolved	113		111		80-120	2		20
Chromium, Dissolved	95		95		80-120	0		20
Copper, Dissolved	106		103		80-120	3		20
Iron, Dissolved	91		90		80-120	1		20
Lead, Dissolved	113		111		80-120	2		20
Manganese, Dissolved	99		98		80-120	1		20
Selenium, Dissolved	116		114		80-120	2		20
Silver, Dissolved	107		106		80-120	1		20
Zinc, Dissolved	99		98		80-120	1		20
MCP Dissolved Metals - Westborough Lab Associated sample(s): 01-02 Batch: WG816245-2 WG816245-3								
Mercury, Dissolved	109		111		80-120	2		20

INORGANICS & MISCELLANEOUS

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

SAMPLE RESULTS

Lab ID: L1520709-01
Client ID: MW-3I
Sample Location: EASTHAM, MA
Matrix: Water

Date Collected: 08/26/15 09:00
Date Received: 08/26/15
Field Prep: Field Filtered (Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
MCP General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.005	1	08/31/15 09:14	08/31/15 15:44	97,9014	JO
General Chemistry - Westborough Lab										
Alkalinity, Total	162.		mg CaCO3/L	2.00	NA	1	-	08/27/15 08:07	30,2320B	SG
Solids, Total Dissolved	200		mg/l	10	3.6	1	-	08/27/15 13:30	30,2540C	DW
Chloride	13.		mg/l	1.0	0.20	1	-	08/28/15 00:15	30,4500CL-E	ML
pH (H)	6.4		SU	-	NA	1	-	08/27/15 05:25	30,4500H+-B	TA
Nitrogen, Nitrate	ND		mg/l	0.100	0.018	1	-	08/26/15 21:57	30,4500NO3-F	MR
Sulfate	27.		mg/l	10	3.1	1	08/28/15 14:00	08/28/15 14:00	30,4500SO4-E	MP
Chemical Oxygen Demand	12.	J	mg/l	20	3.5	1	09/01/15 19:00	09/01/15 21:34	30,5220D	TL



Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

SAMPLE RESULTS

Lab ID: L1520709-02
Client ID: MW-3D
Sample Location: EASTHAM, MA
Matrix: Water

Date Collected: 08/26/15 09:00
Date Received: 08/26/15
Field Prep: Field Filtered (Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
MCP General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.005	1	08/31/15 09:14	08/31/15 15:45	97,9014	JO
General Chemistry - Westborough Lab										
Alkalinity, Total	673.		mg CaCO3/L	5.00	NA	2.5	-	08/27/15 08:07	30,2320B	SG
Solids, Total Dissolved	600		mg/l	10	3.6	1	-	08/27/15 13:30	30,2540C	DW
Chloride	70.		mg/l	1.0	0.20	1	-	08/27/15 22:49	30,4500CL-E	ML
pH (H)	6.6		SU	-	NA	1	-	08/27/15 05:25	30,4500H+-B	TA
Nitrogen, Nitrate	ND		mg/l	0.100	0.018	1	-	08/26/15 21:58	30,4500NO3-F	MR
Sulfate	46.		mg/l	20	6.2	2	08/28/15 14:00	08/28/15 14:00	30,4500SO4-E	MP
Chemical Oxygen Demand	48.		mg/l	20	3.5	1	09/01/15 19:00	09/01/15 21:34	30,5220D	TL



Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

Method Blank Analysis
Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-02 Batch: WG815963-1										
Nitrogen, Nitrate	ND		mg/l	0.100	0.018	1	-	08/26/15 21:34	30,4500NO3-F	MR
General Chemistry - Westborough Lab for sample(s): 01-02 Batch: WG816060-1										
Solids, Total Dissolved	ND		mg/l	10	3.6	1	-	08/27/15 13:30	30,2540C	DW
General Chemistry - Westborough Lab for sample(s): 01-02 Batch: WG816158-1										
Alkalinity, Total	ND		mg CaCO3/L	2.00	NA	1	-	08/27/15 08:07	30,2320B	SG
General Chemistry - Westborough Lab for sample(s): 01-02 Batch: WG816388-1										
Chloride	0.33	J	mg/l	1.0	0.20	1	-	08/27/15 22:36	30,4500CL-E	ML
General Chemistry - Westborough Lab for sample(s): 01-02 Batch: WG816538-1										
Sulfate	ND		mg/l	10	3.1	1	08/28/15 14:00	08/28/15 14:00	30,4500SO4-E	MP
MCP General Chemistry - Westborough Lab for sample(s): 01-02 Batch: WG817060-1										
Cyanide, Total	ND		mg/l	0.005	0.005	1	08/31/15 09:14	08/31/15 15:35	97,9014	JO
General Chemistry - Westborough Lab for sample(s): 01-02 Batch: WG817628-1										
Chemical Oxygen Demand	ND		mg/l	20	3.5	1	09/01/15 19:00	09/01/15 21:34	30,5220D	TL

Lab Control Sample Analysis

Batch Quality Control

Project Name: EASTHAM LANDFILL

Project Number: 2013-027

Lab Number: L1520709

Report Date: 09/04/15

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG815963-2								
Nitrogen, Nitrate	103		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG816049-1								
pH	100		-		99-101	-		5
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG816060-2								
Solids, Total Dissolved	98		-		80-120	-		
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG816158-3								
Alkalinity, Total	104		-		90-110	-		10
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG816388-2								
Chloride	100		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG816538-2								
Sulfate	95		-		84-121	-		
MCP General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG817060-2 WG817060-3								
Cyanide, Total	103		105		80-120	2		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: EASTHAM LANDFILL

Lab Number: L1520709

Project Number: 2013-027

Report Date: 09/04/15

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG817628-2					
Chemical Oxygen Demand	99	-	93-106	-	

Matrix Spike Analysis Batch Quality Control

Project Name: EASTHAM LANDFILL

Lab Number: L1520709

Project Number: 2013-027

Report Date: 09/04/15

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG816538-4 QC Sample: L1520709-01 Client ID: MW-3I												
Sulfate	27.	40	62	88	-	-	-	-	55-147	-	-	14
General Chemistry - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG817628-3 QC Sample: L1520709-01 Client ID: MW-3I												
Chemical Oxygen Demand	12.J	238	260	108	-	-	-	-	84-120	-	-	12

Lab Duplicate Analysis

Batch Quality Control

Project Name: EASTHAM LANDFILL

Project Number: 2013-027

Lab Number: L1520709

Report Date: 09/04/15

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG816538-3 QC Sample: L1520709-01 Client ID: MW-3I						
Sulfate	27.	28	mg/l	4		14
General Chemistry - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG817628-4 QC Sample: L1520709-01 Client ID: MW-3I						
Chemical Oxygen Demand	12.J	12.J	mg/l	NC		12

Project Name: EASTHAM LANDFILL

Lab Number: L1520709

Project Number: 2013-027

Report Date: 09/04/15

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Reagent H2O Preserved Vials Frozen on: NA

Cooler Information Custody Seal

Cooler

A Absent

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1520709-01A	Vial HCl preserved	A	N/A	3.9	Y	Absent	MCP-8260-10(14)
L1520709-01B	Vial HCl preserved	A	N/A	3.9	Y	Absent	MCP-8260-10(14)
L1520709-01C	Vial HCl preserved	A	N/A	3.9	Y	Absent	MCP-8260-10(14)
L1520709-01D	Plastic 120ml unpreserved w/No H	A	N/A	3.9	Y	Absent	ALK-T-2320(14)
L1520709-01E	Plastic 500ml unpreserved	A	7	3.9	Y	Absent	SO4-4500(28),CL-4500(28),NO3-4500(2),PH-4500(.01),TDS-2540(7)
L1520709-01F	Plastic 120ml H2SO4 preserved	A	<2	3.9	Y	Absent	COD-5220(28)
L1520709-01G	Plastic 120ml HNO3 preserved	A	<2	3.9	Y	Absent	MCP-CD-6010S-10(180),MCP-FE-6010S-10(180),MCP-7470S-10(28),MCP-AG-6010S-10(180),MCP-ZN-6010S-10(180),MCP-AS-6010S-10(180),MCP-CR-6010S-10(180),MCP-BA-6010S-10(180),MCP-MN-6010S-10(180),MCP-PB-6010S-10(180),MCP-CU-6010S-10(180),MCP-SE-6010S-10(180)
L1520709-01H	Plastic 250ml NaOH preserved	A	>12	3.9	Y	Absent	MCP-TCN9014-10(14)
L1520709-01I	Plastic 500ml unpreserved	A	7	3.9	Y	Absent	-
L1520709-01J	Amber 500ml unpreserved	A	7	3.9	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1520709-01K	Amber 500ml unpreserved	A	7	3.9	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1520709-02A	Vial HCl preserved	A	N/A	3.9	Y	Absent	MCP-8260-10(14)
L1520709-02B	Vial HCl preserved	A	N/A	3.9	Y	Absent	MCP-8260-10(14)
L1520709-02C	Vial HCl preserved	A	N/A	3.9	Y	Absent	MCP-8260-10(14)
L1520709-02D	Plastic 120ml unpreserved w/No H	A	N/A	3.9	Y	Absent	ALK-T-2320(14)
L1520709-02E	Plastic 500ml unpreserved	A	7	3.9	Y	Absent	SO4-4500(28),CL-4500(28),NO3-4500(2),PH-4500(.01),TDS-2540(7)
L1520709-02F	Plastic 120ml H2SO4 preserved	A	<2	3.9	Y	Absent	COD-5220(28)

*Values in parentheses indicate holding time in days

Project Name: EASTHAM LANDFILL

Project Number: 2013-027

Lab Number: L1520709

Report Date: 09/04/15

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1520709-02G	Plastic 120ml HNO3 preserved	A	<2	3.9	Y	Absent	MCP-CD-6010S-10(180),MCP-FE-6010S-10(180),MCP-7470S-10(28),MCP-AG-6010S-10(180),MCP-ZN-6010S-10(180),MCP-AS-6010S-10(180),MCP-CR-6010S-10(180),MCP-BA-6010S-10(180),MCP-MN-6010S-10(180),MCP-PB-6010S-10(180),MCP-CU-6010S-10(180),MCP-SE-6010S-10(180)
L1520709-02H	Plastic 250ml NaOH preserved	A	>12	3.9	Y	Absent	MCP-TCN9014-10(14)
L1520709-02I	Plastic 500ml unpreserved	A	7	3.9	Y	Absent	-
L1520709-02J	Amber 500ml unpreserved	A	7	3.9	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1520709-02K	Amber 500ml unpreserved	A	7	3.9	Y	Absent	A2-MCP-14DX-SIM-PPB(7)
L1520709-03A	Vial HCl preserved	A	N/A	3.9	Y	Absent	MCP-8260-10(14)
L1520709-03B	Vial HCl preserved	A	N/A	3.9	Y	Absent	MCP-8260-10(14)

*Values in parentheses indicate holding time in days

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

GLOSSARY

Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.

Report Format: DU Report with 'J' Qualifiers



Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

Data Qualifiers

- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Project Name: EASTHAM LANDFILL
Project Number: 2013-027

Lab Number: L1520709
Report Date: 09/04/15

REFERENCES

- 30 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WPCF. 18th Edition. 1992.
- 97 EPA Test Methods (SW-846) with QC Requirements & Performance Standards for the Analysis of EPA SW-846 Methods under the Massachusetts Contingency Plan, WSC-CAM-IIA, IIB, IIIA, IIIB, IIIC, IIID, VA, VB, VC, VIA, VIB, VIIIA and VIIIB, July 2010.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

Last revised December 16, 2014

The following analytes are not included in our NELAP Scope of Accreditation:

Westborough Facility

EPA 524.2: Acetone, 2-Butanone (Methyl ethyl ketone (MEK)), Tert-butyl alcohol, 2-Hexanone, Tetrahydrofuran, 1,3,5-Trichlorobenzene, 4-Methyl-2-pentanone (MIBK), Carbon disulfide, Diethyl ether.

EPA 8260C: 1,2,4,5-Tetramethylbenzene, 4-Ethyltoluene, Iodomethane (methyl iodide), Methyl methacrylate, Azobenzene.

EPA 8270D: 1-Methylnaphthalene, Dimethylnaphthalene, 1,4-Diphenylhydrazine.

EPA 625: 4-Chloroaniline, 4-Methylphenol.

SM4500: Soil: Total Phosphorus, TKN, NO₂, NO₃.

EPA 9071: Total Petroleum Hydrocarbons, Oil & Grease.

Mansfield Facility

EPA 8270D: Biphenyl.

EPA 2540D: TSS

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

The following analytes are included in our Massachusetts DEP Scope of Accreditation, Westborough Facility:

Drinking Water

EPA 200.8: Sb,As,Ba,Be,Cd,Cr,Cu,Pb,Ni,Se,Tl; **EPA 200.7:** Ba,Be,Ca,Cd,Cr,Cu,Na; **EPA 245.1:** Mercury;

EPA 300.0: Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

EPA 332: Perchlorate.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, Enterolert-QT.**

Non-Potable Water

EPA 200.8: Al,Sb,As,Be,Cd,Cr,Cu,Pb,Mn,Ni,Se,Ag,Tl,Zn;

EPA 200.7: Al,Sb,As,Be,Cd,Ca,Cr,Co,Cu,Fe,Pb,Mg,Mn,Mo,Ni,K,Se,Ag,Na,Sr,Ti,Tl,V,Zn;

EPA 245.1, SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2340B, SM2320B, SM4500CL-E, SM4500F-BC, SM426C, SM4500NH3-BH, EPA 350.1: Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, SM4500P-B, E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, SM14 510AC, EPA 420.1, SM4500-CN-CE, SM2540D.**

EPA 624: Volatile Halocarbons & Aromatics,

EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9222D-MF.**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

CHAIN OF CUSTODY

PAGE 1 OF 1



Project Information

Project Name: Eastham Landfill

Project Location: Eastham MA

Project #: 2013-027

Project Manager: Lisa Flynn

ALPHA Quote #:

Turn-Around Time

Standard Rush (ONLY IF PRE-APPROVED)

Due Date: Time:

Other Project Specific Requirements/Comments/Detection Limits:

Samples collected by BCHD - Ship coolers to Lynn Mulkeen at Barnstable County
Results emailed to Lisa Flynn at ES&M lflynn@esm-inc.com
Invoices to Eastham Board of Health

Westborough, MA Mansfield, MA
TEL: 508-898-9220 TEL: 508-822-9300
FAX: 508-898-9193 FAX: 508-822-3288

Client Information

Client: Environmental Strategies & Management

Address: 273 West Main Street

Norton, MA 02703

Phone: 508-226-1800

Fax: 508-226-1811

Email: lflynn@esm-inc.com

These samples have been Previously analyzed by Alpha

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	ANALYSIS													Sample Specific Comments	
		Date	Time			1,4 DIOXANE BY 8270 SIM	VOCS BY 8260	dissolved metals: As, Ba, Cd, Cr, Cu, Fe, Pb, Mn, Hg, Se, Ag, Zn	Nitrate as Nitrogen, Alkalinity	Chloride, Sulfate	Total dissolved solids	COB	Cyanide							
20709-01	MW-31	8/26/15	900	GW	LKM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	add pH
02	MW-3D	8/26/15	900	GW	LKM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	add pH
03	tripblank					<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Date Rec'd in Lab: 8-26-15 ALPHA Job #: L1520709

Report Information Data Deliverables Billing Information

FAX EMAIL Same as Client Info PO #:
 ADEX Add'l Deliverables

Regulatory Requirements/Report Limits

State/Fed Program: B8280 & 8270 & Metals - MCP Criteria: 0.15 ug/l for 1,4 dioxane, GW&I

MCP PRESUMPTIVE CERTAINTY-CT REASONABLE CONFIDENCE PROTOCOL

Yes No Are MCP Analytical Methods Required?
 Yes No Are CT RCP (Reasonable Confidence Protocols) Required?

SAMPLE HANDLING
Filtration
 Done
 Not Needed
 Lab to do
Preservation
 Lab to do
(Please specify below)

PLEASE ANSWER QUESTIONS ABOVE!

IS YOUR PROJECT MA MCP or CT RCP?

FORM NO: 01-01(1)
REV. 5-JAN-12

Container Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Preservative	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Relinquished By:	Date/Time	Received By:	Date/Time
<i>Lynn Mulkeen</i>	8/26/15 14:20	<i>Steve Walcott AAL</i>	8/26/15 14:20
<i>Steve Walcott</i>	8/26/15 17:55	<i>Lynn Flynn</i>	8-26-15 17:55
<i>[Signature]</i>	8/27/15 04:00	<i>[Signature]</i>	8/27/15 04:00

Please print clearly, legible and completely. Sample not to be logged in and turnaround time clock will start until any ambiguity resolved. All samples submitted are subject to Alpha's Payment Terms



CHAIN OF CUSTODY

PAGE 1 OF 1

Westborough, MA Mansfield, MA
 TEL: 508-898-9220 TEL: 508-822-9300
 FAX: 508-898-9193 FAX: 508-822-3288

Client Information

Client: Environmental Strategies & Management
 Address: 273 West Main Street
 Norton, MA 02703
 Phone: 508-226-1800
 Fax: 508-226-1811
 Email: lflynn@esm-inc.com

These samples have been Previously analyzed by Alpha

Project Information

Project Name: Eastham Landfill

Project Location: Eastham MA

Project #: 2013-027

Project Manager: Lisa Flynn

ALPHA Quote #:

Turn-Around Time

Standard Rush (ONLY IF PRE-APPROVED)

Due Date: Time:

Other Project Specific Requirements/Comments/Detection Limits:
 Samples collected by BCHD - Ship coolers to Lynn Mulkeen at Barnstable County
 Results emailed to Lisa Flynn at ES&M lflynn@esm-inc.com
 Invoices to Eastham Board of Health

Date Rec'd in Lab: 8-26-15 ALPHA Job #: L1520709

Report Information Data Deliverables Billing Information

FAX EMAIL
 ADEX Add'l Deliverables

Same as Client info PO #:

Regulatory Requirements/Report Limits

State/Fed Program Criteria
 B8260 & 8270 & Metals - MCP 0.15 ug/l for 1,4 dioxane, GW-1

MCP PRESUMPTIVE CERTAINTY-CT REASONABLE CONFIDENCE PROTOCOL

Yes No Are MCP Analytical Methods Required?
 Yes No Are CT RCP (Reasonable Confidence Protocols) Required?

ANALYSIS

1,4 DIOXANE BY 8270 SIM	VOCs BY 8260	dissolved metals: As, Ba, Cd, Cr, Cu, Fe, - Pb, Mn, Hg, Se, Ag, Zn	Nitrate as Nitrogen, Alkalinity	Chloride, Sulfate	Total dissolved solids	COD	Cyanide										
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

SAMPLE HANDLING
Filtration
 Done
 Not Needed
 Lab to do
 Preservation
 Lab to do
 (Please specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials
		Date	Time		
20709-01	MW-31	8/26/15	900	GW	LKM
02	MW-3D	8/26/15	900	GW	LKM
03	tripblank				

Sample Specific Comments

add pH
 add pH

PLEASE ANSWER QUESTIONS ABOVE!

Container Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Preservative	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

IS YOUR PROJECT MA MCP or CT RCP?

FORM NO: 01-01(1)
(rev. 5-JAN-12)

Relinquished By:	Date/Time	Received By:	Date/Time
<i>Lynn Mulkeen</i>	8/26/15 1420	<i>Stu Waldoff AAH</i>	8/26/15 1420
<i>Stu Waldoff</i>	8/26/15 1755	<i>Lynn Mulkeen</i>	8-26-15 1755

Please print clearly, legi and completely. Sampl not be logged in and turnaround time clock w start until any ambiguity resolved. All samples submitted are subject to Alpha's Payment Terms

7A
Volatile Organics CONTINUING CALIBRATION CHECK

Lab Name: Alpha Analytical Labs

SDG No.: L1520709

Instrument ID: Quimby.i Calibration Date: 02-SEP-2015 Time: 04:41

Lab File ID: 0902A02 Init. Calib. Date(s): 27-AUG-2 27-AUG-2

Sample No: 8260 CCAL Init. Calib. Times : 10:54 16:42

Compound	RRF	RRF	MIN RRF	%D	MAX %D	
dichlorodifluoromethane	.3178	.32696	.1	3	20	
chloromethane	.3879	.36934	.1	-5	20	
vinyl chloride	.27935	.30249	.1	8	20	
bromomethane	.22165	.17732	.1	-20	20	
chloroethane	.20672	.23362	.1	13	20	
trichlorofluoromethane	.44985	.47376	.1	5	20	
ethyl ether	.15284	.14747	.05	-4	20	
acrolein	.03425	.0376	.05	10	20	F
freon-113	.26994	.27758	.1	3	20	
acetone	.10613	.10235	.1	-4	20	
1,1,-dichloroethene	.2835	.28289	.1	0	20	
tert-butyl alcohol	.01165	.00824	.05	-29	20	F
iodomethane	.28147	.1558	.05	-45	20	F
methyl acetate	.13736	.13202	.01	-4	20	
carbon disulfide	.80931	.81495	.1	1	20	
methylene chloride	.32566	.31978	.1	-2	20	
acrylonitrile	.08994	.08833	.05	-2	20	
methyl tert butyl ether	.49987	.52248	.1	5	20	
Halothane	.22286	.22342	.05	0	20	
trans-1,2-dichloroethene	.30391	.30734	.1	1	20	
Diisopropyl Ether	1.1586	1.2299	.05	6	20	
1,1-dichloroethane	.60553	.6458	.2	7	20	
vinyl acetate	.40832	.41444	.05	1	20	
Ethyl-Tert-Butyl-Ether	.77193	.83657	.05	8	20	
2-butanone	.09985	.09276	.1	-7	20	F
2,2-dichloropropane	.1749	.22511	.05	29	20	F
ethyl acetate	.17427	.176	.05	1	20	
cis-1,2-dichloroethene	.33476	.3393	.1	1	20	
chloroform	.53402	.55177	.2	3	20	
bromochloromethane	.14203	.13825	.05	-3	20	
tetrahydrofuran	.06266	.0574	.05	-8	20	
1,1,1-trichloroethane	.37689	.38852	.1	3	20	
cyclohexane	.66439	.7033	.01	6	30	
1,1-dichloropropene	.44179	.45742	.05	4	20	
carbontetrachloride	100	80.387	.1	-20	20	
Tertiary-Amyl Methyl Ether	.58425	.58883	.05	1	20	
1,2-dichloroethane	.39928	.40833	.1	2	20	
benzene	1.3405	1.3806	.5	3	20	

FORM VII MCP-8260-10

7A
CONTINUING CALIBRATION CHECK

Lab Name: Alpha Analytical Labs

SDG No.: L1520709

Instrument ID: Quimby.i Calibration Date: 02-SEP-2015 Time: 04:41

Lab File ID: 0902A02 Init. Calib. Date(s): 27-AUG-2 27-AUG-2

Sample No: 8260 CCAL Init. Calib. Times : 10:54 16:42

Compound	RRF	RRF	MIN RRF	%D	MAX %D
=====	=====	=====	=====	=====	=====
trichloroethene	.32429	.33696	.2	4	20
methyl cyclohexane	.60011	.61237	.01	2	30
1,2-dichloropropane	.36903	.37428	.1	1	20
bromodichloromethane	.35071	.34101	.2	-3	20
1,4-dioxane	.00213	.00127	.05	-41	20
dibromomethane	.14698	.14755	.05	0	20
2-chloroethylvinyl ether	.11563	.09666	.05	-16	20
4-methyl-2-pentanone	.08279	.07614	.1	-8	20
cis-1,3-dichloropropene	100	89.148	.2	-11	20
toluene	1.0372	1.0542	.4	2	20
ethyl-methacrylate	.35188	.32035	.01	-9	20
trans-1,3-dichloropropene	100	82.875	.1	-17	20
1,1,2-trichloroethane	.22554	.22021	.1	-2	20
2-hexanone	.17513	.16067	.1	-8	20
1,3-dichloropropane	.4787	.48285	.05	1	20
tetrachloroethene	.42793	.42261	.2	-1	20
chlorodibromomethane	.25746	.22568	.1	-12	20
1,2-dibromoethane	.22721	.23722	.1	4	20
chlorobenzene	1.1694	1.1756	.5	1	20
1,1,1,2-tetrachloroethane	.31281	.28534	.05	-9	20
ethyl benzene	2.0206	2.1200	.1	5	20
p/m xylene	.82118	.87078	.1	6	20
o xylene	.77852	.82521	.3	6	20
styrene	1.2529	1.3312	.31	6	20
isopropylbenzene	2.1460	2.2435	.1	5	20
bromoform	.22811	.17937	.1	-21	20
1,4-dichlorobutane	1.0364	1.0375	.01	0	20
1,1,2,2,-tetrachloroethane	.54994	.51936	.3	-6	20
1,2,3-trichloropropane	.43062	.41882	.05	-3	20
trans-1,4-dichloro-2-butene	.14583	.12515	.05	-14	20
n-propylbenzene	4.2689	4.6716	.05	9	20
bromobenzene	.87421	.86182	.05	-1	20
4-ethyltoluene	1.9843	1.9893	.05	0	20
1,3,5-trimethylbenzene	3.1821	3.4550	.05	9	20
2-chlorotoluene	2.9413	3.2136	.05	9	20
4-chlorotoluene	2.7197	2.8585	.05	5	20
tert-butylbenzene	2.8059	2.9506	.05	5	20
1,2,4-trimethylbenzene	3.0531	3.2092	.05	5	20

FORM VII MCP-8260-10



NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

BWSC 123

This Notice is Related to
Release Tracking Number

4

24301

A. The address of the disposal site related to this Notice and Release Tracking Number (provided above):

1. Street Address: EASTHAM LANDFILL, 255 OLD ORCHARD ROAD
City/Town: EASTHAM Zip Code: 02642

B. This notice is being provided to the following party:

1. Name: William P & Linda S Burt
2. Street Address: PO Box 666
City/Town: N. Eastham Zip Code: 02651

C. This notice is being given to inform its recipient (the party listed in Section B):

1. That environmental sampling will be/has been conducted at property owned by the recipient of this notice.
 2. Of the results of environmental sampling conducted at property owned by the recipient of this notice.
 3. Check to indicate if the analytical results are attached. (If item 2. above is checked, the analytical results from the environmental sampling must be attached to this notice.)

D. Location of the property where the environmental sampling will be/has been conducted:

1. Street Address: 85 Alston Avenue
City/Town: EASTHAM, MA Zip Code: 02642

2. MCP phase of work during which the sampling will be/has been conducted:

- | | |
|---|---|
| <input type="checkbox"/> Immediate Response Action | <input type="checkbox"/> Phase III Feasibility Evaluation |
| <input type="checkbox"/> Release Abatement Measure | <input type="checkbox"/> Phase IV Remedy Implementation Plan |
| <input type="checkbox"/> Utility-related Abatement Measure | <input type="checkbox"/> Phase V/Remedy Operation Status |
| <input type="checkbox"/> Phase I Initial Site Investigation | <input type="checkbox"/> Post-Class C Operation, Maintenance and Monitoring |
| <input type="checkbox"/> Phase II Comprehensive Site Assessment | <input type="checkbox"/> Other _____
(specify) |

3. Description of property where sampling will be/has been conducted:

- residential commercial industrial school/playground Other _____
(specify)

4. Description of the sampling locations and types (e.g., soil, groundwater) to the extent known at the time of this notice.

Private well drinking water.

E. Contact information related to the party providing this notice:

Contact Name: DOUGLAS HEELY
Street Address: 273 WEST MAIN ST
City/Town: NORTON, MA Zip Code: 02766
Telephone: (508) 226-1800 Email: dheely@esm-inc.com

NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

MASSACHUSETTS REGULATIONS THAT REQUIRE THIS NOTICE

This notice is being provided pursuant to the Massachusetts Contingency Plan and the notification requirement at 310 CMR 40.1403(10). The Massachusetts Contingency Plan is a state regulation that specifies requirements for parties who are taking actions to address releases of chemicals (oil or hazardous material) to the environment.

THE PERSON(S) PROVIDING THIS NOTICE

This notice has been sent to you by the party who is addressing a release of oil or hazardous material to the environment at the location listed in **Section A** on the reverse side of this form. (The regulations refer to the area where the oil or hazardous material is present as the “disposal site”.)

PURPOSE OF THIS NOTICE

When environmental samples are taken as part of an investigation under the Massachusetts Contingency Plan at a property on behalf of someone other than the owner of the property, the regulations require that the property owner (listed in **Section B** on the reverse side of this form) be given notice of the environmental sampling. The regulations also require that the property owner subsequently receive the analytical results following the analysis of the environmental samples.

Section C on the reverse side of this form indicates the circumstance under which you are receiving this notice at this time. If you are receiving this notice to inform you of the analytical results following the analysis of the environmental samples, you should also have received, as an attachment, a copy of analytical results. These results should indicate the number and type(s) of samples (e.g., soil, groundwater) analyzed, any chemicals identified, and the measured concentrations of those chemicals.

Section D on the reverse side of this form identifies the property where the environmental sampling will be/has been conducted, provides a description of the sampling locations within the property, and indicates the phase of work under the Massachusetts Contingency Plan regulatory process during which the samples will be/were collected.

FOR MORE INFORMATION

Information about the general process for addressing releases of oil or hazardous material under the Massachusetts Contingency Plan and related public involvement opportunities may be found at <http://www.mass.gov/dep/cleanup/oview.htm>. For more information regarding this notice, you may contact the party listed in **Section E** on the reverse side of this form. Information about the disposal site identified in Section A is also available in files at the Massachusetts Department of Environmental Protection. See <http://mass.gov/dep/about/region/schedule.htm> if you would like to make an appointment to see these files. Please reference the **Release Tracking Number** listed in the upper right hand corner on the reverse side of this form when making file review appointments.



NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

BWSC 123

This Notice is Related to
Release Tracking Number

4

24301

A. The address of the disposal site related to this Notice and Release Tracking Number (provided above):

1. Street Address: Eastham Landfill, 255 Old Orchard Road
City/Town: Eastham Zip Code: 02642

B. This notice is being provided to the following party:

1. Name: Michele Burnat & Lesa Milas
2. Street Address: 396 Old Colchester Rd
City/Town: Amston CT Zip Code: 06231

C. This notice is being given to inform its recipient (the party listed in Section B):

- 1. That environmental sampling will be/has been conducted at property owned by the recipient of this notice.
- 2. Of the results of environmental sampling conducted at property owned by the recipient of this notice.
- 3. Check to indicate if the analytical results are attached. (If item 2. above is checked, the analytical results from the environmental sampling must be attached to this notice.)

D. Location of the property where the environmental sampling will be/has been conducted:

1. Street Address: 50 Knowles St
City/Town: Eastham Zip Code: 02642

2. MCP phase of work during which the sampling will be/has been conducted:

- | | |
|---|---|
| <input checked="" type="checkbox"/> Immediate Response Action | <input type="checkbox"/> Phase III Feasibility Evaluation |
| <input type="checkbox"/> Release Abatement Measure | <input type="checkbox"/> Phase IV Remedy Implementation Plan |
| <input type="checkbox"/> Utility-related Abatement Measure | <input type="checkbox"/> Phase V/Remedy Operation Status |
| <input type="checkbox"/> Phase I Initial Site Investigation | <input type="checkbox"/> Post-Class C Operation, Maintenance and Monitoring |
| <input type="checkbox"/> Phase II Comprehensive Site Assessment | <input type="checkbox"/> Other _____ |
- (specify)

3. Description of property where sampling will be/has been conducted:

- residential commercial industrial school/playground Other _____
- (specify)

4. Description of the sampling locations and types (e.g., soil, groundwater) to the extent known at the time of this notice.

Private well drinking water.

E. Contact information related to the party providing this notice:

Contact Name: Douglas Heely
Street Address: 273 West Main Street
City/Town: Norton Zip Code: 02766
Telephone: (508) 226-1800 Email: dheely@esm-inc.com



NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

BWSC 123

This Notice is Related to
Release Tracking Number

4 24301

A. The address of the disposal site related to this Notice and Release Tracking Number (provided above):

1. Street Address: EASTHAM LANDFILL, 255 OLD ORCHARD ROAD
City/Town: EASTHAM Zip Code: 02642

B. This notice is being provided to the following party:

1. Name: Jenny Foster& Evan W Phillips
2. Street Address: 8 Highland Ave
City/Town: Lincoln, RI Zip Code: 02865

C. This notice is being given to inform its recipient (the party listed in Section B):

- 1. That environmental sampling will be/has been conducted at property owned by the recipient of this notice.
- 2. Of the results of environmental sampling conducted at property owned by the recipient of this notice.
- 3. Check to indicate if the analytical results are attached. (If item 2. above is checked, the analytical results from the environmental sampling must be attached to this notice.)

D. Location of the property where the environmental sampling will be/has been conducted:

1. Street Address: 80 Knowles Street
City/Town: EASTHAM MA Zip Code: 02642

2. MCP phase of work during which the sampling will be/has been conducted:

- Immediate Response Action
- Release Abatement Measure
- Utility-related Abatement Measure
- Phase I Initial Site Investigation
- Phase II Comprehensive Site Assessment
- Phase III Feasibility Evaluation
- Phase IV Remedy Implementation Plan
- Phase V/Remedy Operation Status
- Post-Class C Operation, Maintenance and Monitoring
- Other _____
(specify)

3. Description of property where sampling will be/has been conducted:

- residential
- commercial
- industrial
- school/playground
- Other _____
(specify)

4. Description of the sampling locations and types (e.g., soil, groundwater) to the extent known at the time of this notice.

Private well drinking water.

E. Contact information related to the party providing this notice:

Contact Name: DOUGLAS HEELY
Street Address: 273 WEST MAIN ST
City/Town: NORTON, MA Zip Code: 02766
Telephone: (508) 226-1800 Email: dheely@esm-inc.com



NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

BWSC 123

This Notice is Related to
Release Tracking Number

4

24301

A. The address of the disposal site related to this Notice and Release Tracking Number (provided above):

1. Street Address: EASTHAM LANDFILL, 255 OLD ORCHARD ROAD
City/Town: EASTHAM Zip Code: 02642

B. This notice is being provided to the following party:

1. Name: James W & Cheryl A Felitte
2. Street Address: 14 Victory Dr
City/Town: Albany, NY Zip Code: 12205

C. This notice is being given to inform its recipient (the party listed in Section B):

1. That environmental sampling will be/has been conducted at property owned by the recipient of this notice.
 2. Of the results of environmental sampling conducted at property owned by the recipient of this notice.
 3. Check to indicate if the analytical results are attached. (If item 2. above is checked, the analytical results from the environmental sampling must be attached to this notice.)

D. Location of the property where the environmental sampling will be/has been conducted:

1. Street Address: 310 Meetinghouse Rd
City/Town: EASTHAM MA Zip Code: 02642

2. MCP phase of work during which the sampling will be/has been conducted:

- | | |
|---|---|
| <input type="checkbox"/> Immediate Response Action | <input type="checkbox"/> Phase III Feasibility Evaluation |
| <input type="checkbox"/> Release Abatement Measure | <input type="checkbox"/> Phase IV Remedy Implementation Plan |
| <input type="checkbox"/> Utility-related Abatement Measure | <input type="checkbox"/> Phase V/Remedy Operation Status |
| <input type="checkbox"/> Phase I Initial Site Investigation | <input type="checkbox"/> Post-Class C Operation, Maintenance and Monitoring |
| <input type="checkbox"/> Phase II Comprehensive Site Assessment | <input type="checkbox"/> Other _____
(specify) |

3. Description of property where sampling will be/has been conducted:

- residential commercial industrial school/playground Other _____
(specify)

4. Description of the sampling locations and types (e.g., soil, groundwater) to the extent known at the time of this notice.

Private well drinking water.

E. Contact information related to the party providing this notice:

Contact Name: DOUGLAS HEELY
Street Address: 273 WEST MAIN ST
City/Town: NORTON, MA Zip Code: 02766
Telephone: (508) 226-1800 Email: dheely@esm-inc.com



NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

BWSC 123

This Notice is Related to Release Tracking Number

4

24301

A. The address of the disposal site related to this Notice and Release Tracking Number (provided above):

1. Street Address: EASTHAM LANDFILL, 255 OLD ORCHARD ROAD
City/Town: EASTHAM Zip Code: 02642

B. This notice is being provided to the following party:

1. Name: STEPHEN MONTANEZ
2. Street Address: 4 PRESERVATION WAY
City/Town: EASTHAM Zip Code: 02642

C. This notice is being given to inform its recipient (the party listed in Section B):

- 1. That environmental sampling will be/has been conducted at property owned by the recipient of this notice.
- 2. Of the results of environmental sampling conducted at property owned by the recipient of this notice.
- 3. Check to indicate if the analytical results are attached. (If item 2. above is checked, the analytical results from the environmental sampling must be attached to this notice.)

D. Location of the property where the environmental sampling will be/has been conducted:

1. Street Address: 4 PRESERVATION WAY
City/Town: EASTHAM MA Zip Code: 02642

2. MCP phase of work during which the sampling will be/has been conducted:

- | | |
|---|---|
| <input type="checkbox"/> Immediate Response Action | <input type="checkbox"/> Phase III Feasibility Evaluation |
| <input type="checkbox"/> Release Abatement Measure | <input type="checkbox"/> Phase IV Remedy Implementation Plan |
| <input type="checkbox"/> Utility-related Abatement Measure | <input type="checkbox"/> Phase V/Remedy Operation Status |
| <input type="checkbox"/> Phase I Initial Site Investigation | <input type="checkbox"/> Post-Class C Operation, Maintenance and Monitoring |
| <input type="checkbox"/> Phase II Comprehensive Site Assessment | <input type="checkbox"/> Other _____ |
- (specify)

3. Description of property where sampling will be/has been conducted:

- residential commercial industrial school/playground Other _____
- (specify)

4. Description of the sampling locations and types (e.g., soil, groundwater) to the extent known at the time of this notice.

Private well drinking water.

E. Contact information related to the party providing this notice:

Contact Name: DOUGLAS HEELY
Street Address: 273 WEST MAIN ST
City/Town: NORTON, MA Zip Code: 02766
Telephone: (508) 226-1800 Email: dheely@esm-inc.com



NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

BWSC 123

This Notice is Related to Release Tracking Number

4 24301

A. The address of the disposal site related to this Notice and Release Tracking Number (provided above):

1. Street Address: EASTHAM LANDFILL, 255 OLD ORCHARD ROAD
City/Town: EASTHAM Zip Code: 02642

B. This notice is being provided to the following party:

1. Name: TOWN OF EASTHAM
2. Street Address: 200 SCHOOLHOUSE RD
City/Town: EASTHAM, MA Zip Code: 02642

C. This notice is being given to inform its recipient (the party listed in Section B):

- 1. That environmental sampling will be/has been conducted at property owned by the recipient of this notice.
- 2. Of the results of environmental sampling conducted at property owned by the recipient of this notice.
- 3. Check to indicate if the analytical results are attached. (If item 2. above is checked, the analytical results from the environmental sampling must be attached to this notice.)

D. Location of the property where the environmental sampling will be/has been conducted:

1. Street Address: 200 SCHOOLHOUSE ROAD
City/Town: EASTHAM, MA Zip Code: 02642

2. MCP phase of work during which the sampling will be/has been conducted:

- Immediate Response Action
- Release Abatement Measure
- Utility-related Abatement Measure
- Phase I Initial Site Investigation
- Phase II Comprehensive Site Assessment
- Phase III Feasibility Evaluation
- Phase IV Remedy Implementation Plan
- Phase V/Remedy Operation Status
- Post-Class C Operation, Maintenance and Monitoring
- Other _____ (specify)

3. Description of property where sampling will be/has been conducted:

- residential
- commercial
- industrial
- school/playground
- Other _____ (specify)

4. Description of the sampling locations and types (e.g., soil, groundwater) to the extent known at the time of this notice.

E. Contact information related to the party providing this notice:

Contact Name: _____
Street Address: _____
City/Town: _____ Zip Code: _____
Telephone: _____ Email: _____

September 28, 2015

Town of Eastham Board of Health
2500 State Highway
Eastham, MA 02642-2544

Eastham Board of Selectmen
Eastham Town Hall
2500 State Highway
Eastham MA 02643-2544

Subject: Immediate Response Action Status Report
Town of Eastham Landfill
255 Old Orchard Road, Eastham MA
RTN 4-24301

As required by the Massachusetts Contingency Plan (MCP), notice is hereby given that the above referenced document has been submitted electronically to the Massachusetts Department of Environmental Protection (MassDEP).

The objective of the Immediate Response Action program is to identify private water wells in the vicinity of the Eastham Landfill that have been impacted by 1,4 dioxane, and to provide alternative safe drinking water to affected residents. In addition, the IRA program includes implementation of appropriate and feasible mitigating measures to remove 1,4 dioxane and other VOCs related to the Eastham landfill from drinking water. This IRA Status report (and the incorporated Landfill Monitoring Plan report) discusses activities completed between June 1, 2015, and August 31, 2015.

The submitted documents for this RTN can be viewed on line at <http://public.dep.state.ma.us/fileviewer/Rtn.aspx?rtn=4-0024301> or at the MassDEP Southeast regional office. For more information about these options, please visit <http://www.mass.gov/eea/agencies/massdep/>.

If you have any questions, please contact our office at 508-226-1800.

Sincerely,
Environmental Strategies & Management, Inc.



Douglas Heely, LSP

Copy: MassDEP Southeast Region